Archaeological Investigations of Land South of Canterbury Road West, Cliffsend, Thanet, Kent

(Phase 2 – Evaluation)

Site Code: CWC2-EV-21

NGR Site Centre: 634426 164840

Planning Application Number: (F/TH/21/1671)



Report for Town and Country
29/04/2022
V02

SWAT ARCHAEOLOGY

Swale and Thames Archaeological Survey Company
The Office, School Farm Oast, Graveney Road
Faversham, Kent ME13 8UP

Tel; 01795 532548 or 07885 700 112

info@swatarchaeology.co.uk www.swatarchaeology.co.uk

© SWAT Archaeology 2022 all rights reserved

Archaeological Investigations of Land South of Canterbury Road West, Cliffsend, Thanet, Kent

(Phase 2 – Evaluation)

1	INTRODUCTION	1
1.1	Project Background	1
1.2	Planning Background	1
1.3	Timetable	2
1.4	Site Description and Topography	3
2	ARCHAEOLOGICAL AND HISTORICAL BACKGROUND	4
2.1	Introduction	4
2.2	Written Scheme of Investigation (SWAT Archaeology 2021, Section 3).	5
3	AIMS AND OBJECTIVES	6
3.1	General Aims	6
4	METHODOLOGY	7
4.1	Introduction	7
4.2	Fieldwork	8
4.3	Recording	9
5	RESULTS	9
5.1	Introduction	9
5.2	Stratigraphic Deposit Sequence	10
5.3	Trench Narrative	1
6	FINDS	44
6.1	Quantification of Archaeological Material	44
7	DISCUSSION	45
7.1	Introduction	45
7.2	Archaeological Narrative	46

7.3	Recommendations	50	
7.4	Conclusions	50	
8	Archive	51	
8.1	General	51	
9	ACKNOWLEDGMENTS	51	
10	REFERENCES	52	
Tables			
Table 1	Programme of archaeological works		
Table 2	Table of finds		
Table 3	Broad characteristics of Colluvial deposits		
Table 4	Interactions between Colluvial groups and archaeology		
Table 5	Trenches containing Colluvial deposits		
Plates			
Plate 1	Looking south across the PDA		
Plate 2	Looking north east across the PDA		
Plate 3	Trench 30, showing large quarry captured in the trench		
Plate 4	Trench 16		
Plate 5	Trench 14		
Plate 6	Trench 12		
Plate 7	Trench 22		
Plate 8	Inhumation (3208)		
Plate 9	Inhumation (3208)		
Plate 10	Quarry [3306] [3310] on Trench 33		
Plate 11	Pit [2309] in Trench 23		
Plate 12	Metalled Trackway [1417] in trench 14		
Plate 13	Section of intercutting linears [807], [810] and [813]		
Plate 14	Plan of linears [807], [810] and [813]		
Plate 15	Substantial linears [1215], [1220] and [1226]		
Plate 16	SFB [5816]		

Figures Figure 1 Site location plan Figure 2 Trench location plan in relation to OS map Figure 3 Site plan showing mitigation areas superimposed on development Figure 4 Site Plan overlain on geophysical survey Figure 5 Site Plan Figure 6 Trench Plans and Sections Figure 7 Trench Plans and Sections Figure 8 Trench Plans and Sections Figure 9 **Trench Plans and Sections Trench Plans and Sections** Figure 10 Trench Plans and Sections Figure 11 Figure 12 Trench Plans and Sections Figure 13 Trench Plans and Sections Trench Plans and Sections Figure 14 Figure 15 Overlay of topographic survey and trenches containing Collivium Figure 16 Division of phase plans Figure 17 Phase plan of trenches 1-6 Figure 18 Phase plan of trenches 7-12 Figure 19 Phase plan of trenches 13-16, 22 & 25 Figure 20 Phase plan of trenches 17-21 Phase plan of trenches 23, 24, 26, 32, 34 & 35 Figure 21

Phase plan of trenches 29, 30, 31, 32 & 39

Phase plan of trenches 47-54

Phase plan of trenches 65-67

Phase plan of trenches 57-59, 62-64

Phase plan of trenches 33, 36, 37, 38, 42, 43, 44 & 46

Figure 22

Figure 23

Figure 24

Figure 25

Figure 26

Summary

Swale & Thames Survey Company (SWAT) carried out an archaeological evaluation of land as part of the ongoing development (Phase 2) Canterbury Road West, Cliffsend, Thanet, Kent. A Planning Application (F/TH/21/1671) for the erection of up to 145 dwellings including access, was submitted to Thanet District Council, whereby the Council requested that an Archaeological Investigation be undertaken in order to determine the possible impact of the development on any archaeological remains.

The work was carried out by SWAT Archaeology in accordance with the requirements set out within the Written Scheme of Investigation (SWAT Archaeology 2021) and in discussion with the Principal Archaeological Heritage Officer, Kent County Council.

The results of the excavation of 63 evaluation trenches revealed that archaeological features were present within 55 of the trenches, with trenches 27, 28, 29, 31, 39, 44, 45 and 67 absent of archaeology. The archaeology recorded consisted of the continuations of a series of Mid Late Iron Age — Early Roman enclosure systems and associated features, including refuse pits, possible sunken feature buildings and a metalled Trackway, that were first excavated during the excavation of Zones 11 and 12 of the East Kent Access Road Phase 2. Additionally to this a wider earlier prehistoric landscape ranging from the Neolithic through to the early Iron Age, was encountered that was partially contained within several horizons of colluvium that has accumulated in a N-S orientated natural valley.

Archaeological Investigations of Land South of Canterbury Road West, Cliffsend,

Thanet, Kent

(Phase 2 – Evaluation)

Site Code: CWC2-EV-21

NGR Site Centre: 634426 164840

Planning Application Number: (F/TH/21/1671)

1 **INTRODUCTION**

1.1 **Project Background**

Swale & Thames Survey Company (SWAT Archaeology) were commissioned by Town and 1.1.1

Country to undertake archaeological investigations on land of Land South of Canterbury Road

West, Cliffsend, Thanet, Kent (Figure 1).

1.1.2 The work was carried out in accordance with the requirements set out within an

Archaeological Specification (SWAT Archaeology 2021) and in discussion with the Principal

Archaeological Heritage Officer, Kent County Council, which details a staged programme of

works. Phase 1 of the works consisted of an archaeological evaluation, which was carried out

in November 2021 and concluded in January 2022.

1.1.3 This archaeological evaluation was implemented to clarify the presence/absence of

archaeology within the proposed development area (PDA) due to the known density of the

archaeological landscape surrounding the PDA and the results of a previous phase of

evaluation, within the PDA, conducted by Wessex Archaeology from 2014-2017 consisting of

desk based assessments, geophysical survey and evaluation.

1.1.4 The trench placement took into consideration a number of constraints that were present

within the PDA (Figure 2). Additionally to this, an area in the north eastern corner of the site,

where trenches 61 and 62 were located, could not be evaluated as part of this programme of

work due to it being temporally incorporated into Phase 1's work as a stockpile area for soil.

This area will need to be evaluated at a later stage.

1.2 **Planning Background**

1.2.1 Planning application (F/TH/21/1671) was submitted to Thanet District Council (TDC) on the

25th October 2021 and was validated on 19th November. The application was for the

1

development of the site to accommodate up to 145 dwellings, together with associated access roads, car parking and landscaping (Figure 3). The Heritage & Conservation Department at Kent County Council (KCC), who provide an archaeological advisory service to the TDC Planning Department, requested that an archaeological investigation take place in advance of any development work. This request was subsequently added as a Condition to the planning approval, which stated that;

- (17) No development shall take place until the applicant, or their agents or successors in title, has secured the implementation of a programme of archaeological field evaluation work in accordance with a written specification and timetable which has been submitted to and approved in writing by the Local Planning Authority.
- GROUND: To ensure that features of archaeological interest are properly examined and recorded, in accordance with the NPPF.
- 1.2.2 This evaluation is part of a staged approach in determining the archaeological potential of the PDA, and follows previous archaeological investigations conducted by Wessex Archaeology in the form of desk based assessments (2014-2015) and geophysical survey (2016) of the PDA followed by an evaluation of adjacent plots in 2017. In addition to this an archaeological investigation following the route of a redirected water main, along the southern boundary of the PDA, was excavated as part of Zone 12 of the East Kent Access Road Phase 2 (2011).
- 1.2.3 This report details the results of the Archaeological Evaluation (Phase 2) carried out by SWAT Archaeology. The evaluation, which comprised the excavation of 63 trenches measuring between 20 and 25 in length and 1.8m in width, was carried out in November 2021 in accordance with the archaeological Written Scheme of Investigation (WSI) produced by SWAT Archaeology. The trench placement took into consideration a number of constraints that were present within the PDA. Two of the trenches, 61 and 62, could not be excavated as part of this evaluation due to that area being incorporated into the phase 1 works. This area will have to be subject to evaluation at a later date.

1.3 Timetable

1.3.1 A timetable for the archaeological programme of works, to date, is provided below;

Task	Date	Personnel/Company
Archaeological Desk Based	2014	Wessex Archaeology
Assessment	2014	Wessex Archaeology

Historic Landscape Assessment and		
Settings Assessment of St	2015	Wessex Archaeology
Augustine's Cross		
Geophysical Survey	2015	Wessex Archaeology
Archaeological Evaluation	2017	Wessex Archaeology
Archaeological Evaluation	November 2021 – January 2022	SWAT Archaeology
Fieldwork		
Archaeological Evaluation Report	This document	SWAT Archaeology
Future Archaeological	Awaiting Decision	-
Investigation		

Table 1 Timetable for the archaeological programme of works

1.4 Site Description and Topography

- 1.4.1 The site is centred on NGR 634426 164840 and is situated on former agricultural ground, located to the immediate South of Canterbury Road West, Cliffsend, Thanet (Figure 2) approximately 4km west of Ramsgate and 1km south of Manston International Airport. The northern boundary to the PDA is abutting approved planning application (OL/TH/17/0152), which was previously investigated by SWAT Archaeology, through evaluation (CWC-EV-21) and targeted strip, map and sample (CWC-EX-21), as part of Phase 1 of works for Canterbury Road West, Cliffsend. Low fences and hedges at the end of the back gardens of the houses on Clive Road form the eastern boundary. The southern boundary is parallel to the East Kent Access Road (A299), with a planted low mound demarcating the end of the PDA. A public footpath is situated along the western boundary of the site; the western boundary at the time of this report is agricultural ground.
- 1.4.2 The PDA is situated within a gradual sloping 'W' shaped valley with the western site boundary along the central ridge between the two. This is reflected in the glacial scarring that was identified during the evaluation of Phase 1 (CWC-EV-21) that saw the direction of the scarring move from being orientated NE-SW on the eastern side of the site to NW-SE towards the western boundary, as if it is being funnelled centrally into the valley towards Foads Hill. This was further illustrated in the targeted strip, map and sample (SMS) of Phase 1 (CWC-EX-21) in which the south western edge of that natural valley that runs centrally through the Phase 2 PDA was identified and was in filled with multiple Colluvial deposits that were both truncating and sealing archaeological features. The Ground levels at the northern end of the site are at a height of 28.87m above Ordnance Datum (aOD) sloping down to the south of site at a height of 16.35maOD. This is a total drop of 12.52m across the site, approximately a decrease in height of 1m every 23m (Figure 15). Along the west to east axis across the PDA the western boundary

is at a height of 23.95 aOD, the east 25.26 aOD, both falling inwards centrally to 22.11m aOD. (Figure 15).

- 1.4.3 During the evaluation of Phase 2 a relationship between the topography and archaeological landscape was established with the concentration of archaeology following the lowest points in the valley with a few exceptions, notably the inhumation in trench 32 and the quarry in trench 30 located on the higher plateau of the valley. Similarly, the barrow (Feature 5023) that is located to the west of the evaluation, visible on the aerial photographs and identified during the 2016 geophysics conducted by Wessex Archaeology, is also situated on the central highpoint of the valley. The topography also creates an added level of complexity to the stratigraphy and archaeology that runs along the line of the valley. As during the targeted SMS of Phase 1 and the evaluation on the PDA it was established that the multiple Colluvial deposits (sediment deposited through gravity, local wash or continuous downslope soil creep or through a combination of these processes) that had accumulated in the lower parts of this valley not only seal earlier archaeological phases but also have archaeology truncating different horizons of the Colluvium.
- 1.4.4 The Geological Survey of Great Britain shows that the site is set on Margate Chalk Member Chalk, with no overlying superficial deposits. Head deposits of Clay and Silt (Brickearth) are recorded to the east and west of the site (Geological Survey of Great Britain (England and Wales) http://mapapps.bgs.ac.uk/geologyofbritain/home.html).

2 ARCHAEOLOGICAL AND HISTORICAL BACKGROUND

2.1 Introduction

2.1.1 Further details of previous discoveries and investigations within the immediate and wider area may be found in the Kent County Council Historic Environment Record and have been summarised in the WSI produced by SWAT Archaeology (SWAT 2021) as well as the Archaeological Desk Based Assessment, Historic Landscape Assessment and Settings Assessment of St Augustine's Cross, Geophysical Survey and Archaeological Evaluation produced by Wessex Archaeology between 2014 and 2017.

2.2 Written Scheme of Investigation (SWAT Archaeology 2021 Section 5.2).

2.2.1 The Archaeological Written Scheme of Investigation states the following;

The Proposed Development Area (PDA) is located close to a number of archaeological sites which are identified on the KCCHER database. 100m to the west is a possible ring ditch (TR 36 SW 292). Just to the north the possible remains of a WWII Fido Tank (TR 36 SW 429). 120m to the NW an undated quarry pit (TR 36 SW 419). In the south area of the site an undated crouched inhumation. To the south of the PDA, a Middle to Late Iron Age Settlement was discovered during archaeological investigations for the East Kent Access Road Phase 2 excavations 2009-2011 (TR 36 235,376).

In addition Wessex Archaeology have produced a Desk-Based Assessment 2014, 2015 and Geophysical Survey (Wessex Archaeology 2016). To the south SWAT Archaeology has excavated two large areas (Sites A & B). Within Area A an early Bronze Age beaker burial was discovered as well as linear systems and discrete features. Middle Bronze Age to Late Bronze Age linear systems and enclosures were also found, one of which is associated with a large circular enclosure that has been preserved in situ within the exclusion zone within the Site. The linear feature has localised deposits of disarticulated human remains. A postglacial deflation hollow has also been identified, with a later ring ditch truncating its upper fill. Late Iron Age linear systems and discrete features were also discovered as well as a continuation of the Late Iron Age-Early Roman Trackway. A series of Anglo-Saxon linear and discrete features were also found as well as several phases of medieval enclosures and buildings, the latest of which appears to be an enclosure containing five chalk floor buildings which appear to be of 12th-13th century date (SWAT 18.06.21). The excavation within Area B is currently ongoing however a summary of the results has been provided by SWAT (18.06.2021).

Within Area B prehistoric field systems have been discovered as well as a post-glacial deflation hollow located along the eastern edge of the excavation area. A ring ditch containing a cremation burial was also found which had been truncated by both the Late Iron Age to Early Roman Trackway and an Anglo-Saxon structure. Several phases of the NW-SE oriented Late Iron Age to Early Roman Trackway were identified. Nine Anglo-Saxon sunken feature buildings and one post structure were also identified as well as linear and discrete features (SWAT 18.06.21).'

SWAT Archaeology (2021: Section 5.1-5.3)

2.2.2 Subsequently to the WSI for this phase of work being submitted to KCC, SWAT Archaeology excavated a targeted strip, map and sample of the Land East of 40 Canterbury Road West, Cliffsend (2021) which forms the northern boundary to the PDA. The excavation identified two prehistoric quarries cut into the chalk bedrock, an ephemeral prehistoric field system with associated discrete features and the north-eastern edge of the natural valley infilled with colluvium that was identified during the phase 2 evaluation.

3 AIMS AND OBJECTIVES

3.1 General Aims

- 3.1.1 The specific aims of the archaeological fieldwork, other than establishing how the results of the evaluation relate to the wider known archaeological landscape of the area, were set out in a Written Scheme of Investigation (SWAT Archaeology) as stated below;
 - 'The primary objective of the archaeological evaluation is to establish or otherwise the presence of any potential archaeological features which may be impacted by the proposed development. The aims of this investigation are to determine the potential for archaeological activity and in particular the earlier Prehistoric and also any Roman, Early Medieval and later archaeological activity.
 - The programme of archaeological work should be carried out in a phased approach and will commence with additional evaluation through trial trenching. This phase of work should determine whether any significant archaeological remains would be affected by the development and if so what mitigation measures are appropriate. Such measures may include further detailed archaeological excavation, or an archaeological watching brief during construction work or an engineering solution to any preservation in situ requirements.
 - This specification sets out the requirements for trial trenching on the site and any further archaeological work, such as detailed excavation work or a watching brief, would need to be subject to further specifications.'

SWAT Archaeology (2021: 6.1-6.3)

3.1.2 The specific objectives of the evaluation were to understand and establish the extent of the archaeology excavated during Zone 11 and 12 of the East Kent Road Phase 2 (2011) and during the excavations at Thanet Parkway (2021 Canterbury Archaeological Trust report forthcoming) which were projected to continue into the PDA. As well as this the evaluation was looking to verify and confirm the results of the geophysical survey conducted by Wessex Archaeology in 2016.

4 METHODOLOGY

4.1 Introduction

4.1.1 All fieldwork was conducted in accordance with the methodology set out in the WSI (SWAT 2021) and carried out in compliance with the standards outlined in the Chartered Institute for Archaeologists' Standards Guidance for Archaeological Evaluations (CIfA 2014). This includes:

'The initial evaluation will comprise 65 machine excavated trenches (25m x 2m) in a layout agreed with the County Archaeologist. The area of investigation is the proposed development area (Figure 1). A suggested plan of trenching is attached (Figure 3). The trenches will be machine excavated down to the archaeological horizon or natural geology and have been placed to investigate anomalies identified on the Wessex Archaeology Geophysical Survey (Figure 1).

In addition a RAMS (Risk Assessment and Method Statement) will be produced before the work starts on site and issued to all interested parties with itemised additional safeguards during the present pandemic of Coronavirus.

There will also be an allowance of c.25m of contingency trenching which could be used if it would help address the aims set out above. Contingency trenching can be activated following agreement with the County Archaeologist. Further requirements are set out in KCC Spec Manual for Trial Trenching Part B (attached).

A soil sampling programme will be put in place to facilitate palaeo-environmental analysis, bulk screening, and soil micromorphology in the case that suitable deposits are identified (within the limits of the objectives of this evaluation), from which data can be recovered (see also KCC Evaluation Specification Part B: 9. Archaeological Science and Environmental Sampling). '(SWAT Archaeology 2021 7.1-7.4)

- 4.1.2 The methodology with regards trenches cut had to be adjusted with only 63 trenches being excavated as an area in the north eastern corner of the site, where trenches 61 and 62 were located, could not be evaluated as part of this programme of work due to it being temporally incorporated into Phase 1's work as a stockpile area for soil. This area will need to be evaluated at a later stage.
- 4.1.3 Additionally it was agreed with the principal heritage officer from KCC, during the evaluation process, that only a percentage of features within each trench would be excavated, due to the

density of archaeology. Excavation focused on key features that would provide secure dating/phasing of the archaeology within the area in order to establish the broader nature of the archaeology as well obtaining dating from discrete features so that these features could also be broadly phased to see if they are associated with the linear systems identified across the site. If a feature has had an intervention placed through it in one trench and has provided good dating/phasing, additional interventions were not excavated in the feature if it continued across other trenches. Any relationships between unexcavated features that were visible on the surface were recorded and any dating material from the top of the fills was collected. The unexcavated archaeology within the trenches of this evaluation will need to be additionally investigated as part of any future archaeological condition that is put on the site.

4.2 Fieldwork

- 4.2.1 A total of 63 evaluation trenches were proposed out of a proposed 65 within the extent of the Site (Figure 5).
- 4.2.2 A metal detectorist scanned each trench after they were excavated, as well as the topsoil within the PDA. Excavation was carried out using a 360° mechanical excavator fitted with a toothless ditching bucket, removing the overburden to the top of the first recognisable archaeological horizon, under the constant supervision of an experienced archaeologist. In instances where trenches contained colluvium deposits they were reduced with the machine until archaeological features were identified, be that in a lower Colluvial deposit or at natural. A number of trenches had their sides stepped due to the depth the archaeology was appearing at.
- 4.2.3 Where appropriate, trenches, or specific areas of trenches, were subsequently hand-cleaned to reveal features in plan; this was particularly the case in trenches containing a dense concentration of features as well as features affected by winter weather conditions. Carefully selected cross-sections through key features were excavated to enable sufficient information about form, development date and stratigraphic relationships to be recorded without prejudice to more extensive investigations, should these prove to be necessary. In select instances test pitting, with the 360° mechanical excavator, through large features and substantial Colluvial deposits were agreed with the principal heritage officer at KCC. This was principally to obtain select sections through complicated and deep stratigraphies as well as to test whether certain Colluvial deposits were obscuring earlier archaeological horizons. All archaeological work was carried out in accordance with KCC and CIfA standards and guidance. A complete photographic record was maintained on site that included working shots; during mechanical excavation, following archaeological investigations, and during backfilling.

4.2.4 On completion, the trenches were made safe and left open in order to provide the opportunity for a curatorial monitoring visit, then backfilled.

4.3 Recording

- 4.3.1 A complete drawn record of the evaluation trenches comprising both plans and sections, drawn to appropriate scales (1:20 for plans, 1:10 for sections) was undertaken. The plans and sections were annotated with coordinates and aOD heights.
- 4.3.2 Photographs were taken as appropriate providing a record of excavated features and deposits, along with images of the overall trench to illustrate their location and context. The record also includes images of the Site overall. The photographic record comprises digital photography. A photographic register of all photographs taken is contained within the project archive.
- 4.3.3 A single context recording system was used to record the deposits. A full list is presented in Appendix 1. Layers and fills are identified in this report thus (100), whilst the cut of the feature is shown as [100]. Context numbers were assigned to all deposits for recording purposes. Each number has been attributed to a specific trench with the primary number(s) relating to specific trenches (*i.e.* Trench 1, 101+, Trench 2, 201+, Trench 3, 301+, etc.).

5 RESULTS

5.1 Introduction

- 5.1.1 A total of 63 evaluation trenches were mechanically excavated under archaeological supervision. Trenches were positioned in order to cover as many areas of the site as possible as well being positioned to verify the results of the 2016 geophysical survey. A number of constraints were present on site and had to be taken into consideration when placing trenches, such as multiple services. Individual trench results are discussed below.
- 5.1.2 Figure 1 shows the location of the site and Figure 2 includes the trench layout. Figure 3 provides an archaeological plan overlaying the proposed development and Figure 4 a site plan overlaid on the Geophysical survey. Figure 5 is a site plan. In addition to the plans provided, this report also contains representative sections for selected excavated features (Figures 6-14) and photographs of features and selected trenches that have been provided to supplement the text. Figure 15 illustrates the relationship between the topography and the colluvium.
- 5.1.3 Appendix 1 provides the stratigraphic sequence and contextual information for all trenches.

5.2 Stratigraphic Deposit Sequence

- 5.2.1 A relatively consistent stratigraphic sequence was recorded across the majority of the Site comprising topsoil sealing an intact subsoil, which overlay the natural geological drift deposits. Though as discussed in later in this report in 7.2.2 and 7.2.3 multiple Colluvial deposits, that had accumulated in the low lying areas in the topography, created a complicated stratigraphy with the archaeology.
- 5.2.2 The topsoil generally consisted of dark brown clay silt, moderate roots and occasional small, rounded stones, topped with grass, overlying the subsoil which consisted of medium orange brown Colluvial silt. Variable natural geology comprised mid orange-brown, silty clay Brickearth and bedrock chalk.

5.3 Trench Narrative

Negative trenches

Trench 27

Trench 27 was excavated on a NNE-SSW alignment and measured 25.5m x 2.2m with a maximum depth of 0.36m and was absent of archaeology.

Trench 28

Trench 28 was excavated on a NW-SE alignment and measured 25m x 2.2m with a maximum depth of 0.28m and was absent of archaeology.

Trench 29

Trench 29 was excavated on a WNW-ESE alignment and measured 24m x 2.2m with a maximum depth of 0.37m and was absent of archaeology.

Trench 31

Trench 31 was excavated on a NNE-SSW alignment and measured 22m x 2.2m with a maximum depth of 0.37m and was absent of archaeology.

Trench 39

Trench 39 was excavated on a WNW-ESE alignment and measured 25m x 2.2m with a maximum depth of 0.34m and was absent of archaeology.

Trench 44

Trench 44 was excavated on an E-W alignment and measured 25m x 2.4m with a maximum depth of 0.50m and was absent of archaeology.

Trench 45

Trench 45 was excavated on a N-S alignment and measured 25m x 2.4m with a maximum depth of 0.30m and was absent of archaeology.

Trench 67

Trench 67 was excavated on a SSW-NNE alignment and measured 25m x 2m with a maximum depth of 0.48m and was absent of archaeology.

5.3.1 Trenches containing archaeology

5.3.2 Trench 1

Trench 1 was excavated on a WSW-ENE alignment and measured 25m long, 2.4m wide with a maximum depth of 0.69m. The trench contained four features, two linear termini, a Paleochannel and a posthole. The WSW 15m of the trench was occupied by a large Paleochannel [106] continuing through the trench in a N-S alignment from Trench 2 [213]. [106] was truncated by linear terminus [108], an unexcavated terminus measuring 2.4m x 3.2m aligned N-S. [108] is a continuation of linear [210]. 5m to the ENE of [106] was unexcavated sub-circular posthole [110]. It measured 0.34m x 0.29m. At the ENE of the trench was a terminus entering from the NNW edge [103]. With moderate inward sloping sides and a gentle concave base and aligned NNW-SSE, [103] measured 1.65m+ long x 0.96m wide x 0.35m deep.

5.3.3 Trench 2

Trench 2 was excavated on a SW-NE alignment and measured 25m long, 2.4m wide with a maximum depth of 0.83m. The trench contained seven features - three termini, two linears, a posthole and a paleochannel. At the NE end of the trench there was a 0.85m long x 0.80m wide x 0.30m deep terminus [207] with moderate inwards sloping sides and an undulating base aligned SE-NW

The central 13m of the trench was occupied by paleochannel [213] aligned N-S and a continuation of [106]. [213] occupied the full trench width to a depth of 0.76m. [213] was truncated in the NE by [219], a 0.69m long x 0.46m wide unexcavated terminus aligned NW-SE, and centrally by unexcavated posthole [217], 0.70m long x 0.67m wide. The SW edge of [213] was truncated by linear [210], measuring 1.8m wide and 0.88m deep and aligned N-S with steep inwards sloping sides and a gentle concave base aligned SSW-NNE.

1m to the SW of [210] was linear [204] dating to Middle to Late Iron Age 600-50BC. Aligned N-S and measuring 2m+ long x 0.51m wide x 0.17m deep with gentle inwards sloping sides and a gentle concave base.

At the very SW end of the trench was unexcavated pit/terminus [215]. Aligned NE-SW and measuring 1.35m+ long and 1.46m wide.

5.3.4 Trench 3

Trench 3 was excavated on a N-S alignment and measured 25.7m x 2.05m, with a maximum depth of 0.64m. The trench contained four features - one pit and three linears. At the N end of the trench were E-W aligned linears [307],[309]. [307] measured 2m+ long x 0.80m wide x 0.30m deep with moderate inwards sloping sides and a gentle concave base. Truncated by [307] was linear [309] which measured 2m+ long x 0.75m wide with a depth of 0.20m and very gentle inwards sloping sides and a gentle concave base.

Roughly 5m to the south of [307] was unexcavated linear [305], measuring 2m+ long x 0.66m wide and aligned E-W. [305] appeared to possibly continue through to terminate as [416] in trench 4.

Central to the trench was pit [303]. Measuring 1.14m long x 0.98m wide and 0.26m deep, [303] was ovate in plan with steep inwards sloping sides and a flat base aligned E-W.

5.3.5 Trench 4

Trench 4 was excavated on a N-S alignment and measured 25m x 2.4m with a maximum depth of 0.62m. The trench contained 7 features - four pits and postholes, two termini and a linear. Emerging from the N section of the trench was terminus [404], measuring 2.2m+ long x 0.50, wide and 0.23m deep aligned N-S. [404] had gentle inwards sloping sides and a gentle concave base. 2.5m south of [404] was ovate pit [410], measuring 0.61m long x 0.55m wide x 0.10m deep with gentle inwards sloping sides and a gentle concave base, aligned WSW-ENE. A further 2.5m south was linear [408] cutting pit [406]. [408] was rectilinear in plan and measured 1.07m+ long x 0.82m wide x 0.38m deep with steep inwards sloping sides and a moderately concave base. [408] was aligned E-W Truncated pit [406] was sub-circular in plan, measuring 0.41m long x 0.64m wide x 0.61m deep, with vertical sides and a moderate concave base. Immediately N of [408] was unexcavated pit/terminus [416] emerging from the W trench edge. [416] measured 0.79m+ long x 0.92m wide and was possibly the terminal end of linear [305]. Central to the trench was unexcavated circular pit [414] measuring 0.54m x 0.54m. Roughly 5m from the S end of the trench was pit [412]. Ovate in plan, pit [412] measured 0.58m long x 0.42m wide x 0.19m deep and had steep inwards sloping sides, a concave base and was aligned WSW-ENE.

5.3.6 Trench 5

Trench 5 was excavated on a SW-NE alignment and measured 25m x 2m with a maximum depth of 0.64m. The trench contained five features - four linears and a terminus. 2m from the SW end of the trench was unexcavated linear [511]. Rectilinear in plan, [511] measured 1.8m+

long and 0.64m wide and was filled by (510). Just to the N of [511] was terminus [503] emerging from the NE trench edge, measuring 2m+ long x 1.34m wide x 0.14m deep. [503] was aligned NW-SE with gentle inwards sloping sides and a slightly undulating base. At the same point, but emerging from the SE trench edge, was linear [509] measuring 2.8m+ long x 0.68m wide x 0.09m deep and aligned N-S. [509] was rectilinear with gentle inwards sloping sides and a gentle concave base. Central to the trench was linear [505] measuring 2m+ long x 0.55m wide x 0.09m deep. [505] was rectilinear with gentle inwards sloping sides, a gentle concave base and aligned NW-SE. Towards the NE of the trench was linear [507] measuring 2.8m+ long x 0.68m wide x 0.11m deep. [507] was rectilinear with moderate-gentle inwards sloping sides and a gentle v-shaped base aligned NW-SE.

5.3.7 Trench 6

Trench 6 was excavated on a SW-NE alignment and measured 25m x 2m with a maximum depth of 0.5m. The trench contained eleven features - five linears, three termini and three pits. At the SE end of the trench, unexcavated terminus [632] emerged from the NW trench edge to truncate linear [609][626]. [632] measured 1.85m+ long x 0.80m wide, aligned NNW-SSE. Immediately NW of this, terminus [623] also emerged from the NW edge to truncate [609][626]. [623] measured 1.7m+ long x 0.74m wide x 0.22m deep and was aligned NNW-SSE with moderate inwards sloping sides and a moderate concave base. 2m further NE, unexcavated linear [630] also truncated [609][626]. [630] was rectilinear in plan, aligned NNE-SSW and measured 2.8m+ long x 1.1m wide. Roughly 3m further NE, linear [606] also truncated linear [609][626]. [606] measured 1.3m+ long x 1.2m wide and 0.39m deep, with rectilinear shape, steep inwards sloping sides and a moderate concave base and aligned N-S. [609][626] appears to terminate under [606]. [609] was rectilinear in plan and measured a total 11m+ long x 1.12m wide x 0.41m deep and was aligned WSW-ENE with steep inward sloping sides and a narrow concave base. Roughly 7m from the ENE end of the trench, on an island of chalk natural, was pit [628] measuring 1.38m+ long x 2.50m wide x 0.23m deep. [628] was assumed sub-circular with moderate inwards sloping sides and an undulating base. Not machine cut, it was a possibly intentionally backfilled archaeological feature from a previous excavation. In the ENE end of the trench were five interacting features. Linear [613] and pit [636] both truncated linear [617] which, in turn, cut linear [621] which, in turn, cut pit/terminus [638]. Linear [613] measured 2m+ long x 0.94m wide x 0.45m deep and was rectilinear in plan with very steep inwards sloping sides and a flat base and was aligned NNW-SSE. Pit [636] measured 1.64m long x 0.75m+ wide x 0.7m deep and was ovate with steep inwards sloping sides and a moderate concave base on a WSW-ENE alignment, dating to Late Iron Age to Early Roman 75BC-75AD. Linear [617] measured 0.80m+ long x 0.70m wide x

0.40m deep and was rectilinear with very steep inwards sloping sides and a flat base and aligned E-W. Linear [621] measured 2m+ long x 0.32m+ wide x 0.32m deep and was rectilinear with very steep inwards sloping sides and a flat base aligned ENE-WSW. Pit/terminus [638] measured 1.15m long x 0.76m wide x 0.23m deep and was ovate with steep inwards sloping sides and a flat base aligned N-S.

5.3.8 Trench 7

Trench 7 was excavated on an E-W alignment and measured 25m x 2m with a maximum depth of 0.48m. The trench contained twelve features - five linears, four termini and three pits. At the W end of the trench, curvilinear [710][713][727] truncated linears [729] then [731]. [710][713][727] measured 14m+ long x 0.86m wide x 0.32m deep and was curvilinear with gentle-moderate inwards sloping sides and a moderate concave base aligned WSW-ESE before terminating as [713]. Linear [729] measured 1.8m+ long x 2.00m wide x 0.12m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base aligned NW-SE. Linear [731] measured 1.8m+ long x 1.24m wide x 0.18m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base aligned NNW-SSE. 3m further to the E, linear [707] had an unclear interaction with linear [710] (they may have been contemporary) before both were truncated by linear [705]. Linear [705] measured 1.2m+ long x 1.05m wide x 0.32m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base aligned N-S. Linear [707] measured 1.2m+ long x 0.78m wide x 0.10m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base aligned N-S. Central to the trench, curvilinear terminus [713] and pit/terminus [715] both truncated linear terminus [717][719] which, in turn, truncated pit [722]. Terminus [713] here also truncated small pit [724]. Pit/terminus [715] measured 0.70m+ long x 0.82m wide x 0.16m deep and was ovate with gentle inwards sloping sides and a gentle concave base aligned NNW-SSE. Linear terminus [717][719] measured 1m+ long x 1.05m wide x 0.17m deep and was terminus shaped with gentle inwards sloping sides and a flat base aligned NE-SW. Pit [722] measured 1m long x 0.92m wide x 0.35m deep and was sub-circular with moderate inwards sloping sides and a gentle concave base aligned NW-SE. Small pit [724] measured 0.57m long x 0.52m wide x 0.07m deep and was sub-circular with moderate inwards sloping sides and a flat base aligned N-S. Just to the E of [722] was unexcavated terminus [735] aligned NNE-SSW emerging from the S trench edge and measuring 1.66m+ long x 0.44m wide. [735] was filled by (734). At the E of the trench was pit [703], measuring 0.26m long x 0.24m wide x 0.07m deep and sub-circular with gentle inwards sloping sides and a gentle concave base, aligned NNE-SSW. Also at the E of the trench was unexcavated ovate pit terminus [733] aligned N-S and measuring 0.75m+ long x 0.74m deep and filled by (732).

5.3.9 Trench 8

Trench 8 was excavated on a N-S alignment and measured 25m x 2m with a maximum depth of 0.43m. The trench contained twelve features - six linears, two termini and four pits and postholes. At the S end of the trench was linear [804], Late Iron Age to Early Roman 75BC-75AD in date, measuring 1.70m long x 1.30m wide x 0.60m deep and was rectilinear with steep inwards sloping sides and a moderate concave base aligned NE-SW. 3m further north was unexcavated pit [837] measuring 1.65m long x 0.55m wide, filled by (836) and significantly impacted by modern intrusion. North of [837] were unexcavated pit/terminus [839] and unexcavated posthole [841]. [839] measured 1.05m long x 0.75m wide and was aligned E-W and filled by (838). Posthole [841] was circular and measured 0.26m long x 0.26m wide, containing fill (840). A further 3m north was unexcavated pit [843]. Irregular in shape and significantly truncated by two modern features, [843] measured 1.35m long x 0.80m wide and was filled by (842). Immediately to the north of these modern features, and to a small degree truncated by them, was a 'T' shaped linear junction/enclosure end [831][835] truncating linear [825] which, in turn, truncated linear [827]. Linear [831] formed the E-W branch of the enclosure and measured 2m+ long x 1.03m wide x 0.52m deep and was rectilinear with very steep inwards sloping sides and a gentle concave base, dating to Early to Middle/Middle to Late Iron Age 600/200-BC. Linear [835] formed the N-S branch of the enclosure, continuing north through the trench as [807], [816] and measured 11m+ long x 1.34m wide x 0.68m deep. [835][807][816] was rectilinear with very steep inwards sloping sides and a gentle concave base that developed a gentle step at the top of its profile by its northern extent in [816] and shallowed slightly to 0.38m deep. [835] contained three fills but by the northern two interventions [807], [816], only the upper two fills were present. Linear [825] measured 0.90m+ long x 0.55m wide x 0.45m deep and was rectilinear with moderate inwards sloping sides aligned E-W, with its base truncated away by [831]. Linear [827] measured 0.90m+ long x 0.34m wide x 0.08m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base aligned E-W. Further north in the trench, a slot was excavated into linear [807], Late Iron Age to Early Roman 75BC-75AD in date, where it was shown to truncate both terminus [810] and linear [813]. Terminus [810] measured 0.60m+ long x 0.40m wide x 0.20m deep and was a terminus with steep inwards sloping sides and a moderate concave base aligned NW-SE. Its relationship with pit [820] remained unknown. Linear [813] measured 1.8m+ long x 0.82m wide x 0.60m deep and was rectilinear with very steep inwards sloping sides and a moderate concave base aligned SSE-NNW, continuing NNW to terminate as [823], [813] produced pottery dating to 1550/1000-50BC. At the N end of the trench, a slot was excavated across linear [816] which truncated pit [820] which, in turn truncated linear

terminus [823][813]. Pit [820] measured 3.17m+ long x 1.25m+ wide x 0.52m deep and was sub-ovate with steep inwards sloping sides and a moderate concave/undulating base aligned N-S, with a Later Prehistoric – Early Roman date of 1550BC-75AD. Its relationship with [810] remained unknown. Linear terminus [823] measured 0.28m+ long x 0.49m wide x 0.30m deep and was a terminus with steep inwards sloping sides and a steep concave base aligned NNW-SSE and continuing to [813].

5.3.10 Trench 9

Trench 9 was excavated on a N-S alignment and measured 25m x 2.4m with a maximum depth of 0.50m. The trench contained nine features - five linears, a terminus and three pits. At the S end of the trench was terminus [920], emerging from the S trench edge, it measured 1.8m+ long x 0.70m wide x 0.35m deep with steep inwards sloping sides and a moderate concave base, aligned NW-SE. 1m north of [920] was an unknown feature [903] just emerging from the W trench edge to truncate the terminus [907] of linear [914]. [903] measured 0.93m+ long x 0.30m+ wide x 0.30m deep and had moderately inward sloping sides, dating to Early to Mid/Mod to Late Iron Age 600-50BC. Linear and terminus [907][914] measured 7m long x 1.39m wide x 0.65m deep and was rectilinear with steep inwards sloping sides and a moderate concave base aligned NNE-SSW, dating to Middle to Late Iron Age 200/150-75BC. At its northern extent, [914] truncated linear [917]. Linear [917] measured 2.4m+ long x 1.65m wide x 0.74m deep and was rectilinear with stepped moderate (above step) and steep (below step) inwards sloping sides and a flat base aligned WNW-ESE, dating to Early to Middle/Middle to Late Iron Age 600-50BC. Central to the trench was pit [923] truncating linear [926]. Pit [923] measured 0.34m long x 0.55m wide x 0.35m deep and was ovate with moderate inwards sloping sides and a moderate concave base, aligned SSW-NNE.

Linear [926] measured 2m+ long x 1.35m wide x 0.52m deep and was curvilinear with steep inwards sloping sides and a moderate concave base aligned WNW-E. Immediately north of linear [926] was unexcavated pit [928], ovate and aligned N-S, measuring 1.66m long x 1.28m wide and filled by (927). 1m to the north of this was unexcavated linear [930] truncating unexcavated pit [932]. Linear [930] was rectilinear and aligned NW-SE, measuring 2.60m+ long x 0.70m wide. Pit [932] was ovate and aligned NW-SE, measuring 1.40m+ long x 0.70m wide and was filled by (931). At the N end of the trench was linear [910], measuring 1.4m+ long x 1.1m wide x 0.12m deep and was rectilinear with gentle inwards sloping sides and a flat base, aligned E-W.

5.3.11 Trench 10

Trench 10 was excavated on a NE-SW alignment and measured 25m x 2.3m with a maximum depth of 0.54m. The trench contained fourteen features- eight linears, a terminus, three pits and posts, and a possible SFB with internal posthole. At the SW end of the trench were three parallel linears with linear [1013] truncating [1015] which, in turn, truncated [1018]. Linear [1013] measured 1.1m+ long x 0.60m wide x 0.30m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base aligned N-S. Linear [1015] measured 0.90m+ long x 0.45m wide x 0.20m deep and was rectilinear with gentle inward sloping sides and a moderate concave base aligned N-S. Linear [1018] measured 1.2m+ long x 1.1m wide x 0.46m deep and was rectilinear with steep inward sloping sides and a gentle concave to flat base aligned N-S, dating to Early to Middle/Middle to Late Iron Age 600-50BC. Also in the SW of the trench was unexcavated linear [1020] aligned WNW-ESE measuring 2.2m+ long x 1.95m wide that truncated terminus [1022]. Unexcavated terminus [1022] was 1.05m+ long x 0.66m wide and emerged from the NW trench edge. Running parallel to [1020] on its NE edge was unexcavated linear [1024], measuring 2.2m+ long x 0.69m wide. Further towards the centre of the trench was linear [1004] truncating linear [1006]. Linear [1004] measured 0.60m wide and 0.39m deep and was rectilinear with steep-vertical inwards sloping sides and a very steep concave base aligned WNW-ESE. Linear [1006] was 1.60m wide and 0.17m deep and was rectilinear with moderate-steep inwards sloping sides and a gentle concave base, also aligned WNW-ESE, dating to Middle to Late Iron Age 600/200-50BC. Also toward the centre of the trench were unexcavated PIt [1026] and posthole [1028]. Pit [1026] measured 0.43m+ long x 0.36m wide and was ovate, aligned NW-SE. Posthole [1028] was circular and measured 0.23m x 0.22m. Between the two was linear terminus [1008], measuring 1.4m+ long x 1m wide x 0.17m deep, with steep inwards sloping sides and a gentle concave base aligned N-S. At the NE of the trench was pit [1011], a sub-circular pit measuring 0.80m+ long x 1.35m wide x 0.35m deep with steep-vertical inwards sloping sides and a flat base, dating broadly to the Later Prehistoric 1550-50BC. Immediately to the east of [1011] was possible SFB [1031]1034, a subrectangular shallow pit/sfb cut aligned NNE-SSW heading into the SE trench edge measuring 5m+ long x 1.50m+ wide x 0.15m deep. Structure **1034** also contained internal posthole [1033], an ovate post aligned E-W measuring 0.31m long x 0.14m wide x 0.14m deep with steep (NE)moderate (SE) inwards sloping sides and a V-shape base.

5.3.12 Trench 11

Trench 11 was excavated on a NE-SW alignment and measured 26m x 2.3m with a maximum depth of 0.60m. Trench 11 contained twelve features - nine linears and three pits. In the SW end of the trench, two linears continued through the trench with [1127] cutting [1129]. [1127]

measured 1.59m wide x 0.53m deep and was rectilinear with steep (near vertical on NE side) inwards sloping sides and a concave-flat base aligned WNW-ESE, dating to Early to Middle/Middle to Late Iron Age 600/200-50BC. [1129] was parallel to [1127] and measured 0.49m+ wide x 0.35m deep and was rectilinear with gentle inwards sloping sides and a moderate concave base. In the middle of the trench were three linears. [1120] was an unexcavated curvilinear aligned NNW-S measuring 0.26m wide. To its east were linear [1104] truncating linear [1106]. [1104] was 0.99m wide x 0.41m deep and was rectilinear with steep inwards sloping sides and a moderately concave base aligned NNE-SSW, dating to Early to Middle/Middle to Late Iron Age 600-50BC. [1106] was 0.26m wide x 0.14m deep and was rectilinear with gentle-moderate inwards sloping sides with a flat base, also aligned NNE-SSW. In the NE of the trench was unexcavated curvilinear [1122], 0.36m wide and aligned NNE-S. To its NE was linear [1118] being truncated by elongated pit [1115]. [1118] was 0.58m wide x 0.28m deep and was rectilinear with very steep inwards sloping sides and a steep concave base, aligned NNE-SSW. Pit [1115] measured 1.57m+ long x 0.97m wide x 0.40m deep and was ovate with near vertical inwards sloping sides and a moderately concave base, aligned NE-SW, dating to broadly Later Prehistoric 1550-75BC/200-50BC. Immediately E of pit [1115] was pit [1108], an ovate pit aligned WSW-ENE measuring 1.50m long x 0.99m wide x 0.25m deep with steep inwards sling sides and a flat base. At the very NE end of the trench were three unexcavated features - pit [1112] cutting linear [1110], and the adjacent linear [1124], partially exposed in the N corner. Pit [1112] was circular and measured 1m long x 0.5m+ wide. Linear [1110] was 2m wide and possibly continued through as [1020] in T10. Only 0.55m of the width of [1124] was visible in the trench.

5.3.13 Trench 12

Trench 12 was excavated on a N-S alignment and measured 24.5m x 2.2m with a maximum depth of 0.60m. Trench 12 contained twenty three features - thirteen linears, three termini and seven pits. At the S end of the trench there was unexcavated terminus [1236] cutting pit [1238]. Terminus[1236] was aligned ENE-WSW and measured 1.6m+ long x 0.41m wide. Pit [1238] was 0.17m+ long x 0.65m wide. Just north of this was unexcavated linear [1240], 0.98m wide and aligned WNW-ESE. A further 0.5m north was linear [1203] cutting pit[1205]. [1203] was 0.90m wide x 0.20m deep and rectilinear with moderate inwards sloping sides and a flat base, aligned E-W, dating to Early to Middle/Middle to Late Iron Age 600-50BC. Pit [1205] measured 0.80m long x 0.60m wide x 0.16m deep and was ovate with gentle inwards sloping sides and a flare base, aligned SE-NW. The next feature to the north was unexcavated pit [1242], subcircular in plan, it measured 0.64m x 0.58m.

Just south of the centre of the trench were three linears - [1208] truncating [1211], truncating, in turn to the S, [1213]. Linear [1208] measured 0.56m wide x 0.52m deep and was rectilinear with steep inwards sloping sides and a flat base aligned E-W, dating to Early to Middle/Middle to Late Iron Age 600/200-50BC. Linear [1211] measured 1.81m wide x 0.57m deep and was curvilinear with very steep inwards sloping sides and a flat base, aligned WNW-ESE, dating to Early to Middle/Middle to Late Iron Age 600-50BC to Early Roman 25-75AD. Linear [1213] measured 0.58m wide x 0.13m deep and was rectilinear with steep inwards sloping sides and a flat base aligned WNW-ESE. From the centre of the trench northwards began a complex series of overlapping features. Linears [1244], [1250], [1229] all overlaid linear [1246] which, in turn, overlaid linear [1248]. Linear [1244] was unexcavated and measured 1.19m wide, aligned WNW-ESE. Linear [1250] was unexcavated and measured 0.69m wide, aligned E-W. Linear [1229] measured 1.5m wide x 0.47m deep and was rectilinear with (on WSW side) steep to flat step to moderate, and steep (on ENE side) inwards sloping sides and a moderate concave base, aligned WNW-ESE, dating to Middle to Late Iron Age 200/150-75BC. Linear [1246] was unexcavated and aligned NNE-SSW, measuring 0.70m wide. Linear [1248] was unexcavated and aligned E-W, measuring 0.92m wide. Within the previous grouping of features, unexcavated terminus entered the trench from the W edge, aligned E-W and measuring 0.75m+ long x 0.69m wide, but not interacting with any other feature. Further north, linear [1229] also truncated linear [1226] which, in turn, truncated pit [1231] which, in turn truncated linear [1234]. Unexcavated pit [1231] was ovate and measured 0.76m+ long x 0.67m wide. Unexcavated linear [1234] was rectilinear aligned NE-SW and was largely truncated away by other features leaving 0.5m+ width. Just to the north of [1234] were unexcavated pit [1254] and unexcavated terminus/pit [1252] which did not interact with other archaeology. [1252] was aligned E-W and measured 0.75m+ long x 0.69m wide. [1254] was ovate and aligned SW-NE, measuring 0.95m long x 0.67m wide. At the N end of the trench, terminus [1215] truncated pit [1220] which, in turn, truncated linear [1226], the northern terminus of which overlaid unexcavated linear [1258]. Terminus [1215] was aligned NE-SW and measured 1.4m+ long x 0.64m wide x 0.17m deep. Pit [1220] measured 1.61m long x 0.60m wide x 0.76m deep and was circular with very steep inwards sloping sides and a moderate concave base. Linear [1226] measured 6.5m+ long x 1.07m wide x 0.92m deep and was rectilinear with very steep inwards sloping sides and a flat base, aligned SSW-NNE, dating to Early to Middle/Middle to Late Iron Age 600/200BC. Unexcavated linear [1258] was 0.75m wide and aligned ENE-WSW.

5.3.14 Trench 13

Trench 13 was excavated on a SW-NE alignment and measured 25m x 2.2m with a maximum depth of 0.90m. Trench 13 contained twenty four features - eight linears, a terminus and

fifteen pits/postholes along with localised colluvial deposit (1302) which formed the base of the N and S ends of the trench and was truncated by all archaeology with which it interacted. At the SW end of the trench was pit [1325] cutting posthole [1327] which, in turn, cut linear [1329] which, in turn, cut linear [1331]. Pit [1325] was unexcavated and emerged from the SE trench edge to measure 1.61m+ long x 1.08m wide aligned E-W. Unexcavated posthole [1327] was ovate and NE-SW aligned and measured 0..27m long x 0.32m wide. Unexcavated linear [1329] was aligned WNW-ESE and measured 0.67m wide. It was possibly a continuation of [825][1024][1124][1208]. Unexcavated linear [1331] was NW-SE aligned and measured 1.44m wide and was cut into (1302). Slightly N of this arrangement of features was linear [1317], a rectilinear with gentle (N) to steep (S) inwards sloping sides and a flat base aligned WNW-ESE measuring 0.70m wide x 0.15m deep cut into (1302), and dated broadly to the Later Prehistoric, 1550-50BC. Roughly 1m further north was linear [1333] cutting linear [1335]. Linear [1333] was unexcavated, aligned NW-SE and was 1.21m wide. Linear [1335] was also unexcavated, but aligned E-W and measured 0.70m wide. Both were cut into (1302). At the N edge of [1333] was linear [1353]. There was not enough of an interaction between [1333] and [1353] to clearly determine a relationship. Linear [1353] truncated linear [1356] to the S and posthole [1337] to the N. [1353] also truncated the northern extent of the S patch of localised colluvium (1302). [1353] was rectilinear with moderate inwards sloping sides and a moderate concave, slightly undulating, base aligned WNW-ESE and measured 1.18m wide x 0.57m deep, dating to the Middle to Late Iron Age, 200/150-50BC. Cut linear [1356] was rectilinear with moderate inwards sloping sides and a flat base, aligned NNW-SSE and measured 1.18m wide x 0.33m deep. [1356] was cut into (1302). Posthole [1337] was unexcavated and circular, measuring 0.28m x 0.25m and was cut into the natural geology. To the N of [1337], terminus [1319] emerged from the SE trench edge and had gentle inwards sloping sides and a gentle concave base aligned NW-SE. It measured 0.60m+ long x 0.49m wide x 0.15m deep, possibly dating to the Later Prehistoric, 1550-50BC. Slightly further N were postholes [1323] and [1339]. [1323] was ovate with moderate inwards sloping sides and a moderate concave base, aligned WNW-ESE and measured 0.35m long x 0.32m wide x 0.16m deep. To its NW, [1339] was unexcavated and ovate, aligned SW-NE and measured 0.30m long x 0.26m wide. Appearing level with [1339] but emerging from the NW trench edge was unexcavated pit [1341]. A subrectangular pit with no clear alignment measuring 1.05m long x 0.90m+ wide. Immediately to the E of this, but not interacting with it, was posthole [1321]. [1321] was ovate with gentle inwards sloping sides and a gentle concave base aligned E-W and measured 0.58m long x 0.40m wide x 0.18m deep. North of [1321] was an arrangement of postholes and pits, with postholes [1304] and [1306] both truncating pit [1309]. [1304] was ovate with steep inwards sloping sides and a moderately concave base aligned NNW-SSE and measured 0.38m long x

0.25m wide x 009m deep. [1306] was also ovate, with moderate inwards sloping sides and a moderate concave base aligned NNW-SSE. It measured 0.48m long x 0.36m wide x 0.14m deep. Truncated pit [1309] was ovate with steep inwards sloping sides and a moderate concave base aligned NW-SE and measured 1m long x 0.70m wide x 0.40m deep. Roughly 1m further N again, was pit [1345]. [1345] was unexcavated and ovate, aligned NW-SE measuring 0.85m long x 0.51m deep. To the NW was posthole [1343], appearing from the NW trench edge. [1343] was unexcavated and ovate, and measured 0.38m long x 0.29m+ wide, possibly dating between the Middle to Late Iron Age and Early Roman period 75BC-75AD. In the N end of the trench, localised colluvial deposit (1302) reappeared to be truncated by the N archaeology. At the S of this (1302) patch was pit [1312], ovate with steep inwards sloping sides and a flat base aligned E-W and measured 1.25m long x 0.61m+ wide x 0.39m deep, dating between the Early to Middle and Middle to Late Iron Age 900/200-50BC. NW of this was unexcavated pit [1347], ovate in plan and aligned NW-SE, measuring 1.28m long x 1.16m+ wide. Slightly N, again, was unexcavated pit [1349], sub-rectangular in plan and measuring 1.20m long x 0.95m+ wide. At the very N end of the trench was linear [1315], rectilinear in plan with moderate inwards sloping sides and a flat base, aligned N-S and measured 0.77m wide x 0.34m deep, dating broadly between the Middle Bronze Age to the Early Iron Age 2100-1150/50BC.

5.3.15 Trench 14

Trench 14 was excavated on an E-W alignment and measured 25m x 1.9m with a maximum depth of 0.79m. Trench 14 contained nine features - five linears, three pits and posts and a trackway. The eastern \(\frac{1}{2} \) of the trench was excavated onto colluvial deposit 'D' (1428). All archaeology interacting with (1428) truncated it. At the W end of the trench were three unexcavated features - linear [1427] was rectilinear and aligned SE-NW but mostly under the SW corner of the trench, only entering 0.42m of width into the trench. Pit [1425] was mostly under the N trench edge and emerged 0.35m into the trench for 2.25m of length. Posthole [1423] was fully visible and circular, measuring 0.30m x 0.30m. Slightly further E was recut linear [1413], a recut of linear [1404] which cut pit [1406]. Recut linear [1413] was rectilinear with steep inwards sloping sides and a moderate concave base aligned N-S. [1413] measured 1.65m wide x 0.73m deep, dating to the Early to Middle Iron Age 600-50BC. Original linear [1404] was rectilinear with very steep inwards sloping sides and a step 0.3m from the base of the linear with a slightly concave base, aligned N-S and parallel to trackway [1417], measuring 1.8m+ wide x 1.13m deep, dating to the Early to Middle Iron Age 600-50BC. [1404] and [1413] were possible flanking ditches of trackway [1417] and both cut into (1428). Pit [1406] was subovate with gentle inwards sloping sides and a slightly undulating base aligned E-W and

measured 2.3m+ long x 1.2m+ wide x 0.12m deep. Roughly 1m further E was linear [1421], rectilinear in plan with moderate inwards sloping sides (stepped on W side) and a concave-flat base aligned N-S and cutting (1428). [1421] measured 2.12m+ wide x 0.94m deep. [1421] shares the upper two sealing fills (1414)(1418) and (1415)(1419) with trackway [1417] and as such appears contemporary to the trackway and may be another W flanking ditch. Trackway [1417] itself was rectilinear with very steep inwards sloping sides and a flat base, aligned N-S and cut onto (1428), possibly dating to the Later Prehistoric 1550/600-50BC. The basal fill (1416)[1417] contained moderately dense gravel metalling forming the base of the trackway. At the E of the trench was the possible eastern flanking ditch to the trackway, [1411]. [1411] was rectilinear with very steep inwards sloping sides and a moderate concave base, N-S aligned and cutting (1428). [1411] measured 2.9m wide x 1.15m deep, likely dating to the Early to Middle Iron Age 600-50BC.

5.3.16 Trench 15

Trench 15 was excavated on an E-W alignment and measured 25m x 2m with a maximum depth of 0.58m. Box T15.1 was excavated as the initial start of T15 but abandoned after a small unmarked water service was discovered (a defunct water supply to the EKA compound impacting T8&6). Trench 15 contained thirteen features - four linears and nine pits and postholes. The W end of the trench was cut onto colluvial deposit 'E' (1513), which was truncated by the three features it interacted with. From the W end of the trench was unexcavated linear [1527], cutting (1513) and aligned NW-SE, measuring 1.6m wide. Immediately to the E was pit [1509] cutting linear [1512], both of which were cut onto (1513). Pit [1509] was elongated ovate in plan with moderate inwards sloping sides and a gentle concave base aligned E-W, measuring 3.4m long x 0.40m+ wide x 0.15m deep. Cut linear [1512] was rectilinear with moderate-steep inwards sloping sides and a flat base aligned N-S, measuring 1.34m wide x 0.25m deep. Roughly 1m east of the eastern extent of (1513) was pit [1507], ovate with moderate inwards sloping sides and a moderate concave base aligned E-W. [1507] measured 1.38m long x 0.94m+ wide x 0.08m deep, possibly dating to the Later Prehistoric 1550/1000-50BC. Central to the trench was curvilinear [1505], with gentle inwards sloping sides and a gentle concave base, aligned SE-WNW and measured 4.3m+ long x 0.62m wide x 0.15m deep. To the south of [1505] was posthole [1515], sub-circular in plan with moderate inwards sloping sides and moderate concave base measuring 0.35m long x 0.32m wide x 0.11m deep. Also south of [1505] was pit [1519] emerging from the S trench edge. [1519] was circular with moderate to steep inwards sloping sides and a flat base, measuring 1.62m long x 1.1m+ wide x 0.34m deep, dating between the Early to Middle Iron Age and Middle to Late Iron Age 600-50BC. To the north of linear [1505] was unexcavated posthole

[1525] that was circular and measured 0.17m x 0.17m. Shortly to the E of this was unexcavated pit [1523]. [1523] was ovate in plan, aligned NNE-SSW and measured 1.6m long x 1.3m wide. At the E end of the trench were postholes [1503] and [1521]. [1503] was ovate with moderate inwards sloping sides and a moderate concave base measuring 0.36m long x 0.28m wide x 0.05m deep. [1521] emerged from the N trench edge and appeared ovate, aligned N-S and was 0.22m+ long x 0.20m wide. The additional box T15.1 contained linear [1529] and pit [1521]. Linear [1529] was unexcavated, aligned NNW-SSE and was 0.70m wide. Immediately to its E, pit [1531] was unexcavated and mostly under the E edge of box T15.1 but assumed ovate in plan and measured 0.20m+ long x 0.72m wide.

5.3.17 Trench 16

Trench 16 was excavated on an E-W alignment and measured 25m x 2.3m with a maximum depth of 0.60m. The eastern extent of the trench was left in sub soil due to the presence of an unmarked water service, as outlined in T15. Trench 16 contained forty features - nine linears, five termini and twenty-six pits and postholes. At the E end of the trench, unexcavated linear [1627] emerges, aligned N-S and 0.60m wide. [1627] is truncated by pit/terminus [1625]. [1625] is ovate in plan and aligned NW-SE and measured 0.75m long x 0.40m wide. East of [1625] were unexcavated postholes [1629], [1631] and pit [1633]. To the east of [1633] was elongated pit [1641] which was truncated by linears [1639], [1637], [1621] which were all truncated by linear [1613][1319]. [1641] was unexcavated and sub ovate, aligned WSW-E and measured 3.3m long x 0.70m+ wide. Linear [1639] was unexcavated and aligned NW-SE, measuring 0.40m wide. Linear [1637] was also unexcavated and aligned NW-SE but measured 0.32m wide. [1637] was additionally truncated by linear [1635], an unexcavated linear aligned NE-SW, 0.28m wide and truncated by [1621]. To the east of [1641] was linear [1613][1619] truncating linear [1621] which, in turn, truncated linear [1623]. Linear [1613][1619] measured 7.5m long x 0.98m wide x 0.44m deep and was rectilinear with moderate inwards sloping sides and a gentle concave base, aligned WSW-ENE. At its WSW terminus, [1613] was truncated by posthole [1615], a circular posthole with vertical sides and a steep concave base measuring 0.2m wide x 0.32m deep. Linear [1621] was N-S aligned and rectilinear with steep (E) and gentle (W) inwards sloping sides and a flat base, measuring 1.00m wide x 0.18m deep. Linear [1623] was also N-S aligned and was rectilinear with moderate inwards sloping sides and a moderate concave base, measuring 1.22m wide x 0.35m deep. To the east of [1619] was linear [1643], cutting pit [1645] which, in turn, cut linear [1617]. Linear [1617] truncated the WNW terminus of linear [1619]. Linear [1643] was unexcavated and aligned N-S, measuring 1m wide. The truncated pit [1645] was also unexcavated but aligned NNE-SSW, measuring 1.22m+ long x 0.33m wide. Linear [1617] measured 0.65m wide x 0.28m deep and was rectilinear with

moderate inwards sloping sides and a moderate concave base, aligned N-S. Immediately to the east of [1643] was terminus [1647] truncating terminus [1649]. [1647] was unexcavated and entered from the S trench edge aligned S-N measuring 1.7m+ long x 0.43m wide. The truncated [1649] was also unexcavated but entered from the N trench edge aligned NNE-SSW, measuring 1.16m+ long x 0.30m wide. In the central section of the trench was a grouping of nineteen postholes: [1603], [1605] (possibly dated to the Later Prehistoric/Iron Age 1000/900-50BC), [1607], [1609], [1611], [1651], [1653], [1655], [1657], [1659], [1661], [1663], [1665], [1667], [1669], [1671], [1673], [1681], [1683]. No clear arrangement of postholes was initially recognised within the group. At the E end of the trench, linear [1675] truncated pit [1677] and terminus [1679]. Terminus [1679] then truncated posthole [1681], part of the aforementioned posthole group. Linear [1675] measured 3.5m long x 0.54m wide x 0.24m deep and was rectilinear with steep inwards sloping sides and a steep concave base, aligned WNW-ESE. Pit [1677] was large and ovate, measuring 4.6m long x 1.6m+ wide x 0.11m deep, with gentle inwards sloping sides and a flat base. Terminus [1679] was unexcavated and entered from the N trench edge, aligned N-S, measuring 1.9m+ long x 0.17m wide.

5.3.18 Trench 17

Trench 17 was excavated on an ENE-WSW alignment and measured 32m x 2.16m with a maximum depth of 0.74m. Trench 17 contained five features - two linears, a terminus and two pits. Except for a small area along the NW and SW trench edges, the trench is cut to colluvial deposit 'E', which is truncated by all archaeology present. All five features are concentrated to the ENE end of the trench. Firstly, unexcavated terminus [1711] entered from the SSE trench edge, aligned NW-SE and measuring 1.2m+ long x 0.90m wide. Immediately NE of [1711] was unexcavated pit [1713], ovate and aligned E-W, measuring 0.50m long x 0.34m wide. Next was linear [1705] measuring 1.12m wide x 0.45m deep, rectilinear with steep inwards sloping sides and a moderate concave, slightly undulating, base and aligned WNW-ESE, possibly dating between the Early to Middle Iron Age and Middle to Late Iron Age. Toward the very ENE end of the trench was unexcavated pit [1707], ovate and aligned NNW-SSE, measuring 1.1m long x 0.70m wide. Finally, after [1707] was linear [1709], measuring 0.56m wide x 0.20m deep and was rectilinear with very gentle inwards sloping sides and a flat base aligned NW-SE.

5.3.19 Trench 18

Trench 18 was excavated on a WNW-ESE alignment and measured 25m x 2m with a maximum depth of 1m. Trench 18 contained eight features - seven linears and a pit, along with two colluvial deposits. Colluvial deposit 'B' (1802) sealed all features in the trench; colluvial deposit

'E' (1820) formed the base of the trench and was truncated by all features. At the WNW end of the trench was linear [1817] emerging from the trench end to truncate linear [1815]. Both were unexcavated. [1817] was rectilinear and aligned NNW-SSE, measuring 0.46m wide. [1815] was rectilinear and aligned NE-SW, measuring 0.80m wide. At the centre of the trench was linear [1811], measuring 0.50m wide x 0.20m deep and was rectilinear with moderate inwards sloping sides and a gentle concave base, aligned NNW-SSE, possibly dating to the Later Prehistoric 1550-50BC. Shortly to its east was parallel linear [1804]. [1804] measured 0.60m wide x 0.19m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base, aligned NNW-SSE, dating to the Later Prehistoric/Iron Age 1550/600-50BC. 2-3m further ESE was unexcavated linear [1813], rectilinear in plan and aligned SSW-NNE, measuring 0.35m wide. At the ESE end of the trench was, first, pit [1806], measuring 1.30m long x 0.80m wide x 0.23m deep. [1806] was ovate in plan with gentle inwards sloping sides and a flat base, aligned NE-SW. Around 1m further ESE was unexcavated linear [1819], rectilinear and aligned NNE-SSW, measuring 0.45m wide. Finally, entering the ESE end of the trench was linear [1808], measuring 1.1m wide x 0.29m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base, aligned NE-SW.

5.3.20 Trench 19

Trench 19 was excavated on a NNW-SSE alignment and measured 25m x 2m with a maximum depth of 1.10m. Trench 19 contained seven features - four linears, a posthole and a pit, along with multiple colluvial deposits. Colluvial deposit 'B' (1902) sealed all features within the trench. A localised colluvial deposit composed of (1923) to the NNW of [1913] and (1924) to the SSE of [1913] formed the base of the trench and was truncated by all features, dating broadly to the Later Prehistoric 1550-50BC. The same deposit was also recorded in T20 (2002). At the NNW end of the trench was linear [1904], measuring 0.49m wide x 0.18m deep. [1904] was rectilinear with steep and concave inwards sloping sides and a moderate concave base, aligned NW-SE. Further SSE was unexcavated linear [1922], measuring 0.32m wide on a NW-SE alignment. Central to the trench was linear [1913] cutting linear [1916]. [1913] measured 0.80m wide x 0.65m deep and was rectilinear with very steep inwards sloping sides and a flat base, aligned E-W, dating broadly between the Middle to Late Iron Age and the Early Roman period 75BC-75AD. Linear [1916] measured 0.52m wide x 0.36m deep and was rectilinear with moderate inwards sloping sides and a moderate concave base, aligned SW-NE, dating broadly to the Later Prehistoric 1550/600-50BC. In the SSE of the trench were pits [1920] and [1908]. [1920] entered from the WSW trench edge and was unexcavated and ovate, aligned WSW-ENE, measuring 1.00m long x 0.55m wide. Pit [1908] measured 1.4m long x 0.90m wide x 0.50m deep and was ovate with vertical and slightly concave overhanging sides and a flat base, aligned NNW-SSE, dating between the Early to Middle Iron Age and Middle to Late Iron Age 600/200-50BC. To the SSE of these pits was the unexcavated, circular posthole [1918] that measured 0.22m long x 0.23m wide.

5.3.21 Trench 20

Trench 20 was excavated on an ESE-WNW alignment and measured 25m x 2.2m with a maximum depth of 0.97m. Trench 20 contained six features - four linears, a terminus and a pit, along with two colluvial deposits. Localised colluvial deposit (2002) formed the base of the western ½ of the trench and was cut by the western features [2010], [2012], [2006], [2014] but sealed the eastern features [2016], [2004]. This is the same as the localised colluvium seen in T19. Colluvial deposit 'E' (2017) was present and formed the base of the very SE extent of the trench. (2017) was truncated by linear [2004] and sealed by the localised colluvium (2002). At the WNW end of the trench was linear [2010], measuring 0.92m wide x 0.61m deep and was rectilinear with moderate inwards sloping sides and a moderate concave base, aligned NNE-SSW, dating between the Early to Middle Iron Age and Middle to Late Iron Age 600/200-50BC. To the east of [2010] was unexcavated linear [2012], rectilinear and aligned N-S, measuring 0.51m wide. Towards the centre of the trench was linear [2006], measuring 1.30m wide x 0.30m deep. [2006] was rectilinear with gentle-moderate inwards sloping sides and a gentle concave base, aligned SW-NE. To the east of the trench middle was unexcavated pit [2014], sub-circular, measuring 0.54m x 0.54m. In the ESE of the trench was terminus [2016]. [2016] was unexcavated and emerged from the SSW trench edge aligned NW-SE, measuring 1.5m+ long x 0.30m wide and cut into natural geology. Further ESE was linear [2004], measuring 0.58m wide x 0.11m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base, aligned NW-SE, possibly dating broadly to the Later Prehistoric 1550-50BC.

5.2.22 Trench 21

Trench 21 was excavated on a WSW-ENE alignment and measured 26.4m x 2.05m with a maximum depth of 0.66m. Trench 21 contained four features - one linear, two termini and a pit. At the WSW end of the trench was linear [2106], measuring 1.58m wide x 0.49m deep, which was rectilinear with moderate inwards sloping sides and a moderate concave base, aligned NW-SE, dating to the Later Prehistoric 1550-50BC. Roughly 2m ENE of this was terminus [2103], measuring 2.16m+ long x 0.47m with x 0.09m deep. [2103] entered from the SSE trench edge aligned NW-SE and had gentle inwards sloping sides and a gentle concave

base. Shortly E of this was unexcavated terminus [2108], also entering from the SSE trench edge, but aligned N-S, measuring 1.1m+ long x 0.52m wide. Central to the trench was unexcavated pit [2110], sub-ovate and measuring 0.45m long x 0.39m wide, aligned NW-SE.

5.3.23 Trench 22

Trench 22 was excavated on an E-W alignment and measured 24.2m x 2.10m with a depth of 0.85m and a small sondage at its W end to 1.07m. Trench 22 contained ten features - two linears, three pits, one posthole, three possible SFBs and a trackway, along with three colluvial deposits. Colluvial deposit 'D' (2202)(2216) formed the base of the majority of the trench, except the W sondage and was truncated by all features except linear [2205], which it sealed. Localised colluvial deposits (2222) and (2223) were seen only at the E of the trench, truncated by trackway [2221] and at a much greater depth than (2202) was seen. At the W end of the trench within the sondage was linear [2205], measuring 1.47m wide x 0.49m deep, and was rectilinear with steep inwards sloping sides and a flat base, aligned NW-SE and sealed by (2202), dating to the Later Prehistoric 1000/600BC-75AD. Further E, and beyond the sondage, was unexcavated pit [2231] entering form the N trench edge. [2231] was sub-ovate and measured 0.63m+ long x 1.24m wide. To its E was possible SFB [2227], entering from the N trench edge, and its associated pit [2229]. Possible SFB [2227] remained unexcavated and was rectangular and aligned E-W, measuring 3.07m long x 0.78m+ wide, dating to the Middle to Late Iron Age 200-50BC. The associated pit was sub-ovate, aligned N-S and measured 0.25m long x 0.25m wide. Immediately south of [2227] was another possible SFB [2225] entering from the S trench edge. Unexcavated, [2225] was also rectangular and aligned E-W, measuring 3.25m long x 0.90m+ wide, dating between the Early to Middle Iron Age and the Middle to Late Iron Age, 600/200-50BC. To the E of [2225] was pit [2208] truncating the surface of SFB [2210] which, in turn, truncated linear [2213] which, in turn, truncated pit/linear [2215]. Pit [2208] contained heat affected flint and other signs of burning waste and measured 0.85m long x 0.82m wide x 0.28m deep. [2208] was sub circular with moderate-steep inwards sloping sides and a steep concave base. The SFB [2210] measured 3.4m long x 2.22m wide x 0.23m deep and was sub-rectangular with a notable protrusion at the centre of its SE end, though no posthole was visible, with steep inwards sloping sides and a flat base, aligned SE-NW, dated with confidence to the Middle to Late Iron Age 150/125-100/75BC. SFB [2210] was excavated down onto linear [2213], but [2213] was visible in small part in the SE facing section of [2210] and [2215], and was shown to truncate the latter pit. [2213] measured 2.32m wide and 0.25m+ deep and was aligned N-S, parallel to trackway [2221] and potentially its western flanking ditch, possibly dating to the Middle to Late Iron Age 200-50BC. Cut by [2213] was linear/pit [2215], with a potentially rectangular shape in plan and moderate inwards sloping

sides and a gentle concave base. [2215] measured 1.46m+ long x 0.55m wide x 0.20m deep and was aligned SE-NW, dating to the Middle to Late Iron Age 200/150-75/50BC. East of linear [2213] and occupying the majority of the E of the trench was trackway [2221]. [2221] measured 7.5m+ wide x 1.01m deep and was rectilinear with gentle inwards sloping sides and a flat basealigned SSW-NNE, dated between the Early to Middle Iron Age and the Middle to Late Iron Age 600-50BC. Basal fill (2220) contained some sporadic possible metalling of small rounded gravels. [2221] was a continuation of trackway [1417] in T14.

5.3.24 Trench 23

Trench 23 was excavated on a N-S alignment and measured 23m x 2.06m with a maximum depth of 1.18m. Trench 23 contained two features - one pit and one linear, along with three colluvial deposits. Colluvial deposit 'A' (2302) sealed all features in the trench. Colluvial deposit 'D' (2310) formed the base of the N ⅓ and the very S end of the trench and was truncated by all features. Colluvial deposit 'E' (2313) formed the base of most of the S 1/3 of the trench and was sealed by (2310). At the very S end of the trench was unexcavated linear [2312], rectilinear and aligned SE-NW, measuring 0.45m wide and truncating colluviums (2310)(2313). 7m N of [2313] was pit [2309], measuring 0.82m+ long x 1.8m wide x 0.66m deep, and was assumed ovate with very steep to undercutting sides and a flat base, dating to the Early to Middle Iron Age 600/550/500-350BC.

5.3.25 Trench 24

Trench 24 was excavated on a NW-SE alignment and measured 28.5m x 2.07m with a maximum depth of 1.13m. Trench 24 contained five features - one linear, one terminus, two postholes and a quarry, along with five colluvial deposits. Colluvial deposit 'A'(2408) extended the width of the trench and was truncated by quarry [2404] but sealed terminus [2410] and postholes [2412], [2415]. Colluvial deposits 'B' (2416), and under it, 'C'(2417) were localised to the deeper NW end of the trench, sealed by (2408). (2417) formed a large part of the NW base of the trench. Colluvial deposits 'D'(2418) and 'E'(2419) were only visible at the base of linear [2407] and were truncated by it, with (2418) sealing (2419). At the NW end of the trench, test pit TP24.1 was excavated to a depth of 1.35m to evaluate colluvium and the large quarry feature. Within the test pit, large quarry feature [2404] was shown to truncate linear [2407]. Quarry [2404] measured 8m+ wide x 0.60m deep with steep inwards sloping sides and an undulating base and no clear alignment or shape, possibly dating to the Early Iron Age/Middle Iron Age 100/900-600/50BC. The truncated linear [2407] measured 2.42m wide x 0.66m deep and was rectilinear with moderate inwards sloping sides and a gentle concave base and aligned NNE-SSW, dated broadly to the Later Prehistoric 1550-50BC. [2407] was a probable east

flanking ditch for trackway [2221]. Central to the trench, terminus [2410] entered from the SW trench edge, aligned NNE-SSW and truncated postholes [2412] and [2415]. [2410] measured 0.80m+ long x 0.80m wide x 0.22m deep and had moderate inwards sloping sides and a moderate concave base. Posthole [2412] was circular and measured 0.30m long x 0.30m wide x 0.13m deep, with gentle tosteep inwards sloping sides and a moderate concave base. Posthole [2415] was also circular and measured 0.42m long x 0.40m wide x 0.24m deep with steep inwards sloping sides and a moderate concave base. [2415] also contained a postpipe.

5.3.26 Trench 25

Trench 25 was excavated on a WNW-ESE alignment and measured 25m x 2.2m with a maximum depth of 0.67m. Trench 25 contained seven features - two linears, a recut-linear, a terminus, a posthole and two pits, along with four colluvial deposits and a separate clayish silt deposit. Colluvial deposit 'C' (2507) sealed all archaeology in the deeper western half of the trench ([2528], [2512], [2519], [2525], [2504], [2506]) before forming the base of part of the middle of the trench, where it was truncated by terminus [2530]. Colluvial deposit 'E' (2508) was sealed by (2507) and formed the base of the W half of the trench and was truncated by all archaeology. Localised colluvial deposits (2522) and (2523) were seen at the base of linears [2512],[2519] and pit [2525] and were truncated by all three features. At the WNW end of the trench was unexcavated, ovate pit [2528] entering from the SSW trench edge, aligned WNW-ESE and measuring 1m+ long x 0.70m+ wide. To the north of [2528] was recut linear [2512] truncating pit [2525] which, in turn, truncated the original linear [2519]. Recut linear [2512] measured 1.27m wide x 0.36m deep and was rectilinear with gentle inwards sloping sides and a gentle concave base, aligned NW-SE, directly overlaying linear [2519], and dating broadly to the Late Iron Age to Early Roman/Late Roman period 1000/900-50BC/50BC-75AD. Pit [2525] measured 0.80m+ long x 0.20m wide x 0.18m deep and was ovate with moderate inwards sloping sides and a v-shaped base, also aligned NW-SE. Original linear [2519] measured 1.25m wide x 0.77m deep and was rectilinear with moderate-very steep inwards sloping sides and a flat base, aligned NW-SE. To the east of this arrangement was linear [2504] truncating posthole [2506]. Linear [2504] measured 0.70m wide x 0.20m deep and was rectilinear with moderate inwards sloped sides and a flat base, aligned NNW-SSE. Posthole [2506] measured 0.40m long x 0.30m wide x 0.08m deep and was ovate with gentle inwards sloping sides and a flat base, aligned NW-SE. In the middle of the trench was terminus [2530] appearing from the NNE trench edge and aligned NNE-SSW. [2530] was unexcavated and measured 1.5m+ long x 0.30m wide.

To the east of [2530], and not interacting with colluvium was the separate clayish silt deposit (2526) that measured 4.56m wide x 0.15m deep and continued north through to T26 as (2609).

5.3.27 Trench 26

Trench 26 was excavated on a NNE-SSW alignment and measured 25m x 2m with a maximum depth of 0.44m. Trench 26 contained three features - one linear, one recut linear and one isolated silty clay deposit. Emerging from the SSW end of the trench was deposit (2609)[2610] continuing from (2526) in T25. [2610] measured 2.4m+ long x 1.6m+ wide x 0.11m deep and was a slightly silty clay, dating possibly to the Middle Neolithic 3500-2700/1550-50BC. Further NNE was linear [2608] being recut by recut linear [2606], both being aligned WNW-ESE. Recut [2606] measured 0.85m wide x 0.52m deep and was rectilinear with very steep inwards sloping sides and an undulating base. Linear [2608] measured 1.20m wide x 0.17m deep and was rectilinear with very gentle (S) and steep (N) inwards sloping sides.

5.3.28 Trench 30

Trench 30 was excavated on a NW-SE alignment and measured 25m x 2.19m with a maximum depth of 0.70m. Trench 30 contained two features - one terminus and one quarry. Several metres from the NW end of the trench was terminus [3007] entering from the SW trench edge and aligned NNE-SSW. [3007] measured 1.2m+ long x 1.75m wide x 0.20m deep and had moderate inwards sloping sides and a moderate concave base. Immediately SE of [3007], and occupying the remaining 18m+ of the trench was quarry [3003][3012][3017], reaching a maximal depth of 1.25m+ (slot [3017] was not bottomed) with moderate to steep inwards sloping sides and an undulating base visible in [3012], closer to the quarry's edge. Analysis of the pottery assemblage dates [3003][3012][3017] to 1275-1375AD. [3003][3012][3017] caused a notable depression in the ground level of the field.

5.3.29 Trench 32

Trench 32 was excavated on a WNW-ESE alignment and measured 24.1m x 2.1m with a maximum depth of 0.50m. Trench 32 contained two features - one pit and one recut pit/grave cut. Pit [3215] was located towards the WNW end of the trench, against the NNE trench edge, where it was recut by recut pit/grave cut [3209]. [3209] measured 1.5m long x 1.19m+ wide x 0.75m deep and was sub-circular with vertical sides and no base or alignment visible during excavation. [3209] was not fully excavated as, at the depth 1.10m below ground level, inhumation (3208) was revealed and was carefully backfilled after recording so as not to disturb or break up the assemblage. A small sondage was excavated into the side of pit [3215] to further investigate the features without disturbing (3208). [3215] measured 2.31m long x 1.48m+ wide x 1.10m deep and was sub-circular with overhanging to vertical sides and a flat base and no clear alignment.

5.3.30 Trench 33

Trench 33 was excavated on a NNE-SSW alignment and measured 25m x 2.2m with a maximum depth of 0.53m. Trench 33 contained a single feature: quarry [3306][3310], along with colluvial deposit 'A' (3302) which was only present at the NNE end of the trench, extending to the drop in the depth of natural ground seen at the level of quarry [3306][3310]. (3302) sealed quarry [3306][3310]. Quarry [3306][3310] was at the NNE end of the trench and measured approx. 5m long x 2.2m+ wide x 0.89m deep. It was ovate in plan with steep inwards sloping to near vertical sides and an undulating base, had no clear alignment, and possibly dated to after 1550AD.

5.3.31 Trench 34

Trench 34 was excavated on a N-S alignment and measured 27m x 2m with a maximum depth of 1.47m. Trench 34 contained three features - one linear, one pit and a quarry, along with six colluvial deposits. Colluvial deposit 'A' (3402) was truncated by quarry [3412], sealed (3403) and formed the base of the shallower N end of the trench. Colluvial deposit 'B' (3403) sealed (3404). Colluvial deposit 'C' (3404) sealed linear [3406], pit [3409] and (3410). Colluvial deposit 'D' (3410) formed the base of the majority of the trench and was cut by [3406][3409] but sealed (3413). Colluvial deposits 'E' (3413) and 'G' (3414) were seen at the base of the sondage excavated for sample section 2. The edge of quarry [3412] appeared at the N end of the trench and was visible in the trench section and measured 1m+ long x 2m+ wide x 0.39m deep with a flat base and no visible sides in the trench, possibly dating to 1475-1525/1550AD. At the S end of the trench was pit [3409], entering from the S trench edge, where it was truncated by linear [3406]. Pit [3409] measured 1.48m+ long x 1m+ wide x 0.45m deep and was ovate with steep inward sloping sides and a moderate concave base and no clear alignment. Linear [3406] measured 0.40m wide x 0.14m deep and was rectilinear with moderate inward sloping sides and a medium concave base, aligned SSW-NNE.

5.3.32 Trench 35

Trench 35 was excavated on an E-W alignment and measured 25m x 2.2m with a maximum depth of 0.62m. Trench 35 contained two features - one linear and one pit, along with four colluvial deposits. Colluvial deposits 'A' (3508) , 'B' (3511), 'E' (3509) and 'F' (3510) were only present at the eastern $\frac{3}{4}$ of the trench, with (3511) forming the base of the centre of the trench, (3509) the E $\frac{1}{4}$, and (3510) the easternmost 1m. The colluvial deposits do not interact

with [3505], [3507]. At the W end of the trench was pit [3505], entering from the S trench edge to truncate linear [3507]. Pit [3505] measured 0.28m+ long x 1.45m wide x 0.63m deep and was sub circular with steep inward sloping sides and a flat base, possibly dating to the Later Prehistoric 1550-50BC. Linear [3507] measured 0.85m wide x 0.15m deep and was rectilinear with gentle inward sloping sides and an undulating base, aligned NW-SE.

5.3.33 Trench 36

Trench 36 was excavated on a N-S alignment and measured 25.5m x 2m with a maximum depth of 0.80m. Trench 36 contained four features - one terminus and three pits, along with colluvial deposit 'A' (3602) which sealed all archaeology in the trench. At the S end of the trench, terminus [3604] entered from the E trench edge, aligned NW, measuring 2m long x 0.56m wide x 0.07m deep. It had steep inwards sloping sides and a flat base. NNE of [3604] was circular pit [3608], which measured 0.4m long x 0.4m wide x 0.18m deep. 1m to the N of [3608], pit [3606] entered from the E trench edge and measured 1m+ long x 1.4m wide x 0.18m deep. It was ovate with gentle inwards sloping sides and a very gentle concave base, and no clear alignment. Roughly central to the trench, pit [3610] entered from the W trench edge and measured 2.8m long x 0.70m+ wide x 0.20m deep and was sub ovate with gentle inward sloping sides and a flat base aligned N-S.

5.3.34 Trench 37

Trench 37 was excavated on an E-W alignment and measured 23.1m x 1.9m with a maximum depth of 0.66m. Trench 37 contained three features - one linear, one pit and a quarry, along with five colluvial deposits. Colluvial deposit 'A' (3705) was truncated by quarry [3704] but sealed all other archaeology and (3706). Colluvial deposit 'B' (3706) sealed (3707). Colluvial deposit 'D' (3707) sealed linear [3710], pit [3713] and deposit (3714). Colluvial deposit 'E' (3714) formed the base of the trench E of quarry [3704] and was truncated by all features present. Colluvial deposit 'F' (3715) was sealed by (3714) and was visible at the base of the very E end of the trench and at the base of test pit TP37.1. At the W end of the trench, test pit TP37.1 was excavated to a depth of 1.6m to evaluate quarry [3704] and the colluvial deposits. 1m from the W end of the trench was the edge of quarry [3704] which occupied the next 13.5m of the trench, with a depth of 1.6m+, not bottomed in test pit TP37.1. [3704] was a large ovate quarry cut with moderate to gentle inward sloping sides and no base or alignment visible. Shortly E of [3704] was linear [3710] truncating pit [3713]. Linear [3710] measured 0.40m wide x 0.23m deep and was rectilinear with gentle inward sloping sides and a shallow concave base aligned NE-SW. Pit [3713] entered from the S trench edge and measured 1.9m+

long x 3.52m wide x 0.38m deep and was circular with gentle inward sloping sides and a flat base, with a possible date of 2450-1750BC.

5.3.35 Trench 38

Trench 38 was excavated on a ESE-WNW alignment and measured 25m x 2m with a maximum depth of 0.65m at the ESE end and 1.43m at the WNW end. Trench 38 contained five features two linears, one terminus and two pits, along with four colluvial deposits. Colluvial deposit 'A' (3804) sealed [3806] and all other colluviums but did not interact with [3803]. Colluvial deposits 'B' (3811) and 'E' (3812) sealed [3808] and [3810]. Colluvial deposit 'F' (3813) was cut by [3808], [3810] and sealed [3815]. Roughly central to the trench was terminus [3806], entering from the NNE trench edge and alignedNNW-SSE. [3806] measured 1m+ long x 0.70m wide x 0.15m deep and had moderate inward sloping sides and a mid concave base, possibly dating to the Late Iron Age/Early Roman period 50BC-50AD. Further WNW was pit [3803] entering from the SSW trench edge. [3803] measured 0.96m+ long x 0.90m wide x 0.35m deep and was sub-ovate with moderately steep inward sloping sides and a mid concave base, aligned SW-NE. At the WNW end of the trench were pit [3808] and linear [3810] both truncating linear [3815], with the SSW section also showing colluvial deposit 'F' (3813) dividing [3808][3810] and [3815] stratigraphically. Pit [3808] measured 0.45m long x 0.40m wide x 0.10m deep and was ovate with gentle inward sloping sides and concave base, aligned N-S. Linear [3810] measured 0.66m wide x 0.23m deep and was rectilinear with moderate inward sloping sides and a gentle concave base aligned N-S. Linear [3815] measured 3.1m wide x 0.16m deep and was rectilinear with moderately steep inward sloping sides and a flat base aligned N-S.

5.3.36 Trench 40

Trench 40 was excavated on a N-S alignment and measured 24.25m x 2.20m with a maximum depth of 0.30m. Trench 40 contained a single feature: posthole [4002], which measured 0.25m long x 0.18m wide x 0.07m deep. [4002] was ovate in plan, with moderate inwards sloping sides and a moderate concave base, aligned N-S.

5.3.37 Trench 41

Trench 41 was excavated on a SW-NE alignment and measured 26.3m x 2m with a maximum depth of 0.90m. Trench 41 contained a single feature: pit/terminus [4104], along with colluvial deposit 'A' (4102) which was present over the NW half of the trench and sealed [4104]. [4104]

measured 0.75m+ long x 0.84m wide x 0.07m deep. [4104] was ovate with gentle inwards sloping sides and a flat to undulating base, and was aligned SE-NW.

5.3.38 Trench 42

Trench 42 was excavated on a N-S alignment and measured 25m x 1.8m with a maximum depth of 1.05m. Trench 42 contained seven features - four linears, one terminus and two pits, along with three colluvial deposits. Colluvial deposits 'A' (4202) and 'B' (4203) extended across the full length of the trench and sealed all archaeology present. Colluvial deposit 'E' (4204) was only present at, and formed the base of, the N 6m of the trench and did not interact with any of the archaeology. Central to the trench was unexcavated terminus [4220] entering from the E trench edge and aligned WSW-ESE. [4220] measured 1.6m+ long x 0.39m wide. Shortly N of [4220] was an arrangement of six features, with pit [4207] cutting linear [4209] which, in turn, cut pit [4213] and linear [4216]. Linear [4211] cut linears [4216] and [4218]. In order from S-N, pit [4207] measured 0.50m+ long x 0.71m wide x 0.30m deep and was ovate with moderate inward sloping sides and a mid concave base aligned N-S. Pit [4213] measured 0.72m long x 0.40m wide x 0.15m deep and was ovate with steep inward sloping sides and a moderate concave base aligned E-W. Linear [4209] measured 0.53m wide x 0.30m deep and was rectilinear with steep inward sloping sides and a gentle concave base aligned E-W. Linear [4216] measured 0.26m wide x 0.29m deep and was rectilinear with moderately steep inward sloping sides and a mid concave base aligned E-W. Linear [4211] measured 0.81m wide x 0.25m deep and was rectilinear with moderately steep inward sloping sides and a moderate concave base aligned WSW-ENE. Finally, linear [4218] measured 1.17m wide x 0.18m deep and was sub-rectilinear with gentle inward sloping sides and a flat base aligned roughly E-W.

5.3.39 Trench 43

Trench 43 was excavated on a NNE-SSW alignment and measured 25m x 2m with a maximum depth of 1.22m. Trench 43 contained two features - one linear and a quarry, along with four colluvial deposits, only seen in the NW corner due to the presence of quarry [4306]. Colluvial deposit 'A' (4307) was truncated by quarry [4306] and sealed the remaining colluviums. Colluvial deposit 'B' (4310) sealed linear [4309]. Colluvial deposit 'D' (4311) was truncated by linear [4306]. Colluvial deposit 'E' (4312) formed the base of the very NW corner of the trench. At the S end of the trench test pit TP43.1 was excavated to a depth of 1.7m to evaluate quarry [4306] and did not reach the quarry's base. [4306] occupied the S 24m of the trench with a depth of 0.98m+ and was a very large irregular quarry feature with moderate inward sloping sides and no visible base in the trench. At the WNW edge of [4306] was unexcavated linear

[4309], measuring 0.77m wide and aligned NE-SW. [4309] continued through the trench to the NE as [4612] in T46.

5.3.40 Trench 46

Trench 46 was excavated on an E-W alignment and measured 26m x 2m with a maximum depth of 1.35m. Trench 46 contained three features - one linear, one pit and a quarry, along with four colluvial deposits present at the W of the trench. Colluvial deposit 'A' (4607) was truncated by quarry [4606] and sealed the other colluviums. Colluvial deposit 'B' (4608) sealed pit [4610] and linear [4612]. Colluvial deposit 'D' (4613) formed the base of the centre of the trench and was truncated by [4610] and [4612]. Colluvial deposit 'E' (4614) formed the base of the W end of the trench as well as part of the base of test pit TP46.1. At the E end of the trench, test pit T46.1 was excavated to a depth of 1.93m to evaluate quarry [4606] and the colluvial deposits. The guarry was not bottomed within TP46.1. Quarry [4606] occupied the eastern 13m of the trench with depth of 1.17m+, with moderate inward sloping sides and no base or alignment visible within the trench, dating to 1375-1475AD. At the W edge of [4606] was linear [4612], sealed by (4608). [4612] measured 1.10m wide x 0.29m deep and was rectilinear with steep (E) to gentle (W) inward sloping sides and a flat to mid concave base aligned NNE-SSW and was a continuation of [4309] in T43, dating to the Early to Middle/Middle to Late Iron Age 600-50BC. Towards the W of the trench was pit [4610], just touching the N trench edge. [4610] measured 0.65m long x 0.62m wide x 0.05m deep and was sub-circular with very gentle inward sloping sides and a flat base.

5.3.41 Trench 47

Trench 47 was excavated on a WNW-ESE alignment and measured 25m x 2m with a maximum depth of 0.56m. Trench 47 contained a single feature: linear [4704], which measured 0.40m wide x 0.30m deep and was aligned SE-NW, dating to 1375-1475AD. It was rectilinear and had moderate inwards sloping sides with a flat base.

5.3.42 Trench 48

Trench 48 was excavated on a N-S alignment and measured 25m x 2.2m with a maximum depth of 0.90m. Trench 48 contained eight features - five linears and three pits/postholes, along with five colluvial deposits. Colluvial deposits 'A' (4802) and 'B' (4803) sealed all archaeology in the trench. Colluvial deposit 'C' (4804) was not present at the very N end of the trench and did not directly interact with any archaeology, forming the base of the small central part of the trench. Colluvial deposit 'D' (4805) sealed the archaeology found at the base of test pits TP48.1 ([4808], [4812], [4815]) and TP48.2 ([4821]) and was truncated by linear [4823],

[4825], [4827], [4829], forming the base of the majority of the trench. Colluvial deposit 'E' (4830) formed the base of the test pits TP48.1 and TP48.2 and was truncated by all archaeology found in the test pits ([4808], [4812], [4815], [4821]). At the N end of the trench, test pit TP48.1 was excavated to a depth of 1.24m to evaluate the colluvial deposits. At the base of TP48.1 were postholes [4808] and [4812] truncating pit [4815]. Posthole [4808] measured 0.36m long x 0.29m wide x 0.19m deep and was ovate with steep inward sloping sides and a steep concave base aligned E-W. Posthole [4812] measured 0.48m long x 0.22m wide x 0.28m deep and was ovate with angled sides (steep inward sloped N, overhanging S) and a gentle concave base aligned E-W. Pit [4315] measured 1.04m long x 1.05m wide x 0.14m deep and was sub-circular with moderate to gentle inward sloping sides and a flat base, dating to the Later Prehistoric 1550-50.

South of TP48.1 was a group of three parallel linears. Unexcavated linear [4829] which measured 0.60m wide and was rectilinear, aligned WSW-ENE. Further south was linear [4827] which measured 0.77m wide x 0.10m deep and was rectilinear with gentle inward sloping sides and a gentle concave base aligned WSW-ENE. Slightly further south was unexcavated linear [4825] which measured 0.52m wide and was rectilinear, aligned WSW-ENE. Towards the S of the trench was linear [4823] which measured 0.50m wide x 0.18m deep and was rectilinear with moderate inward sloping sides and a gentle concave base aligned WSW-ENE.

Just S of [4823], test pit TP48.2 was excavated to a depth of 1.05m to evaluate the colluvial deposits. TP48.2 was excavated partially to natural, partially to (4830) and revealed linear [4821] which measured 0.90m wide x 0.53m deep. [4821] was rectilinear with very steep inward sloping to near vertical sides and a very gentle concave base aligned SE-NW.

5.3.43 Trench 49

Trench 49 was excavated on a WNW-ESE alignment and measured 25m x 2.2m with a maximum depth of 1.34m. Trench 49 contained one feature - linear [4909], along with colluvial deposits 'A' (4902), which sealed everything in the trench, 'B' (4903), 'C' (4904), 'D' (4905), 'E' (4910) and 'F' (4911). Linear [4909] was cut into (4910) and was sealed by (4905). Aligned SW-NE, [4909] was rectilinear in plan with steep inwards sloping sides and a steep concave base, and measured 0.88m wide and 0.33m deep.

5.3.44 Trench 50

Trench 50 was excavated on a NW-SE alignment and measured 25m x 2m with a maximum depth of 0.73m. Trench 50 contained four features - two linears, one terminus and one quarry, along with two colluvial deposits. Colluvial deposit 'A' (5009) was present in the SE half of the trench, sealed [5012] and was cut by [5004] and [5008]; Colluvial deposit 'D' (5010) was

present only at the base of test pit TP50.1 and was cut by [5004] and [5006]. At the NW end of the trench, test pit TP50.1 was excavated to a depth of 1.41m to evaluate quarry [5004]. At the base of the test pit, truncated by quarry [5004], was rectilinear [5006], aligned N-S with moderate to gentle inwards sloping sides and a gentle concave base, and measuring 0.70m wide x 0.26m deep. Quarry [5004] extended from the NW trench section SE for 10m, and was 0.71m deep. Immediately SE of the edge of [5004] was rectilinear [5012], aligned NNE-SSW. It measured 1.08m wide and 0.22m deep, and had moderate inward sloping sides and a gentle concave base. Linear terminus [5008] extended approx. 8m from the SE trench edge, aligned NW-SE, and measured 0.83m+ wide and 0.10m deep, possibly dating to the Early to Middle/Middle to Late Iron Age 600-50BC. It had gentle inwards sloping sides and a very gentle concave base.

5.3.45 Trench 51

Trench 51 was excavated on a NNE-SSW alignment and measured 25m x 2.15m with a maximum depth of 1.09m. Trench 51 contained nine features - three linears, one terminus and five pits along with colluvial deposits 'A' (5102) and 'E' (5103) which were both present only at the NNE end of the trench and sealed rectilinear [5107]. [5107] measured 0.42m wide and 0.12m deep, with moderate inwards sloping sides and a moderate concave base. It was aligned E-W, and possibly dated to the Early to Middle/Middle to Late Iron Age 600-50BC. Shortly to the S of [5107] was pit [5105], a circular cut pit with gentle inwards sloping sides and a moderate concave base. It measured 0.57m long, 0.47m wide and 0.10m deep. Further SSW, linear terminus [5109] truncated pit [5111], which in turn truncated linear [5115]. Pit [5113] also truncated [5115] but had no clear relationship with the other features. In order from NNW-SSE, linear [5115] was rectilinear in plan with gentle inwards sloping sides and a gentle concave base, aligned SE-NW, measuring 0.51m long x 0.12m deep. Pit [5113] was sub-circular in plan with moderate inwards sloping sides and a moderate concave base, measuring 0.66m long, 0.60m wide and 0.14m deep, and possibly dated to 125-175AD. Pit [5111] was sub-ovate in plan with moderate inwards sloping sides and a flat base. It measured 0.70m+ long, 0.38m wide and 0.10m deep. Linear terminus [5109] had moderate inward sloping sides and a gentle concave base, aligned SE-NW, measuring 1.09m+ long, 1.15m wide and 0.10m deep. To the SW of [5109] were unexcavated pits [5117] and [5119]. [5119] was sub-circular in plan and measured 0.68m long and 0.55m wide. [5117] was also sub-circular in plan, measuring 0.86m long and 0.71m wide, dating to the Early to Middle/Middle to Late Iron Age 600/200-50BC. At the S end of the trench, rectilinear [5125] measured 2.44m wide and 0.69m deep, with vertical to steep overhanging sides and a flat base, aligned E-W, dating between the Late Iron Age and Late Roman 50BC-275AD.

5.3.46 Trench 52

Trench 52 was excavated on a WNW-ESE alignment and measured 26.5m x 2.2m with a maximum depth of 1.04m. Trench 52 contained five features - four linears and a pit, along with colluvial deposits 'A' (5202), which sealed all the archaeology in the trench, 'D' (5214), 'E' (5215) and 'F' (5216). Colluvium 'D' (5214) was seen in the base for approx. 10.5m of the ESE end the trench and was truncated by [5204], [5206], [5208], [5211] and [5213]. Colluvium 'E' formed the base of the trench for another approx. 11m, and was also truncated by [5204]. At the ESE end of the trench, linear [5208] truncated linear [5213] and pit [5211], which was also truncated by linear [5206]. [5206] was rectilinear in plan with very gentle inwards sloping sides and a flat base, aligned NE-SW. It measured 0.70m wide x 0.26m deep. [5208] was rectilinear in plan with very gentle inwards sloping sides and a moderate concave base, aligned NNE-SSW. It measured 0.74m wide x 0.17m deep. Pit [5211] was assumed to be ovate in plan with steep inwards sloping sides and a steep concave base. It was aligned ESE-WNW, extending 0.7m from the SSW trench section and was 2.8m long x 0.54m deep, possibly dating to the Early to Middle/Middle to Late Iron Age 600-350/50BC. [5213] was rectilinear in plan with an undulating base. Its sides were not visible in the intervention. It measured 0.48m wide x 0.26m deep and was aligned ENE-WSW. To the WNW of [5213], and parallel with it, was unexcavated linear [5204]. Rectilinear in plan, it measured 0.50m wide.

5.3.47 Trench 53

Trench 53 was excavated on a SW-NE alignment and measured 25m x 1.8m with a maximum depth of 0.73m. Trench 53 contained ten features - three linears, two termini, a large quarry, one stakehole, a hollow, and two pits/postholes along with three colluvial deposits. Colluvial deposit 'A' (5323) sealed all features SW of quarry [5305] but did not interact with [5305]. Colluvial deposit 'B' (5310)(5324) formed the base of a small section of the trench SW of its centre, and was truncated by [5316] and [5318]. Colluvial deposit 'E' (5325) formed the base of the SW end of the trench. From the NNE end of the trench, quarry [5305] extended 4m to the SSW. It had a max depth of 0.54m and had a NNE-SSW alignment, with near vertical to gentle inwards sloping sides and an undulating base. In the centre of the trench, linear [5309] truncated linear [5307]. [5309] was rectilinear in plan with very steep inwards sloping sides and a gentle concave base, was aligned NW-SE, and measured 1.03m wide x 0.43m deep. [5307] was curvilinear in plan, with moderate inwards sloping sides and a flat base, and was aligned WNW-SE. It measured 1.06m wide and 0.21m deep. Immediately WSW of [5307], unexcavated rectilinear terminus [5320] extended 2.3m from the SSE trench edge, aligned WNW-ESE, and measured 0.52m wide. To the WSW of [5320], unexcavated curvilinear

terminus [5322] extended 3m from the SSE trench edge, aligned ESE-W, and measured 0.49m wide. To the WSW of [5322], linear [5311] formed the ENE edge of contemporary hollow [5312], both of which were in-filled by colluvial deposit 'B' (5310)(5324). [5311] was rectilinear in plan with moderate inwards sloping sides and a moderate concave base, and was aligned NNW-SSE. It measured 0.40m wide x 0.29m deep. Hollow [5312] was assumed to be ovate or linear in plan, with a flat base. Its sides were not seen in this intervention. It measured approx. 7m wide and 0.19m deep and is aligned NW-SE, dating to the Early to Middle/Middle to Late Iron Age 500/125-75/50BC. [5312] sealed circular stakehole [5314], which had vertical sides and a steep v-shaped base. Cutting [5312] to the WSW of [5314] were pit [5316] and posthole [5318]. Pit [5316] was sub-ovate in plan with gentle inwards sloping sides and a flat base, was aligned ENE-WSW, and measured 2.4m long, 0.90m wide and 0.10m deep, dating to the Early to Middle Iron Age 1000/200-50BC. Posthole [5318] was circular in plan with moderate inwards sloping sides and a gentle concave base and measured 0.36m long x 0.33m wide x 0.09m deep, dating to 1150/1175-1200AD.

5.3.48 Trench 54

Trench 54 was excavated on a NW-SE alignment and measured 25m x 1.8m with a maximum depth of 0.80m. Trench 54 contained a single feature: quarry [5404], along with colluvial deposits 'A' (5405) and 'D' (5406), both of which were truncated by [5405]. Quarry [5404] extends ~23.5m along the trench, was possibly aligned N-S, and had a max depth of 0.64m. In the centre of the trench, test pit TP54.1 was excavated to a depth of 1.26m to evaluate colluvium and the quarry. Within the test pit, quarry [5404] was seen to truncate colluvial deposit 'D' (5406). At the SE end of the trench, test pit TP54.2 was excavated to a depth of 0.84m to evaluate colluvium and the quarry. Within the test pit, quarry [5404] was seen to truncate colluvial deposit 'A' (5406).

5.3.49 Trench 57

Trench 57 was excavated on an E-W alignment and measured 25m x 2m with a maximum depth of 0.45m. Trench 57 contained a single feature: pit [5703]. [5703] had an ovate cut with moderate inwards sloping sides and a concave base, and was aligned WSW-ENE. It measured 1m long and 0.78m wide, with a max depth of 0.24m.

5.3.50 Trench 58

Trench 58 was excavated on a NNE-SSW alignment and measured $23m \times 1.7m$ with a maximum depth of 0.50m. Trench 58 contained seven features - one linear, one terminus and one SFB, containing two internal postholes and one internal stakehole. At the SSW end of the

trench, linear [5809] truncates linear terminus [5807]. [5809] measured 2.4m wide and had a max depth of 0.32m, and was aligned E-W. It was rectilinear in plan, with gentle inwards sloping sides and a flat base. Terminus [5807] extended 0.80m from the WNW trench edge, aligned SSW-NNE, and measured 0.36m wide, with a max depth of 0.20m. It was rectilinear in plan, with moderate inwards sloping sides and a moderate concave base. In the centre of the trench was SFB [5803] **5816**, a sub-rectangular shallow pit/SFB cut aligned SSE-NNW, heading into the WNW and ESE trench edges measuring 5.1m+ long x 1.7m+ wide x 0.27m deep, possibly broadly dating to the Iron Age 1550/1000-50BC. Structure **5816** also contained two internal postholes, [5811] and [5813], and one internal stakehole [5815]. Posthole [5811] had a sub-circular cut with steep inwards sloping sides and an undulating to flat base, and measured 0.32m long, 0.27m wide, with a max depth of 0.11m. Posthole [5813] had an ovate cut with no clear alignment, with steep inwards sloping sides and a moderate concave base sloping to the N, and measured 0.42m long, 0.32m+ wide and 0.23m deep. Stakehole [5815] was circular in plan with near vertical sides and a flat to gentle concave base, measuring 0.07m x 0.07m, with a depth of 0.07m.

5.3.51 Trench 59

Trench 59 was excavated on a NNE-SSW alignment and measured 26m x 1.85m with a maximum depth of 0.68m. Trench 59 contained eight features - one linear, one terminus and six pits along with colluvial deposit 'A' (5902) which sealed all archaeology in the trench. At the SSE end of the trench, pit [5908] extended from the WNW trench edge, aligned W-E, was ovate in plan and had moderate inwards sloping sides and a flat base. It measured 0.58m+ long, 0.50m wide and had a max depth of 0.12m. Terminus [5916], to the NNE of [5908], also extended from the WNW trench edge, measuring 0.66m+ long and 0.36m wide, with a max depth of 0.14m. It had moderate inwards sloping sides and a moderate concave base and was aligned E-W. To the NE of [5916], extending 0.60m from the ESE trench edge, is pit [5910], measuring 1.15m long with a max depth of 0.10m. [5910] was sub-ovate in plan with gentle inwards sloping sides and a gentle concave base, and was aligned N-S. Approx. 1m to the NNW of [5910] was ovate pit [5914], aligned WNW-ESE, measuring 0.52m long, 0.35m wide and 0.05m deep, with ovate inwards sloping sides and a gentle concave base. Nearby, to the NW and extending 0.60m from the ESE trench edge was pit [5918], measuring 1.20m long with a max depth of 0.10m, and aligned E-W. [5918] was ovate in plan, had very gentle inwards sloping sides and a gentle concave base. Immediately to the N of [5918] was large pit [5912], irregular ovate in plan with steep inwards sloping sides and an undulating base, aligned approximately N-S. It measured 4.36m long and 1.70m+ wide, and had a max depth of 0.12m. At the NNE end of the trench was pit [5906]. Extending 0.55m from the WNW trench edge, it

measured 0.60m long and had a max depth of 0.10m. It had moderate inwards sloping sides and a flat base, and no clear orientation. Immediately to the NNE of [5906], but not interacting with it, was linear [5904]. [5904] measured 1.25m wide with a max depth of 0.13m. Curvilinear in plan, it had gentle to moderate inwards sloping sides and a gentle concave base, and was aligned ESE-W.

5.3.52 Trench 62

Trench 62 was excavated on an ESE-WNW alignment and measured 26m x 1.7m with a maximum depth of 0.78m. Trench 62 contained four features - two termini and two pits/postholes along with colluvial deposit (6202) which extends from the ESE end of the trench to within 2.8m of the WNW end and sealed features [6208], [6210] and [6213]. Emerging from the WNW trench edge, linear terminus [6204][6206] extended approx. 3.5m into the trench, aligned WNW-ESE, was 0.45m wide and had a max depth of 0.20m, with moderate inwards sloping sides and a flat base. In the centre of the trench is pit [6210], which extends through both NNE and SSW trench edges. [6210] is 1.85m+ long and 1.50m wide with a max depth of 0.15m. It was sub-ovate in plan with gentle inwards sloping sides and a flat base. To the ESE of [6210] was pit [6213], which truncated terminus [6208]. Pit [6213] measured 0.54m long and 0.43m wide, with a max depth of 0.16m. It was ovate in plan and had steep inwards sloping sides and an undulating base. Terminus [6208] was 1.39m+ long and 0.22m wide with a max depth of 0.14m. It had near vertical sides and a flat base, and was aligned SSW-NNE.

5.3.53 Trench 63

Trench 63 was excavated on an E-W alignment and measured 25m x 1.96m with a maximum depth of 0.63m. Trench 63 contained a single feature: pit [6303], entering the S trench edge at the far E end of the trench. Pit [6303] measured 1.24m long and 0.60m+ wide with a max depth of 0.17m, and was aligned E-W. It was ovate in plan, with gentle inwards sloping sides and a gentle concave base.

5.3.54 Trench 64

Trench 64 was excavated on a NNE-SSW alignment and measured 25m x 2.2m with a maximum depth of 0.96m. Trench 64 contained eight features - one linear and seven pits, along with colluvial deposit 'A' (6402), which sealed all archaeology in the trench, and silt deposits (6406) and (6409)(6410) (possibly colluvial deposit 'E') which are also sealed by (6402). At the SSE end of the trench, linear [6405] truncated silt deposit (6406). [6405] was rectilinear in plan, measured 1.23m wide with a max depth of 0.46m, with gentle (on N edge)

to steep inwards sloping sides and a flat base, was aligned E-W, and dated to the Middle to Late Iron Age 200-50BC. Silt deposit (6406) was an irregular ovate shape in plan, measuring 0.88m+ long and 0.69m+ wide, with a max depth of 0.08m. To the NNE of [6405] were a series of six pits: [6413], truncating [6417] [6420] [6424], pit [6415] which also truncated [6417] and [6424], and pit [6422] which was truncated by [6420]. Pit [6413] measured 1.38m long, 0.72m wide and had a max depth of 0.19m. It was ovate in plan, with steep undercutting sides and a flat base and was aligned NNE-SSW, dating to the Early to Middle Neolithic 3650-3350/2700BC. Pit [6415] measured 1.36m long, 0.98m wide and had a max depth of 0.10m. It was ovate in plan, with steep inwards sloping sides and a flat base, and was oriented NW-SE. Pit [6417] measured 0.53m long, 0.26m wide and had a max depth of 0.19m. It was sub-circular in plan, had moderate inwards sloping sides and a flat base, and was aligned NNE-SSW. Pit [6420] measured 0.53m long, 0.42m wide and had a max depth of 0.22m. It was sub-circular in plan and had moderate inwards sloping sides and a moderate concave base, and was aligned WNW-ESE. Pit [6422] measured 0.68m long, 0.42m wide and had a max depth of 0.18m. It was sub-ovate in plan with moderate inwards sloping sides and a moderate concave base, and was aligned SSW-NNE. Pit [6424] measured 0.29m long, 0.09m wide and had a max depth of 0.12m. It had an ovate shape in plan with moderate inwards sloping sides and a moderate concave base and was aligned NNE-SSW. The base of the NNE half of the trench consists mostly of silt deposit (6409)(6410), which is truncated by pit [6408] towards its S end. Silt deposit (6409)(6410) is irregular in plan and approx. 10m long, between 0.5m and 2m+ wide with a max depth of 0.22m, and was roughly NNE-SSW aligned. Pit [6408] measured 1.21m long and 0.90m wide with a max depth of 0.16m, and was sub-ovate in plan with moderate inwards sloping sides and a gentle concave base, aligned N-S.

5.3.55 Trench 65

Trench 65 was excavated on a NNE-SSW alignment and measured 25m x 2m with a maximum depth of 0.56m. Trench 65 contained two features - one linear and one pit. At the S end of the trench and entering from the W and S trench edges was pit [6508]. [6508] was an ovate pit 1.50m+ long and 1.50m+ wide with a max depth of 0.40m, with inwards sloping sides and an undulating base, aligned N-S, with a possible date of Later Prehistoric 1550-50BC. 2-3m N of [6508] was linear [6506], measuring 1.8m wide with a max depth of 1m. [6506] was rectilinear in plan and had steep inwards sloping sides and a flat base, and was E-W aligned, possibly dating to the Early to Middle Neolithic 3650-3350/2700BC.

5.3.56 Trench 66

Trench 66 was excavated on a NW-SE alignment and measured 29m x 2.2m with a maximum depth of 0.80m. Trench 66 contained twenty one features - thirteen linears, one linear or hollow, one terminus, one pit or linear, and five pits, along with colluvial deposits (6602), which sealed all archaeology in the NW end of the trench, and (6653), which formed the base of the NW end of the trench and was truncated by all archaeology with which it interacted. At the NW end of the trench was linear [6646], truncating pit [6648], which in turn truncated linear [6652]. Linear [6646] was unexcavated, aligned NNE-SSW. Pit [6648] was unexcavated, appearing ovate in plan. Pit/linear [6650] was unexcavated, aligned N-S. The relationship between [6648] and [6650] is unclear. To the E of [6652], and truncating it, was linear [6619]. It was 0.81m wide with a max depth of 0.12m, was rectilinear in plan, had very steep inwards sloping sides and was N-S aligned, dating to the Middle to Late Iron Age 200-50BC. To the E of [6619], emerging from the NE trench edge, was pit [6642], which appeared ovate in plan, had no clear alignment, and was unexcavated. To the SE of [6619], emerging from the SW trench edge, was pit [6644], which appeared sub-ovate in plan, was aligned N-S, and was unexcavated. Slightly further SE was linear [6638]. Linear [6638] was unexcavated, aligned NNE-SSW. To the W of [6638], and interacting with it, was sub-circular pit [6640]. The relationship between the two features is unclear. Shortly beyond [6638], colluvial deposits (6602) and (6653) end. All features SW of this point were cut into natural geology. To the SW of the edge of colluvium (6653) was linear [6617][6631], truncating linear [6625][6634], which in turn possibly truncated linear/hollow [6622][6636], though this relationship is unclear. Linear/hollow [6622][6636] truncated linear and [6628]. Linear [6617][6631] was 0.80m wide with a max depth of 0.28m, had steep inwards sloping sides and a flat base, and was N-S aligned. Linear [6625][6634] was 2.30m+ long, 0.95-1.40m wide and had a max depth of 0.28m, had gentle inwards sloping sides and was NE-SW aligned, dating to the Early to Middle/Middle to Late Iron Age 600-50BC. Linear/hollow [6622][6636] was 1.75m wide with a max depth of 0.25m, had moderate inwards sloping sides and a flat base, and was NW-SE aligned, dating to the Early to Middle/Middle to Late Iron Age 600-50BC. Linear [6628] was 1m wide with a max depth of 0.34m, had moderate inwards sloping sides and a moderate concave base, and was NE-SW aligned. Further SW was linear [6608], truncating linear [6610], which in turn truncated linear [6612]. Linear [6608] was 0.67m wide with a max depth of 0.09m, had moderate inwards sloping sides and a moderate concave base, and was aligned NNW-SSE. Linear [6610] was 1.25m wide with a max depth of 0.27m, had moderate inwards sloping sides and a flat base, and was aligned NE-SW. Linear [6612] was 1.30m wide with a max depth of 0.36m, had gentle-steep inwards sloping sides and a flat base, and was aligned NE-SW. To the SW of [6610] was terminus [6606][6614], which entered from the SW trench edge. [6606][6614] was 3.79m+ long and 0.90m wide, with a max depth of 0.11m, and was E-W

aligned. Finally, in the S corner of the trench was linear [6604]. [6604] was 0.86m wide with a max depth of 0.23m, had gentle inwards sloping sides and a moderate concave base, and was aligned ENE-WSW, dating to the Later Prehistoric 1550-50BC.

6 FINDS

6.1 Quantification of Archaeological Material

6.1.1 Finds retrieved from the evaluation comprised of:

	Pages	Bags
Ceramics	18	156
Worked Flint	16	133
Bone & Shell	7	84
CBM	4	30
Stone	2	12
Non-Small Find	1	7
Metal		
Glass	1	1
Small Finds	1	6

Table 2. Table of finds.

6.1.2 The ceramic assemblage

A total of 494 sherds of pottery weighing a total of 8946 g were presented and catalogued. All dates given throughout are *circa*. Several specific phases of activity are indicated and the periods represented are listed below. The estimate of the numbers of vessels may give an indication of the relative different degrees of activity that produced these assemblages, with regards to the amount or length of human presence and whether this site was nearer the centre of the activity or perhaps on the periphery of it. It should be noted however that as this pottery was recovered during an evaluation it may represent an incomplete picture of the activity present at this site as a whole.

Ceramic presence	Main focus
Early to Middle Neolithic	3650 to 2700 BC 4 vessels
Beaker Period to Early Bronze Age	2450 to 1550 BC 6 vessels
Early to Mid Iron Age	500 to 350 BC 17 vessels

Mid to Late Iron Age	200/125 to 75 BC 92/98 vessels
Late and Latest Iron Age to Earl Roman	75 BC to 75 AD 18 vessels
Early to Mid Roman	75 to 250 AD 51/54 vessels
Early Medieval to Late Medieval	1150 to 1525/1550 AD 13 vessels

In addition, some less diagnostic material was also present:

Early Bronze Age to Mid to Late Bronz Age	ze 2100 to 1150 BC 1 vessel
Later Prehistoric	1550 to 50 BC 40/42 vessels
Earliest Iron Age	1000/900 to 600 BC 2 vessels
Early to Mid to Mid to Late Iron Age	600 to 50 BC 51/52 vessels

See Appendix 1 for rest of report

6.1.3 At the time of this report, we are waiting to receive specialist reports for the remaining archaeological material.

7 DISCUSSION

7.1 Introduction

7.1.1 The archaeological evaluation at Land south of Canterbury Road West, Cliffsend, Thanet, Kent, has demonstrated an abundance of archaeological activity within the extents of the proposed development area, spanning from the Middle Neolithic through to the Late Medieval period. From the outset of the project it was clear that a the potential for a high density of archaeology was likely due to the surrounding known archaeological landscape that in part was known to continue into the PDA and from the results of the geophysical survey conducted by Wessex (2015) which suggested the presence of pits, postholes and enclosures associated

with settlement and activity. The evaluation has also sought to confirm the results of the geophysical survey.

- 7.1.2 The evaluation has established that there is a close relationship between the topography of the PDA and the archaeological landscape. The broad trend, identified during the evaluation, is that the concentration of archaeology is situated within the lower lying areas of this landscape. There are a few exceptions, already mentioned within this report, including the quarry identified in trench 30, the inhumation in trench 32 and the barrow identified on the geophysical survey to the west of the PDA which, all are present on the higher ground.
- 7.1.3 This has also revealed a complicated stratigraphy across the, broadly north -south orientated, natural valley due to the multiple Colluvial deposits that are truncated by archaeology and in turn obscure and seal earlier archaeological horizons. It must be noted that although very few features were visibly identified as truncating the upper Colluvial deposits, apart from the large quarry like feature, present in trenches 54, 53, 46, 43, 37, 34 and 24 however, this does not necessarily mean that archaeology truncating these deposits will not be encountered during a potential SMS of the area. During the targeted SMS of Phase 1 of Land East of 40 Canterbury Road West, Colluviums 'A', 'E' and 'F' were encountered in the south west corner of the area where it appears the natural valley, present within the phase 2 PDA, turns north west. Several features were identified to truncate Colluvium 'A' however they were very ephemeral in nature as they were infilled with the re deposited colluvium, these features most easily seen after they weathered out. It could be the case that similar ephemeral features were not recognised when cutting the trenches and that the archaeology identified at lower levels in the colluvium, at which the excavation of the trenches stopped at, was more easily recognised due to the difference in the fills from the surrounding colluvium.

7.2 Archaeological Narrative

7.2.1 The evaluation identified the continuation of the Middle to Late Iron Age (LIA) – Early Roman (ER) activity that was previously identified during the excavations of zones 11 and 12 of the East Kent Access Road Phase 2 (Oxford Wessex Archaeology 2011) and the Thanet Parkway excavations (Canterbury Archaeological Trust 2021). Primarily SWAT Archaeology have identified the northern, eastern and western extents of the LIA-ER enclosures that were projected to continue into the PDA as well as the metalled Trackway and associated features such as possible SFB's. Additionally to this the evaluation has also identified an earlier prehistoric landscape, ranging from the Neolithic and continuing through to the Early Iron Age, that is primarily focused at the top of the hill, north of the Mid-Late Iron Age activity that is concentrated at the base of the hill that continues through into the Roman Period. It would

appear that activity on site stops after the Early – Mid Roman period and is only resumed in the Mid-Late Medieval period with a series of quarries across the site.

7.2.2 As discussed in 7.1.4 a series of multiple Colluvial deposits were encountered following the low points of the topography of the 'W' shaped double valley in which the PDA is situated on the eastern side of. Figure 15 is an overlay of the evaluation trench placements with the topographic survey of the PDA, highlighted in blue are trenches that contained Colluvial deposits and a relationship between the Colluvial deposits and the topography can be seen. Figure 4 is the geophysical survey of Wessex Archaeology's 'Area G' from the 2016 survey, in which the PDA is situated. This Figure shows two broadly north south orientated large bands highlighted in blue as features 5039 and 5040 interpreted by Wessex Archaeology as;

'An increased level of magnetic response but are diffuse and difficult to define precisely. These are interpreted as superficial geological deposits owing to their large size irregular form. Furthermore, a feature of a similar nature is visible within aerial photography for the area which supports this interpretation.' (Wessex Archaeology 2016)

This interpretation of the geophysical results clearly illustrates the location of these Colluvial deposits accumulating within the low points of the 'W' shaped valley. As mentioned it is within these areas where the stratigraphy becomes complicated, as there are several archaeological horizons within the multiple Colluvial deposits.

7.2.3 During the evaluation broad characteristics of the Colluvial deposits were established, though across the site there was slight variation in the makeup of the deposits, such as a change in frequency of inclusions. This allowed for the presence of each deposit to be tracked across the site. Below are a series of tables that show the broad characteristics of the deposits, their interactions with archaeology and the trenches they were identified in.

Colluvial	Characterising Description
Group	
Α	Mid grey brown clayey silt
В	Mid-dark browny grey slightly clayey silt
С	Mottled dark grey brown + light yellow brown slightly clayey silt
D	Light browny grey (sometimes with a mid yellow grey mottle) clayey silt
E	Mottled light yellow brown + white grey very slightly clayey silt
F	Mid to dark orange brown silty clay
G	Mottled light yellow orange brown with black silt
Loc.	Localised deposits not seen in other trenches

Table 3 Broad characteristics of Colluvial deposits

Colluvial Group	Does Archaeology Truncate Deposit	Does Deposit Seal Archaeological Horizon
Α	Yes	Yes

В	Yes	Yes
С	Yes	Yes
D	Yes	Yes
E	Yes	Yes
F	Yes	Yes
G	No	No

Table 4 Interactions between Colluvial groups and archaeology

		1 =	1 _	1 1
Trench No.	Context No +	Depth	Does	Does Deposit
	Colluvial	Encountered	Archaeology	Seal
	Group	In Trench	Truncate	Archaeological
		From Topsoil	Deposit?	Horizon?
			Yes/No	Yes/No/
				Unknown,
				excavation
				stopped at
				deposit.
T13	(1302) – Loc.	0.83m-0.9m	Yes	Unknown
T14	(1428) - D	0.66m-1.11m	Yes	Unknown
T15	(1513) - E	0.58m+	Yes	Unknown
T17	(1702) - E	0.64m-0.75m	Yes	Unknown
T18	(1802) - B	0.74m-0.96m	No	Yes
	(1820) - E	0.96m+	Yes	Unknown
T19	(1902) – B	0.65m-0.96m	No	Yes
	(1923) +		Yes	Unknown
	(1924) – Loc.	0.96m-1.56m		
	In T19 and		Yes	Unknown
	west end of			
	T20			
T20	(2002) - Loc.	0.54m-0.87m	Yes	Yes
	Same as T19			
	(2017) - E	0.87m+	Yes	Unknown
T22	(2202) +		Yes	Yes
	(2216) – D	0.85m-1.07m		
	(2222) – Loc.	1.46m-1.8m	Yes	No
	(2223) – Loc.	1.8m-2.08m	Yes	No
T23	(2302) – A	0.6m-	No	Yes
		0.82m/1.06m		
	(2310) – D	0.82m-1.06m	Yes	Unknown
	(2313) - E	1.06m+	Yes	Unknown
T24	(2408) – A	0.75m-1m	Yes	Yes
	(2416) – B	0.83m-1.05m	Yes	Unknown
	(2417) – C	1.05m-1.2m+	Yes	Unknown
	(2418) – D	1.2m+	Yes	Unknown
	(2419) - E	1.2m+	Yes	Unknown
T25	(2507) – C	0.67m-0.77m	Yes	Yes
	(2508) – E	0.74m-0.83m	Yes	Unknown
	(2522) – Loc.	0.82m-0.9m	Yes	Unknown
	(2523) – Loc.	0.9m-1m+	Yes	Unknown
T33	(3302) – A	0.53m-0.65m	No	Yes
T34	(3402) – A	0.57m-0.93m	Yes	Yes
	(3403) – B	0.93m-1.16m	Yes	Yes
	(3404) – C	1.16m-1.47m	Yes	Yes
	(3410) – D	1.5m-1.64m	Yes	Unknown
	(3413) – E	1.64m-1.71m	No	Unknown
L	/		II.	

	(3414) - G	1.71m-1.83m+	No	Unknown
T35	(3508) – A	0.62m-0.88m	No	No
	(3511) – B at	0.88m-1.07m		
	east end of			
	trench	1.07m-1.24m		
	(3509) – E	1.24m-1.42m+		
	(3510) - F			
T36	(3602) - A	0.64m-0.8m	Yes	No
T37	(3705) – A	0.57m-0.87m	Yes	Yes
	(3706) – B	0.87m-1.17m	Yes	Yes
	(3707) – D	1.17m-1.38m	Yes	Yes
	(3714) – E	1.35m-1.49m	Yes	Unknown
	(3715) - F	1.49m-1.6m+	Yes	Unknown
T38	(3804) – A	0.77m-0.97m	No	Yes
	(3811) – B	0.97m-1.05m	No	Yes
	(3812) – E	1.05m-1.17m	No	Yes
	(3813) – F	1.17m-1.35m	Yes	Yes
T41	(4102) – A	0.65m – 0.9m	No	Yes
T42	(4202) – A	0.71m-0.94m	No	Yes
	(4203) – B	0.94m-1.05m	No	Yes
	(4204) – E	1.05m+	No	Unknown
T43	(4307) – A	0.68m-0.87m	No	Yes
140	(4310) – B	0.87m-1.04m	No	Yes
	(4311) – D	1.04m-1.18m	Yes	No
	(4312) - E	1.18m-1.22m+	Yes	Unknown
T46	(4607) – A	0.64m-0.96m	Yes	Yes
140	(4608) – B	0.96m-1.13m	Yes	Yes
	(4613) – D	1.1-	Yes	Unknown
	(4013) - D	1.45/1.74m+	165	OTIKITOWIT
	(4614) – E	1.45m+	Yes	Unknown
T48	(4802) – A	0.52m-0.66m	No	Yes
140	(4803) – B	0.66m-0.9m	No	Yes
	(4804) – C	0.9m-1.25m	No	Yes
	(4805) – D	1.25m-1.3m	Yes	Yes
	(4830) – E	1.3m-1.4+	Yes	Unknown
T49	(4902) – A		No	Yes
149	(4902) – A (4903) – B	0.63m-0.84m		
	(4904) – B	0.84m-1.12m	No No	Yes Yes
	` ,	1.12m-1.33m		
	(4905) – D	1.33m-1.34m+ 0.87m-0.91m	No	Yes
	(4910) – E	0.91m-1.15m	Voc	No
		ווופו .ו-וווו פ.ט	Yes	Unknown
TEO	(4911) – F	0.66m 0.76m	Yes	
T50	(5009) – A	0.66m-0.76m	Yes	Yes
T51	(5010) – D	1.31m-1.41m	Yes	Unknown
T51	(5102) – A	0.65m-0.91m	No	Yes
TEO	(5103) – E	0.91m-1.06m	No	Yes
T52	(5202) – A	0.78m-1.04m	No	Yes
	(5214) – D	0.98m-1.15m	Yes	Unknown
	(5215) – E	1.04m-1.19m+	Yes	Unknown
	(5216)	1.19m+	Voc	Linknown
TEO	(5216) – F	0.6.4.00==	Yes	Unknown
T53	(5323) – A	0.6-1.08m	No	Yes
	(5324) – B	0.88m-1.08m	Yes	Yes
TC 4	(5325) – E	1.08m+	Yes	Unknown
T54	(5405) – A	0.46m-0.84m	Yes	No
	(5406) – D	1.26m+	Yes	Unknown

T59	(5902) – A	0.43-0.6/0.55-	No	Yes
		0.68m		
T62	(6202) – A	0.56m-0.78m	No	Yes
T64	(6402) – A	0.6m-0.88m	No	Yes
	(6409)+(6410)		Yes	Unknown
	– E	0.77-1.04m		
T66	(6602) – A	0.5m-0.8m	No	Yes
	(6653) – E	0.8m+	Yes	Unknown

Table 5 Trenches containing Colluvial deposits

7.2.4 The evaluation has confirmed that the features and possible features that have been identified as part of the geophysical survey are indeed archaeological in nature and that a plethora of related archaeological features that did not appear on the geophysical survey are also present within the PDA.

7.3 Recommendations.

- 7.3.1 The following are recommendations that may considered as part of a future programme of archaeological works:
 - Excavation on the inhumation in trench 32
 - Investigation of unexcavated features within the evaluation trenches
 - Establishing the extent and nature of the large quarry-like feature present in trenches 54, 53, 46, 43, 37, 34 and 24 and to see if there is a relationship between that feature and the Trackway, other than the assumed relationship from their dating. Is this feature the reason why the Trackway hasn't been identified past trench 22?
 - Establish whether the SFB's identified are indeed buildings and the presence of additional buildings.
 - Consideration will need to be taken on how landscaping of the PDA impacts the archaeology obscured within the Colluvial deposits.

7.4 Conclusions

- 7.4.1 The archaeological evaluation has been successful in fulfilling the primary aims and objectives of the Specification. Areas of archaeological interest have been recorded across the site, with concentrations of archaeological features indicative of settlement and activity recorded towards the southern end of the site and within the lower lying areas on the natural valley.
- 7.4.2 This evaluation has assessed the archaeological potential of land intended for development.

 The results from this work will be used to aid and inform the Principal Archaeological Officer

and Planning Officer of any further archaeological mitigation measures that may be necessary in connection with any future development proposals.

8 ARCHIVE

8.1 General

- 8.1.1 The Site archive, which will include; paper records, photographic records, graphics, and digital data, will be prepared following nationally recommended guidelines (SMA 1995; CIfA 2009; Brown 2011; ADS 2013).
- 8.1.2 All archive elements will be marked with the site/accession code, and a full index will be prepared. The physical archive comprises 1 file/document case of paper records & A4 graphics. The Site Archive will be retained at SWAT Archaeology offices until such time it can be transferred to a Kent Museum.

9 ACKNOWLEDGMENTS

- 9.1.1 SWAT would like to thank Town and Country for commissioning the project. Thanks are also extended to Simon Mason, Principal Archaeological Officer at Kent County Council, for his advice and assistance.
- 9.1.2 Dan Worsley BA MA supervised the archaeological fieldwork; Digitise This and Dan Worsley produced illustrations and Dan Worsley BA MA produced the draft text for this report, with contributions by Alistair McKeever and Matt Goulden. The Project Manager for the project was Dr Paul Wilkinson MCIfA, FRSA.

10 REFERENCES

ADS 2013. Caring for Digital Data in Archaeology: a guide to good practice, Archaeology Data Service & Digital Antiquity Guides to Good Practice

British Geological Survey. 2021. Geology of Britain Viewer. https://mapapps.bgs.ac.uk/geologyofbritain/home.html (accessed 08/02/22)

Brown, D.H., 2011. Archaeological archives; a guide to best practice in creation, compilation, transfer and curation, Archaeological Archives Forum (revised edition)

Chartered Institute for Archaeologists, 2009, Standard and Guidance for the creation, compilation, transfer and deposition of archaeological archives, Institute for Archaeologists

Chartered Institute for Archaeologists, 2014, Standard and guidance: for field evaluation.

Chartered Institute for Archaeologists, 2014, Standard and guidance for the creation, compilation, transfer and deposition of archaeological archives.

Department of the Environment, 2010, *Planning for the Historic Environment*, Planning (PPS 5) HMSO.

English Heritage 2002. Environmental Archaeology; a guide to theory and practice of methods, from sampling and recovery to post-excavation, Swindon, Centre for Archaeology Guidelines

English Heritage, 2006, Management of Research Projects in the Historic Environment (MoRPHE).

Oxford Wessex Archaeology 2011. East Kent Access – Phase 2, Thanet, Kent, Interim Report.

PRP, 2021. Canterbury Road West, Phase 2 Landscape Statement.

SMA 1993. Selection, Retention and Dispersal of Archaeological Collections, Society of Museum Archaeologists

SMA 1995. Towards an Accessible Archaeological Archive, Society of Museum Archaeologists

SWAT Archaeology. 2021. Specification for an Archaeological Evaluation of Land South of Canterbury Road West, Ramsgate, Kent.

SWAT Archaeology. 2021, Specification for a Programme of Archaeological Strip, Map and Sample Excavation of Land East of 40 Canterbury Road West, Ramsgate, Kent

Wessex Archaeology. 2014. Land South of Canterbury Road West and Adjacent to Cottington Road, Ramsgate, Kent - Archaeological Desk-Based Assessment

Wessex Archaeology. 2015. Land South of Canterbury Road West and adjacent to Cottington Road, Ramsgate, Kent - Detailed Gradiometer Survey Report

Wessex Archaeology. 2017. Land South of Canterbury Road West and adjacent to Cottington Road Ramsgate, Kent - Archaeological Evaluation Report

TRENCH TABLES

Trench 1	Dimensions: 25m x 2.4m Trench alignment: ENE-WSW Ground level at ENE end: 17mOD Ground level at WSW end: 17.18mOD			
Context	Interpretation	Description	Depth (m)	
(100)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions.	0.00-0.37	
(101)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.37-0.69	
(102)	Fill of Terminus [103]	Soft mottled orangey brown with dark brown & yellow clayey silt with no inclusions.	L- 1.65m+ W- 0.96m D- 0.69-1.04	
[103]	Cut of Terminus	Terminus with moderate inwards sloping sides and a gentle concave base. NNW-SSE aligned.	L- 1.65m+ W- 0.96m D- 0.69-1.04	
(104)	Upper Fill of Palaeochannel [106]	Firm mid-dark browny grey clayey silt with inclusions of occasional chalk flecks and frequent Mn flecks. Same as (211)	L- 2m+ W- 15m+ D- 0.69-1.09	
(105)	Basal Fill of Palaeochannel [106]	Firm light brown sandy clayey silt with inclusions of very occasional Mn flecks. Same as (212)	L- 2m+ W- 15m+ D- 1.09-1.12	
[106]	Cut of Palaeochannel	Curvilinear with moderate inwards sloping sides and a flat base. N-S aligned. Cut by [108]. Same as [213]	L- 2m+ W- 15m+ D- 0.69-1.12	
(107)	Fill of Terminus [108]	Soft greyish brown clayey silt with inclusions of occasional chalk flecks. Same as (208)	L- 2.4m+ W- 3.2m D- 0.69+	
[108]	Cut of Terminus	Terminus, unexcavated. SSW-NNE aligned. Cuts [106]. Same as [210]	L- 2.4m+ W- 3.2m D- 0.69+	
(109)	Fill of Posthole [110]		L- 0.34m W- 0.29m D- 0.69+	
[110]	Cut of Posthole	Sub-circular, unexcavated.	L- 0.34m W- 0.29m D- 0.69+	
Natural	Natural Geology	Non-calcareous brickearth (mottled orange & orange grey brown silty clay).	0.69+	

Trench 2	Dimensions: 30.4m x 2.05m Trench alignment: SW-NE Ground level at SW end: 17.04mOD Ground level at NE end: 16.67mOD			
Context	Interpretation Description D			
(200)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions	0.00-0.54	
(201)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.54-0.83	
202	Void	-	-	
(203)	Fill of Linear [204]	Moderate-firm dark orange brown silty clay with inclusions of occasional burnt clay pieces,	L- 1.98m+ W- 0.51m D- 0.83-1.00	

		occasional Mn flecks and frequent bioturbation	
		(worms).	
	Cut of Linear	Linear with gentle inwards sloping sides and a	L- 1.98m+
[204]		gentle concave base aligned SSW-NNE.	W- 0.51m D- 0.83-1.00
	Upper Fill of	Firm orangey brown clayey silt with frequent	L- 0.85m+
(205)	Terminus [207]	bio. (worms).	W- 0.80m
			D- 0.83-1.08
	Basal Fill of	Firm mottled orangey brown clayey silt with no	L- 0.40m+
(206)	Terminus [207]	inclusions.	W- 40m
			D- 1.01-1.13
[0.0=]	Cut of Terminus	Terminus with moderate inwards sloping sides	L- 0.85m+
[207]		and an undulating base aligned SE-NW.	W- 0.80m
	5:11 61:	e1 .11 1 10 01	D- 0.83-1.13
	Upper Fill of Linear	Firm mid greyish brown clayey silt with	L- 2m+
(208)	[210]	inclusions of occasional Mn flecks, occasional charcoal flecks and occasional small flints. Same	W- 1.8m
			D- 0.83-1.45
	Basal Fill of Linear	as (107) Firm mottled dark grey with light grey & mid	
	[210]	browny grey patches clayey silt with inclusions	L- 2m+
(209)	[210]	of occasional charcoal flecks and occasional Mn	W- 1.4m
		flecks.	D- 1.43-1.71
	Cut of Linear	Linear with steep inwards sloping sides and a	L- 2m+
[210]		gentle concave base. SSW-NNE aligned. Cuts	W- 1.8m
		[213]. Same as [108]	D- 0.83-1.71
	Upper Fill of	Firm orangey brown clayey silt with very	L- 2m+
(211)	Palaeochannel	occasional Mn fleck and bio inclusions. Same as	W- 12.5m
. ,	[213]	(104)	D- 0.83-1.31
	Basal Fill of	Firm dark greyish brown, with patches of light	L- 2m+
(212)	Palaeochannel	brownish grey, clayey silt with very occasional	W- 12.5m
, ,	[213]	Mn flecks. Same as (105)	D- 1.31-1.60
	Cut of	Large amorphous to rectilinear in shape with	L- 2m+
[213]	Palaeochannel	moderately steep inwards sloping sides and a	W- 12.5m
[213]		flat base. ~N-S aligned. Cut by [210]. Same as	D- 0.83-1.60
		[106]	
()	Fill of Pit/Terminus		L- 1.35m+
(214)	[215]		W- 1.46m
	Cut of	Ougho/Townsiano NE CNA/-Bissa L. I.	D- 0.83+
[מער]	Cut of	Ovate/Terminus. NE-SW aligned. Unexcavated.	L- 1.35m+
[215]	Pit/Terminus	Possibly the terminus of a linear emerging from EKA to the south.	W- 1.46m
	Fill of Pit [217]	LIVA TO THE SOUTH.	D- 0.83+ L- 0.70m
(216)	1 III OI FIL [21/]		W- 0.67m
(210)			D- 0.83+
	Cut of Pit	Sub-circular. Cuts [213] Unexcavated.	L- 0.70m
[217]			W- 0.67m
			D- 0.83+
	Fill of Terminus		L- 0.69m
(218)	[219]		W- 0.46m
			D- 0.83+
	Cut of Terminus	Terminus. NW-SE aligned. Unexcavated.	L- 0.69m
[219]			W- 0.46m
			D- 0.83+
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish	0.83+
-		orange brown silty clay).	

Trench 3	Dimensions: 25.7m x 2.05m Trench alignment: N-S Ground level at N end: 17.18mOD Ground level at S end: 16.42mOD			
Context	Interpretation	Description	Depth (m)	
(300)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions	0.00-0.30	
(301)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.30-0.60	
(302)	Fill of Pit [303]	Moderately compact mid orange brown silty clay with inclusions of occasional Mn flecks and moderate bio. (worms).	L- 1.14m W- 0.98m D- 0.60-0.86	
[303]	Cut of Pit	Ovate with steep inwards sloping sides and a flat base. W-E aligned.	L- 1.14m W- 0.98m D- 0.60-0.86	
(304)	Fill of Linear [305]		L- 1.8m+ W- 0.66m D- 0.60+	
[305]	Cut of Linear	Rectilinear. W-E aligned. Unexcavated. Possibly same as [416].	L- 1.8m+ W- 0.66m D- 0.60+	
(306)	Fill of Linear [307]	Firm mid orange brown clayey silt with moderate bio. (worms).	L- 1.05m+ W- 0.80m D- 0.60-0.90	
[307]	Cut of Linear	Linear with moderate inwards sloping sides and a gentle concave base. WNW-ESE aligned. Cuts [309].	L- 1.05m+ W- 0.80m D- 0.60-0.90	
(308)	Fill of Linear [309]	Firm mid brown clayish silt with moderate bio. (worms).	L- 1.05m+ W- 0.75m D- 0.60-0.80	
[309]	Cut of Linear	Very gentle inwards sloping sides and a gentle concave base. WNW-ESE aligned. Cut by [307].	L- 1.05m+ W- 0.75m D- 0.60-0.80	
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish orange brown silty clay).	0.60+	

Trench 4	Dimensions: 25m x 2.4m Trench alignment: N-S Ground level at N end: 17.18mOD Ground level at S end: 16.42 mOD			
Context	Interpretation	Description	Depth (m)	
(400)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions	0.00-0.34	
(401)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.34-0.54	
402	Void	-	-	
(403)	Fill of Terminus [404]	Firm mottled mid orangey brown and mid grey brown silty clay with no inclusions.	L- 2.2m+ W- 0.50m D- 0.62-0.85	
[404]	Cut of Terminus	Terminus with gentle inwards sloping sides and a gentle concave base. N-S aligned.	L- 2.2m+ W- 0.50m D- 0.62-0.85	
(405)	Fill of Pit [406]	Firm mottled dark blackish brown with light yellow grey clayey silt with no inclusions.	L- 0.41m W- 0.64m	

			D- 0.62-1.23
	Cut of Pit	Circular with vertical sides and a moderate	L- 0.41m
[406]		concave base. Cut by [408].	W- 0.64m
			D- 0.62-1.23
	Fill of Linear [408]	Soft mid orangey brown clayey silt with	L- 1.07m+
(407)		moderate bio. (worms).	W- 0.82m
			D- 0.62-1.00
	Cut of Linear	Rectilinear with steep inwards sloping sides and	L- 1.07m+
[408]		a moderately concave base. E-W aligned. Cuts	W- 0.82m
		[406].	D- 0.62-1.00
	Fill of Pit [410]	Soft mid orange brown clayey silt with no	L- 0.61m
(409)		inclusions.	W- 0.55m
			D- 0.62-0.72
	Cut of Pit	Ovate with gentle inwards sloping sides and a	L- 0.61m
[410]		gentle concave base. WSW-ENE aligned.	W- 0.55m
			D- 0.62-0.72
	Fill of Pit [412]	Soft mid brown clayey silt with no inclusions.	L- 0.58m
(411)		, ,	W- 0.42m
, ,			D- 0.62-0.81
	Cut of Pit	Ovate with steep inwards sloping sides and a	L- 0.58m
[412]		concave base. WSW-ENE aligned.	W- 0.42m
			D- 0.62-0.81
	Fill of Pit [414]		L- 0.54m
(413)			W- 0.54m
			D- 0.62+
	Cut of Pit	Circular. Unexcavated.	L- 0.54m
[414]			W- 0.54m
			D- 0.62+
	Fill of Pit [416]		L- 0.79m+
(415)			W- 0.92m
, ,			D- 0.62+
	Cut of	Assumed sub-ovate/terminus. E-W aligned.	L- 0.79m+
[416]	Pit/Terminus	Possibly same as [305]	W- 0.92m
			D- 0.62+
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish	0.54+
ivaturai		orange brown silty clay).	0.34+

Trench 5	Dimensions: 25m x 2m Trench alignment: NE-SW Ground level at SW end: 16.84mOD Ground level at NE end: 17.46mOD			
Context	Interpretation	Description	Depth (m)	
(500)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions	0.00-0.25	
(501)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.25-0.64	
(502)	Fill of Terminus [503]	Soft mottled mid browny grey with mid orange brown clayey silt with inclusions of very occasional small flints and very occasional Mn flecks.	L- 2m+ W- 1.34m D- 0.64-0.78	
[503]	Cut of Terminus	Terminus with gentle inwards sloping sides and a slightly undulating base. NW-SE aligned.	L- 2m+ W- 1.34m D- 0.64-0.78	
(504)	Fill of Linear [505]	Soft mid grey brown clayey silt with inclusions of frequent Mn flecks.	L- 1m+ W- 0.55m D- 0.64-0.73	

	Cut of Linear	Rectilinear with gentle inwards sloping sides and	L- 1m+
[505]	33.5.2	a gentle concave base. NW-SE aligned.	W- 0.55m
[555]		a Service constants states in the called	D- 0.64-0.73
	Fill of Linear [507]	Light yellow grey silty clay with frequent Mn	L- 1m+
(506)		flecks.	W- 0.45m
			D- 0.64-0.75
	Cut of Linear	Rectilinear with moderate-gentle inwards	L- 1m+
[507]		sloping sides and a gentle v-shaped base. NW-SE	W- 0.45m
		aligned.	D- 0.64-0.75
	Fill of Linear [509]	Light yellowy orange grey silty clay with	L- 2.8m+
(508)		inclusions of regular Mn flecks.	W- 0.68m
			D- 0.64-0.73
	Cut of Linear	Rectilinear with gentle inwards sloping sides and	L- 2.8m+
[509]		a gentle concave base. S-NNE aligned.	W- 0.68m
			D- 0.64-0.73
	Fill of Linear [511]		L- 1.8m+
(510)			W- 0.64m
			D- 0.64+
	Cut of Linear	Rectilinear. WNW-ESE aligned. Unexcavated.	L- 1.8m+
[511]			W- 0.64m
			D- 0.64+
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish	0.64+
- Nacarai		orange brown silty clay).	0.041

Trench 6	Dimensions: 25m x 2m Trench alignment: NE-SW Ground level at SW end: 16.65mOD Ground level at NE end: 16.89mOD		
Context	Interpretation	Description	Depth (m)
(600)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions	0.00-0.28
(601)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions. In places severely truncated by EKA compound before in-filling with redeposited subsoil and hardcore	0.28- 0.50(SW) / 0.40(NE)
602	Void	-	
(603)	Upper Fill of Linear [606]	Soft mottled orangey brown silty clay with no inclusions.	L- 1.3m+ W- 1.2m D- 0.50-0.66
(604)	Fill of Linear [606]	Soft light orangey yellow grey silty clay with no inclusions.	L- 1.3m+ W- 0.96m D- 0.66-0.76
(605)	Basal Fill of Linear [606]	Soft mottled light yellow grey with mid orangey grey brown silty clay with inclusions of moderate Mn flecks.	L- 1.3m+ W- 0.66m D- 0.76-0.89
[606]	Cut of Linear	Rectilinear with steep inwards sloping sides and a moderate concave base aligned N-S. Cuts [609]	L- 1.3m+ W- 1.2m D- 0.50-0.89
(607)	Upper Fill of Linear [609]	Soft mid browny yellow grey silty clay with no inclusions. Same as (624)	L- 0.86m+ W- 1.12m D- 0.50-0.70
(608)	Basal Fill of Linear [609]	Mid orangey yellow grey silty clay with no inclusions. Same as (625)	L- 1.45m+ W- 0.80m D- 0.70-0.91

	Cost of Lineau	Destilians with the continuous defendance of the condi-	1 4 45
[600]	Cut of Linear	Rectilinear with steep inward sloping sides and a	L- 1.45m+
[609]		narrow concave base aligned WSW-ENE. Cut by	W- 1.12m
		[606]. Same as [626]	D- 0.50-0.91
	Upper Fill of Linear	Firm mottled mid-dark greyish brown with mid	L- 2m+
(610)	[613]	orange brown very clayey silt with inclusions of	W- 0.94m
(010)		moderate Mn flecks, occasional chalk flecks and	
		moderate bio. (worms).	D- 0.40-0.68
	Fill of Linear [613]	Very firm light greyish orange brown clayey silt	L- 2m+
(611)		with inclusions of frequent Mn flecks and	W- 0.70m
, ,		frequent bio. (worms).	D- 0.68-0.78
	Basal Fill of Linear	Very firm mottled light greyish orange brown	L- 2m+
(612)	[613]	with mid grey slightly clayey silt with moderate	W- 0.50m
(0==)	[020]	bio. (worms).	D- 0.78-0.85
	Cut of Linear	Rectilinear with very steep inwards sloping sides	L- 2m+
[613]	Cut of Linear	and a flat base. NNW-SSE aligned. Cuts	W- 0.94m
[013]		[617][621].	
	Umman Fill of Lincon		D- 0.40-0.85
(64.4)	Upper Fill of Linear	Very firm mid grey brown clayey silt with	L- 0.80m+
(614)	[617]	inclusions of frequent Mn flecks, moderate chalk	W- 0.70m
		flecks and frequent bio. (worms).	D- 0.40-0.57
	Fill of Linear [617]	Very firm light greyish orangey brown clayey silt	L- 0.80m+
(615)		with inclusions of frequent Mn flecks and	W- 0.68m
		frequent bio. (worms).	D- 0.57-0.73
	Basal Fill of Linear	Very firm mottled light grey brown, mid orange	L- 0.80m+
(616)	[617]	and mid yellow slightly clayey silt with inclusions	W- 0.65m
(010)		of frequent Mn flecks and frequent bio.	D- 0.73-0.80
		(worms).	D- 0.73-0.80
	Cut of Linear	Rectilinear with very steep inwards sloping sides	L- 0.80m+
[617]		and a flat base. W-E aligned. Cut by [613][636],	W- 0.70m
		cuts [621].	D- 0.40-0.80
	Upper Fill of Linear	Very firm mottled light grey brown and mid	
	[621]	orange brown very clayey silt with inclusions of	L- 2m+
(618)	[5]	moderate Mn flecks and moderate chalk flecks	W- 0.32m
		and frequent bio. (worms).	D- 0.40-0.52
	Fill of Linear [621]	Very firm slightly greyish mid orange brown	L- 2m+
(619)	Till Of Effical [021]	clayey silt with inclusions of moderate Mn flecks	W- 0.30m
(013)		and moderate bio. (worms).	D- 0.52-0.67
	Basal Fill of Linear	Firm mottled light brown with yellow grey	L- 2m+
(620)	[621]	slightly clayey silt with inclusions of moderate	W- 0.25m
(620)	[021]	9	
	Cut of Linear	Mn flecks and moderate bio. (worms).	D- 0.67-0.72
[604]	Cut of Linear	Rectilinear with very steep inwards sloping sides	L- 2m+
[621]		and a flat base. ENE-WSW aligned. Cuts [638],	W- 0.32m
	EU CT :	cut by [613][617][636].	D- 0.40-0.72
	Fill of Terminus	Moderately compact mottled mid orange brown	L- 1.7m+
(622)	[623]	with mid grey brown silty clay with inclusions of	W- 0.74m
(- /		occasional Mn flecks and small sub-angular	D- 0.50-0.72
	1	flints.	
	Cut of Terminus	Terminus with moderate inwards sloping sides	L- 1.7m+
[623]		and a moderate concave base. NNW-SSE	W- 0.74m
		aligned. Cuts [626].	D- 0.50-0.72
	Upper Fill of Linear	Moderately compact mottled mid orange brown	L- 1.8m+
(624)	[626]	with light-mid grey brown silty clay with	W- 0.78m
		inclusions of occasional Mn flecks. Same as (607)	D- 0.50-0.75
·	Basal Fill of Linear	Moderately compact mottled light orange	1 1 0 :
(625)	[626]	brown with mid-light grey and light yellow	L- 1.8m+
(625)		brown silty clay with inclusions of occasional Mn	W- 0.78m
		flecks. Same as (608)	D- 0.73-0.79
[00.5]	Cut of Linear	Rectilinear with moderate inwards sloping sides	L- 1.8m+
[626]	1		
[0=0]		and a moderate concave base. NE-SW aligned.	W- 0.78m

		Cut by [623] [630] [632]. Same as [609].	D- 0.50-0.79
(627)	Fill of Pit [628]	Firm mottled mid-dark grey brown silty clay with inclusions of frequent small chalk pieces and flecks and modern material (CBM, concrete, plastic, glass, fe. objects etc).	L- 1.38m+ W- 2.50m D- 0.50-0.73
[628]	Cut of Pit	Assumed sub-circular with moderate inwards sloping sides and an undulating base. Not machine cut, possibly intentionally backfilled archaeological feature from previous excavation.	L- 1.38m+ W- 2.50m D- 0.50-0.73
(629)	Fill of Linear [630]	Moderately compact mottled mid orange brown with mid greyish brown silty clay with inclusions of occasional chalk flecks.	L- 2.8m+ W- 1.1m D- 0.50+
[630]	Cut of Linear	Rectilinear. NNE-SSW aligned. Unexcavated.	L- 2.8m+ W- 1.1m D- 0.50+
(631)	Fill of Terminus [632]	Moderately compact mottled mid orange brown with mid grey brown patches silty clay with inclusions of occasional chalk flecks.	L- 1.85m+ W- 0.80m D- 0.50+
[632]	Cut of Terminus	Terminus. NNW-SSE aligned. Unexcavated. Cuts [626]	L- 1.85m+ W- 0.80m D- 0.50+
(633)	Upper Fill of Pit [636]	Firm mottled mid greyish orangey brown with light yellow clayey silt with inclusions of frequent large Mn flecks and moderate bio. (worms).	L- 1.64m W- 0.75m+ D- 0.40-0.73
(634)	Fill of Pit [636]	Very firm mottled light greyish yellow brown with white, light yellow grey, mid grey and mid yellow patches slightly clayey silt with inclusions of moderate large Mn flecks and moderate bio. (worms).	L- 1.64m W- 0.63m+ D- 0.73-1.05
(635)	Basal Fill of Pit [636]	Soft greyish yellow brown slightly clayey silt with inclusions of moderate Mn flecks and moderate bio. (worms).	L- 1.64m W- 0.50m+ D- 1.05-1.10
[636]	Cut of Pit	Ovate with steep inwards sloping sides and a moderate concave base. WSW-ENE aligned. Cuts [613] [617].	L- 1.64m W- 0.75m+ D- 0.40-1.10
(637)	Fill of Terminus [638]	Firm light greyish orange brown clayey silt with moderate bio inclusions. (worms).	L- 1.15m W- 0.76 D- 0.40-0.63
[638]	Cut of Terminus	Terminus with steep inwards sloping sides and a flat base. N-S aligned. Cut by [621].	L- 1.15m W- 0.76 D- 0.40-0.63
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish orange brown silty clay).	0.40+ / 0.50+

Trench 7	Dimensions: 25m x 2m Trench alignment: E-W Ground level at W end: 17.41mOD Ground level at E end: 17.39mOD		
Context	Interpretation	Description	Depth (m)
(700)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions	0.00-0.30
(701)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.30-0.48
(702)	Fill of Pit [703]	Soft mottled mid browny grey with mid brown	L- 0.26m

		patches clayey silt with inclusions of very	W- 0.24m
		occasional Mn flecks.	D- 0.48-0.55
	Cut of Pit	Sub-circular with gentle inwards sloping sides	L- 0.26m
[703]		and a gentle concave base. NNE-SSW aligned.	W- 0.24m
			D- 0.48-0.55
	Fill of Linear [705]	Moderate-firm mid-dark brownish grey silty clay	L- 1.2m+
(704)		with inclusions of occasional small Mn flecks.	W- 1.05m
(/			D- 0.48-0.80
	Cut of Linear	Rectilinear with gentle inwards sloping sides and	L- 1.2m+
[705]	Cut of Efficu	a gentle concave base. N-S aligned. Cuts [707],	W- 1.05m
[,05]		[710]	D- 0.48-0.80
	Fill of Linear [707]	Moderately compact mottled mid orange brown	L- 1.2m+
(706)	Fill Of Liftedi [707]	_ · · · · · · · · · · · · · · · · · · ·	W- 0.78m
(706)		with mid browny grey and light grey patches	
	C + (1)	silty clay with inclusions of occasional Mn flecks.	D- 0.48-0.58
	Cut of Linear	Rectilinear with gentle inwards sloping sides and	L- 1.2m+
[707]		a gentle concave base. N-S aligned. Relationship	W- 0.78m
		with [710] unclear, possibly contemporary. Cut	D- 0.48-0.58
		by [705].	_ 000.00
	Upper Fill of Linear	Moderately compact mottled mid orange brown	L- 1.4m+
(708)	[710]	with mid browny grey and light grey silty clay	W- 0.86m
(700)		with inclusions of occasional Mn flecks and	D- 0.48-0.63
		charcoal flecks.	D= 0.46-0.03
	Basal Fill of Linear	Moderate-firm mottled mid-light orange brown	L- 1.4m+
(709)	[710]	with mid browny grey silty clay with inclusions	W- 0.86m
,		of occasional Mn flecks.	D- 0.61-0.80
	Cut of Linear	Curvilinear with gentle-moderate inwards	
		sloping sides and a moderate concave base.	L- 1.4m+
[710]		WSW-ESE aligned. Same as [713] [727].	W- 0.86m
,		Relationship with [707] unclear, possibly	D- 0.48-0.80
		contemporary. Cut by [705]	_ 00
	Upper Fill of	Moderately compact mottled mid grey brown	L- 1.3m+
(711)	Terminus [713]	with mid-dark grey silty clay with inclusions of	W- 0.83m
(/ ± ±)	1011111103 [7 ±5]	moderate Mn flecks.	D- 0.44-0.58
	Basal Fill of	Moderately compact mottled light orange	L- 1.3m+
(712)	Terminus [713]	brown with mid-light grey silty clay with	W- 0.55m
(/12)	[713]	inclusions of occasional Mn flecks.	
	Cut of Terminus		D- 0.58-0.65
[742]	Cut of Terminus	Terminus with gentle-moderate inwards sloping	L- 1.3m+
[713]		sides and a flat base. SE-NW aligned. Cuts [724]	W- 0.83m
	Fill of Dis/T-	[717]. Same as [710] [727].	D- 0.44-0.6
(74.4)	Fill of Pit/Terminus	Moderately compact mottled mid-dark grey	L- 0.70m+
(714)	[715]	with mid grey brown silty clay with inclusions of	W- 0.82m
	0	occasional chalk flecks and burnt daub flecks.	D- 0.44-0.60
[245]	Cut of	Sub-circular/Terminus with gentle inwards	L- 0.70m+
[715]	Pit/Terminus	sloping sides and a gentle concave base. NNW-	W- 0.82m
		SSE aligned. Cuts [719].	D- 0.44-0.60
	Fill of Terminus	Moderately compact mottled mid orange brown	L- 0.90m+
(716)	[717]	with mid grey brown silty clay with inclusions of	W- 0.80m
		occasional Mn flecks. Same as (718)	D- 0.44-0.63
	Cut of Terminus	Terminus with gentle inwards sloping sides and	L- 0.90m+
[717]		a flat base. NE-SW aligned. Cut by [713]. Cuts	W- 0.80m
		[722]. Same as [719].	D- 0.44-0.63
	Fill of Linear [719]	Moderately compact mottled mid orange brown	L- 1.00m+
(718)		with mid grey brown silty clay with inclusions of	W- 1.05m
. ,		occasional Mn flecks. Same as (716)	D- 0.44-0.62
	Cut of Linear	Linear with moderate inwards sloping sides and	
[740]	Jac J. Ellical	· -	L- 1.00m+
[719]		a moderately concave base. Cut by [715]. Same as [717].	W- 1.05m D- 0.44-0.61
		1 00 1 /1 71	///-() 61

(720)	Upper Fill of Pit [722]	Moderately compact mottled mid grey brown with mid-light grey silty clay with inclusions of occasional Mn flecks.	L- 1.00m W- 0.80m D- 0.44-0.64
(721)	Basal Fill of Pit [722]	Moderately compact mottled mid orange brown and mid-light grey and dark grey silty clay with inclusions of occasional Mn flecks.	L- 1.00m W- 0.85m D- 0.62-0.79
[722]	Cut of Pit	Sub-circular with moderate inwards sloping sides and a gentle concave base. SE-NW aligned. Cut by [717].	L- 1.00m W- 0.92m D- 0.44-0.79
(723)	Fill of Pit [724]	Moderately compact mottled mid orange brown with dark grey silty clay with inclusions of occasional Mn flecks.	L- 0.57m W- 0.52m D- 0.65-0.72
[724]	Cut of Pit	Sub-circular with moderate inwards sloping sides and a flat base. N-S aligned. Cut by [713]	L- 0.57m W- 0.52m D- 0.65-0.72
(725)	Fill of Linear [727]	Soft mid-dark grey brown silty clay with inclusions of occasional small flints.	L- 2.9m+ W- 0.50m D- 0.48-0.66
(726)	Basal Fill of Linear [727]	Soft light grey slightly sandy silt with inclusions of occasional Mn flecks.	L- 2.9m+ W- 0.50m D- 0.66-0.72
[727]	Cut of Linear	Curvilinear with moderate inwards sloping sides and a moderately concave base. Cuts [729] [731]. Same as [710] [713].	L- 2.9m+ W- 0.50m D- 0.48-0.72
(728)	Fill of Linear [729]	Soft light grey clayey silt with inclusions of frequent Mn flecks and occasional chalk flecks.	L- 1.8m+ W- 2.00m D- 0.48-0.60
[729]	Cut of Linear	Rectilinear with gentle inwards sloping sides and a gentle concave base. NW-SE aligned. Cut by [727].	L- 1.8m+ W- 2.00m D- 0.48-0.60
(730)	Fill of Linear [731]	Soft mid grey brown clayey silt with inclusions of occasional Mn flecks.	L- 1.8m+ W- 1.24m D- 0.48-0.66
[731]	Cut of Linear	Rectilinear with gentle inwards sloping sides and a gentle concave base. NNW-SSE oriented. Cut by [727].	L- 1.8m+ W- 1.24m D- 0.48-0.66
(732)	Fill of Pit/Terminus [733]		L- 0.75m+ W- 0.74m D- 0.48+
[733]	Cut of Pit/Terminus	Ovate/Terminus. N-S aligned. Unexcavated.	L- 0.75m+ W- 0.74m D- 0.48+
(734)	Fill of Terminus [735]		L- 1.66m+ W- 0.44m D- 0.48+
[735]	Cut of Terminus	Terminus. NNE-SSW aligned. Unexcavated.	L- 1.66m+ W- 0.44m D- 0.48+
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish orange brown silty clay).	0.48+

Trench 8	Dimensions: 25m x 2m Trench alignment: N-S Ground level at N end: 17.19mOD Ground level at S end: 16.40mOD		
Context	Interpretation	Description	Depth (m)

		T	1
(800)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions	0.00-0.30
(801)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions. Severely truncated (in places to the archaeological level) by EKA compound. In-filled with redeposited subsoil and hardcore.	0.30-0.43
(802)	Upper Fill of Linear [804]	Very firm mid grey brown clayey silt with frequent bio. (worms).	L- 1.70m W- 1.30m D- 0.43-0.73
(803)	Basal Fill of Linear [804]	Very firm mottled mid browny grey with light grey, dark grey and mid orange brown patches very slightly clayey silt with moderate bio. (worms).	L- 1.70m W- 1.30m D- 0.73-1.03
[804]	Cut of Linear	Rectilinear with steep inwards sloping sides and a moderate concave base. NE-SW aligned.	L- 1.70m W- 1.30m D- 0.43-1.03
(805)	Upper Fill of Linear [807]	Moderate-soft dark grey brown slightly clayey silt with inclusions of occasional charcoal and Mn flecks and occasional bio. (worms). Same as (814) (832)(828).	L- 1.80m+ W- 1.50m D- 0.43-0.68
(806)	Basal Fill of Linear [807]	Moderate-firm mid orangey brown clayey silt with occasional bio. (worms). Same as (815)(833)(829).	L- 1.80m+ W- 0.36m D- 0.68-0.79
[807]	Cut of Linear	Rectilinear with moderate inwards sloping sides and a moderately concave base. NNE-SSW aligned. Cuts [810] [813]. Same as [816][835]	L- 1.80m+ W- 1.50m D- 0.43-0.79
(808)	Upper Fill of Terminus [810]	Moderately compact mid greyish yellow brown clayey silt with inclusions of occasional Mn flecks and occasional bio. (worms).	L- 0.60m+ W- 0.40m D- 0.43-0.53
(809)	Basal Fill of Terminus [810]	Moderate-firm mottled light greyish yellow brown with dark grey and mid yellow clayey silt with inclusions of occasional Mn flecks and bio. (worms).	L- 0.60m+ W- 0.28m D- 0.53-0.63
[810]	Cut of Terminus	Terminus with steep inwards sloping sides and a moderate concave base. NW-SE aligned. Cut by [807].	L- 0.60m+ W- 0.40m D- 0.43-0.63
(811)	Upper Fill of Linear [813]	Moderate-firm mid orangey yellow brown clayey silt with inclusions of occasional Mn flecks and occasional bio. (worms). Same as (822).	L- 1.8m+ W- 0.82m D- 0.43-0.89
(812)	Basal Fill of Linear [813]	Moderate-firm mottled mid grey brown with yellow brown clay silt with inclusions of occasional Mn flecks and occasional bio. (worms).	L- 1.8m+ W- 0.45m D- 0.81-1.03
[813]	Cut of Linear	Rectilinear with very steep inwards sloping sides and a moderate concave base. SSE-NNW aligned. Cut by [810]. Same as [823].	L- 1.8m+ W- 0.82m D- 0.43-1.03
(814)	Upper Fill of Linear [816]	Moderate-soft dark grey brown slightly clayey silt with inclusions of occasional charcoal and Mn flecks and occasional bio. (worms).Same as (805)(828)(832)	L- 1m+ W- 0.64m+ D- 0.43-0.72
(815)	Basal Fill of Linear [816]	Moderate-firm mid orangey brown clayey silt with occasional bio. (worms). Same as	L- 1m+ W- 0.26m+

		(806)(829)(833).	D- 0.72-0.81
	Cut of Linear	Rectilinear with stepped gentle-steep inwards	L- 1m+
[816]		sloping sides and a gentle concave base. N-S	W- 0.64m+
		aligned. Cuts [820] [823]. Same as [807][835].	D- 0.43-0.81
	Upper Fill of Pit	Soft mottled black and mid brown clayey silt	1 2 02
(047)	[820]	with inclusions of occasional charcoal flecks and	L- 2.92m+
(817)		small sub-angular flints and occasional bio.	W- 1.25m+
		(worms).	D- 0.43-0.71
	Fill of Pit [820]	Moderately compact light-mid brown clayey silt	1 2 47
(04.0)		with inclusions of moderate Mn flecks and	L- 3.17m+
(818)		occasional small sub-angular flints and	W- 1.25m+
		moderate bio. (worms).	D- 0.71-0.85
	Basal Fill of Pit	Moderate-firm mottled dark grey brown and	L- 1m+
(819)	[820]	light yellow silty clay with inclusions of	W- 0.96m+
		moderate Mn flecks and charcoal flecks.	D- 0.70-0.95
	Cut of Pit	Sub-ovate with steep inwards sloping sides and	1 2 17
[020]		a moderate concave/undulating base. N-S	L- 3.17m+
[820]		aligned. Cut by [816]. Cuts [823]. Relationship	W- 1.25m+
		with [810] is unclear.	D- 0.43-0.95
	Upper Fill of	Soft dark brown silty clay with inclusions of very	L- 0.28m+
(821)	Terminus [823]	occasional Mn flecks.	W- 0.18m
, ,			D- 0.43-0.49
	Basal Fill of	Moderate-firm mid orangey yellow brown	L- 0.28m+
(822)	Terminus [823]	clayey silt with inclusions of occasional Mn	W- 0.49m
		flecks and bio. (worms). Same as (811).	D- 0.49-0.73
	Cut of Terminus	Terminus with steep inwards sloping sides and a	L- 0.28m+
[823]		steep concave base. NNW-SSE aligned. Cut by	W- 0.49m
		[816][820]. Same as [813].	D- 0.43-0.73
	Fill of Linear [825]	Firm mid greyish brown clayey silt with	L- 0.90m+
(824)		inclusions of very occasional charcoal flecks.	W- 0.55m
			D- 0.43-0.88
	Cut of Linear	Rectilinear with moderate inwards sloping sides.	L- 0.90m+
[825]		Base not seen in this intervention. E-W aligned.	W- 0.55m
		Cuts [827]. Cut by [831].	D- 0.43-0.88
	Fill of Linear [827]	Firm mid-light grey brown clayey silt with	L- 0.90m+
(826)		inclusions of very occasional charcoal flecks.	W- 0.34m
			D- 0.43-0.51
	Cut of Linear	Rectilinear with gentle inwards sloping sides and	L- 0.90m+
[827]		a gentle concave base. E-W aligned. Cut by	W- 0.34m
		[825].	D- 0.43-0.51
	Upper Fill of Linear	Soft mid-dark grey clayey silt with inclusions of	L- 1.28m+
(828)	[831]	occasional Mn flecks and charcoal flecks and	W- 1.03m
(020)		very occasional chalk flecks. Same as	D- 0.43-0.73
	_	(832)(805)(814).	2 3.43 3.73
	Fill of Linear [831]	Soft mottled light brown with mid grey and light	L- 1.28m+
(829)		grey clayey silt with inclusions of occasional	W- 0.96m
(020)		charcoal flecks and Mn flecks. Same as	D- 0.71-0.88
		(833)(806)(815).	
1005	Basal Fill of Linear	Soft mid grey brown clayey silt with no	L- 1.28m+
(830)	[831]	inclusions. Same as (834).	W- 0.4m
	6 1 (D att.	D- 0.84-0.95
[024]	Cut of Linear	Rectilinear with very steep inwards sloping sides	L- 1.28m+
[831]		and a gentle concave base. E-W aligned.	W- 1.03m
	Haman Fill - f 11	Contemporary with [835]. Cuts [825].	D- 0.43-0.95
(022)	Upper Fill of Linear	Soft mid-dark grey clayey silt with inclusions of	L- 1.72m+
(832)	[835]	occasional Mn flecks and charcoal flecks and	W- 1.34m
1005	Fill of Lincon [025]	very occasional chalk flecks. Same as (828).	D- 0.43-0.75
(833)	Fill of Linear [835]	Soft mottled light brown with mid grey and light	L- 1.72m+

Cut of Pit Ovate. N-S aligned. Truncated by modern E - 1.05m			grey clayey silt with inclusions of occasional	W- 1.32m
(834) [835] inclusions. Same as (830). W- 1.34m D- 0.90-1.01				
Rectilinear with very steep inwards sloping sides and a gentle concave base. N-S aligned. Contemporary with [831]. Cuts [825]. Same as [807] [816]. Fill of Pit [837]		Basal Fill of Linear	Soft mid grey brown clayey silt with no	L- 1.72m+
Rectilinear with very steep inwards sloping sides and a gentle concave base. N-S aligned. Contemporary with [831]. Cuts [825]. Same as [807] [816]. Fill of Pit [837]	(834)	[835]	inclusions. Same as (830).	W- 1.34m
Rass Same as Contemporary with [831]. Cuts [825]. Same as				D- 0.90-1.01
Rass		Cut of Linear	Rectilinear with very steep inwards sloping sides	I - 1 72m+
Contemporary with [831]. Cuts [825]. Same as [807] [816].	[835]			
R807 R816	[655]		Contemporary with [831]. Cuts [825]. Same as	
Radius			[807] [816].	D- 0.43-1.01
D- 0.43+ Cut of Pit Ovate. N-S aligned. Truncated by modern feature. Unexcavated. U- 1.65m W- 0.55m D- 0.43+ U- 1.05m W- 0.75m D- 0.43+ U- 0.26m U- 0.26m		Fill of Pit [837]		L- 1.65m
Cut of Pit Ovate. N-S aligned. Truncated by modern feature. Unexcavated.	(836)			W- 0.55m
[837] feature. Unexcavated. W- 0.55m D- 0.43+ [838] Fill of Pit/Terminus [839] L- 1.05m+ W- 0.75m D- 0.43+ [839] Cut of Pit/Terminus [839] D- 0.43+ W- 0.75m D- 0.43+ [840] Fill of Posthole [841] L- 0.26m W- 0.26m D- 0.43+ [841] Cut of Posthole [841] L- 0.26m W- 0.26m D- 0.43+ [842] Fill of Feature [843] L- 1.35m W- 0.80m D- 0.43+ [843] Cut of Feature [843] L- 1.35m W- 0.80m D- 0.43+ [843] Natural Geology Non-calcareous brickearth (slightly greyish 0.43+				D- 0.43+
Base		Cut of Pit	Ovate. N-S aligned. Truncated by modern	L- 1.65m
Fill of Pit/Terminus L- 1.05m+ W- 0.75m D- 0.43+	[837]		feature. Unexcavated.	W- 0.55m
(838) [839] W- 0.75m D- 0.43+ Cut of Pit/Terminus Ovate/Terminus. E-W aligned. Unexcavated. L- 1.05m+ W- 0.75m D- 0.43+ [840) Fill of Posthole [841] L- 0.26m W- 0.26m D- 0.43+ [841] Cut of Posthole Circular. Unexcavated. L- 0.26m W- 0.26m D- 0.43+ [841] Fill of Feature [843] L- 1.35m W- 0.80m D- 0.43+ [842) Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. L- 1.35m W- 0.80m D- 0.43+ [843] Natural Geology Non-calcareous brickearth (slightly greyish) 0.43+				D- 0.43+
Cut of Ovate/Terminus. E-W aligned. Unexcavated. L- 1.05m+ W- 0.75m D- 0.43+		Fill of Pit/Terminus		L- 1.05m+
Cut of Pit/Terminus Pit/Terminus. E-W aligned. Unexcavated. Fill of Posthole [841]	(838)	[839]		W- 0.75m
R39				D- 0.43+
The state of the		Cut of	Ovate/Terminus. E-W aligned. Unexcavated.	L- 1.05m+
Fill of Posthole	[839]	Pit/Terminus		W- 0.75m
(840) [841] W- 0.26m D- 0.43+ [841] Cut of Posthole L- 0.26m W- 0.26m D- 0.43+ [841] Fill of Feature [843] L- 1.35m W- 0.80m D- 0.43+ [842) Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. L- 1.35m W- 0.80m D- 0.43+ [843] Natural Geology Non-calcareous brickearth (slightly greyish				D- 0.43+
Cut of Posthole Circular. Unexcavated. [841] Cut of Posthole Circular. Unexcavated. [841] Fill of Feature [843] [842] Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. [843] Natural Geology Non-calcareous brickearth (slightly greyish 0.43+		Fill of Posthole		L- 0.26m
[841] Cut of Posthole Circular. Unexcavated. [841] Fill of Feature [843] [842] Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. [843] Natural Ratural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+	(840)	[841]		W- 0.26m
[841] W- 0.26m D- 0.43+ [842] Fill of Feature [843] L- 1.35m W- 0.80m D- 0.43+ Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. W- 0.80m D- 0.43+ Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+				D- 0.43+
[842] Fill of Feature [843] L- 1.35m W- 0.80m D- 0.43+ Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. W- 0.80m D- 0.43+ Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+		Cut of Posthole	Circular. Unexcavated.	L- 0.26m
[842] Fill of Feature [843] L- 1.35m W- 0.80m D- 0.43+ Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. W- 0.80m D- 0.43+ Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+	[841]			W- 0.26m
(842) Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+				D- 0.43+
[843] Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. W- 0.80m D- 0.43+ Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+		Fill of Feature [843]		L- 1.35m
[843] Cut of Feature Irregular shape in plan. Truncated by two modern features. Unexcavated. W- 0.80m D- 0.43+ Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+	(842)			W- 0.80m
[843] modern features. Unexcavated. W- 0.80m D- 0.43+ Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+				D- 0.43+
Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+	_	Cut of Feature	Irregular shape in plan. Truncated by two	L- 1.35m
Natural Natural Geology Non-calcareous brickearth (slightly greyish 0.43+	[843]		modern features. Unexcavated.	W- 0.80m
Natural 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				D- 0.43+
orange brown silty clay).	Matural	Natural Geology	Non-calcareous brickearth (slightly greyish	0.42+
	ivatuidi		orange brown silty clay).	0.43+

Trench 9	Dimensions: 25m x 2.4m Trench alignment: N-S Ground level at N end: 17.20mOD Ground level at S end: 16.41mOD		
Context	Interpretation	Description	Depth (m)
(900)	Topsoil	Soft black brown humic, slightly clayish silt loam with occasional flint and chalk fleck and moderate bio inclusions	0.00-0.32
(901)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.32-0.50
(902)	Fill of Feature [903]	Soft mid grey brown clayey silt with inclusions of very occasional Mn flecks.	L- 0.93m+ W-0.30+ D- 0.50-0.80
[903]	Cut of Feature	Only partly exposed in trench. Moderate inwards sloping sides. Cuts [907].	L- 0.93m+ W-0.30+ D- 0.50-0.80
(904)	Upper Fill of Terminus [907]	Soft mid-light grey brown clayey silt with inclusions of occasional charcoal flecks and Mn flecks and very occasional small angular flints. Same as (911).	L- 1.37m+ W- 1.39m D- 0.50-0.70

(905)	Fill of Terminus [907]	Soft mid grey clayey silt with inclusions of occasional charcoal flecks and Mn flecks and	L- 1.37m+ W- 0.97m
		very occasional small angular flints. Same as (912).	D- 0.70-1.06
(906)	Basal Fill of Terminus [907]	Soft mottled mid browny grey with mid brown and light brown clayey silt with inclusions of occasional charcoal flecks and Mn flecks. Same as (913).	L- 1.37m+ W- 0.60+ D- 1.00-1.14
[907]	Cut of Terminus	Terminus with very steep inwards sloping sides and a moderate concave base. NNE-SSW aligned. Cut by [903]. Same as [914].	L- 1.37m+ W- 1.39 D- 0.50-1.14
(908)	Fill of Linear [910]	Firm browny orange clayey silt with moderate bio. (worms).	L- 1.4m W- 1.1m D- 0.50-0.62
909	Void	-	-
[910]	Cut of Linear	Rectilinear with gentle inwards sloping sides and a flat base. E-W aligned.	L- 1.4m W- 1.1m D- 0.50-0.62
(911)	Upper Fill of Terminus [914]	Soft mid-light grey brown clayey silt with inclusions of occasional charcoal flecks and Mn flecks and very occasional small angular flints. Same as (904).	L- 4.5m+ W- 0.65m+ D- 0.50-0.74
(912)	Fill of Terminus [914]	Soft mid grey clayey silt with inclusions of occasional charcoal flecks and Mn flecks and very occasional small angular flints. Same as (905).	L- 4.5m+ W- 0.55m+ D- 0.74-0.95
(913)	Basal Fill of Terminus [914]	Soft mottled mid browny grey with mid brown and light brown clayey silt with inclusions of occasional charcoal flecks and Mn flecks. Same as (906).	L- 4.5m+ W- 0.40m+ D- 0.95-1.15
[914]	Cut of Terminus	Terminus with steep inwards sloping sides. Base not seen in this intervention. NNE-SSW oriented. Cuts [917]. Same as [907].	L- 4.5m+ W- 0.65m+ D- 0.50-1.15
(915)	Upper Fill of Linear [917]	Soft mid-dark grey brown clayey silt with frequent bio. (worms).	L- 2.4m+ W- 1.65m D- 0.50-0.76
(916)	Basal Fill of Linear [917]	Soft mottled mid-dark grey with light grey and mid brown clayey silt with inclusions of frequent Mn flecks and occasional bio. (worms).	L- 2.4m+ W- 0.80m D- 0.76-1.24
[917]	Cut of Linear	Rectilinear with stepped moderate (above step) and steep (below step) inwards sloping sides and a flat base. WNW-ESE aligned. Cut by [914]. Possibly same as [1020] [1024].	L- 2.4m+ W- 1.65m D- 0.50-1.24
(918)	Upper Fill of Terminus [920]	Moderately compact mottled mid greyish orange brown and light brown clayey silt with inclusions of moderate Mn flecks and bio. (worms).	L- 1.8m+ W- 0.70m D- 0.50-0.63
(919)	Basal Fill of Terminus [920]	Firm mottled mid greyish orange brown with yellow brown and yellow grey clayey silt with inclusions of occasional Mn flecks and bio. (worms).	L- 1.8m+ W- 0.4m D- 0.63-0.85
[920]	Cut of Terminus	Terminus with steep inwards sloping sides and a moderate concave base. NW-SE aligned.	L- 1.8m+ W- 0.70m D- 0.50-0.85
(921)	Upper Fill of Pit [923]	Firm dark grey brown silty clay with occasional bio. (worms).	L- 0.34m W- 0.55m D- 0.50-0.67
(922)	Basal Fill of Pit	Firm mid grey brown silty clay with no	L- 0.34m

	[923]	inclusions.	W- 0.55m
			D- 0.67-0.85
	Cut of Pit	Ovate pit with moderate inwards sloping sides	L- 0.34m
[923]		and a moderate concave base. SSW-NNE	W- 0.55m
		aligned. Cuts [926].	D- 0.50-0.85
	Upper Fill of Linear	Firm mottled mid grey brown with mid yellow	L- 1.45m
(924)	[926]	silty clay with occasional bio. (worms).	W- 1.35m
			D- 0.50-0.80
	Basal Fill of Linear	Firm mid greyish yellow brown clayey silt with	L- 1.45m
(925)	[926]	no inclusions.	W- 1.35m
			D- 0.80-1.02
	Cut of Linear	Curvilinear with steep inwards sloping sides and	L- 1.45m
[926]		a moderate concave base. WNW-E aligned. Cut	W- 1.35m
		by [923].	D- 0.50-1.02
	Fill of Pit [928]		L- 1.66m
(927)			W- 1.28m
			D- 0.50+
	Cut of Pit	Ovate. N-S aligned. Unexcavated.	L- 1.66m
[928]			W- 1.28m
			D- 0.50+
	Fill of Linear [930]		L- 2.60m+
(929)			W- 0.70m
			D- 0.50+
	Cut of Linear	Rectilinear. NW-SE aligned. Cuts [932].	L- 2.60m+
[930]		Unexcavated.	W- 0.70m
			D- 0.50+
	Fill of Pit [932]		L- 1.40m+
(931)			W- 0.70m
			D- 0.50+
	Cut of Pit	Assumed ovate. NW-SE aligned. Cut by [930]	L- 1.40m+
[932]		Unexcavated.	W- 0.70m
			D- 0.50+
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish	0.50+
ivacuiai		orange brown silty clay).	0.50

Trench 10	Dimensions: 25m x 2.30m Trench alignment: NE-SW Ground level at SW end: 16.60mOD Ground level at NE end: 17.14mOD		
Context	Interpretation	Description	Depth (m)
(1000)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions.	0.00-0.31
(1001)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.31-0.54
(1002)	Upper Fill of Linear [1004]	Firm dark grey brown silty clay with no inclusions.	L- 1m+ W- 0.60m D- 0.54-0.72
(1003)	Basal Fill of Linear [1004]	Firm mid orangey yellow grey silty clay with inclusions of occasional Mn flecks and moderate bio. (worms).	L- 1m+ W- 0.60m D- 0.72-0.93
[1004]	Cut of Linear	Rectilinear with steep-vertical inwards sloping sides and a very steep concave base. WNW-ESE aligned. Cuts [1006].	L- 1m+ W- 0.60m D- 0.54-0.93
(1005)	Fill of Linear [1006]	Firm light-mid yellow brown very silty clay with occasional bio. (worms).	L- 1m+ W- 1.60m D- 0.54-0.71
[1006]	Cut of Linear	Rectilinear with moderate-steep inwards sloping	L- 1m+

		sides and a gentle concave base. WNW-ESE	W- 1.60m
		aligned. Cut by [1004].	D- 0.54-0.71
	Fill of Terminus	Moderate-firm mottled mid orange and mid	L- 1.4m+
(1007)	[1008]	grey silty clay with no inclusions.	W- 1.00m
(1007)	[1000]	grey sirry clay with no inclusions.	D- 0.54-0.71
	Cut of Terminus	Terminus with moderate-steep inwards sloping	L- 1.4m+
[1000]	Cut of Terminus		
[1008]		sides and a gentle concave base. N-S aligned.	W- 1.00m
	Upper Fill of Pit	Firm mottled mid browny orange and light	D- 0.54-0.71 L- 0.80m+
(1009)	[1011]	yellow brown silty clay with inclusions of	W- 1.35m
(1009)	[1011]		
	Danal Fill of Dia	occasional medium flints and bio. (worms).	D- 0.54-0.82
(1010)	Basal Fill of Pit	Firm mid yellowish orangey brown silty clay with	L- 0.80m+
(1010)	[1011]	inclusions of occasional chalk flecks and bio.	W- 1.35m
	Cut of Pit	(worms).	D- 0.82-1.17
[4044]	Cut of Pit	Assumed sub-circular with steep-vertical	L- 0.80m+
[1011]		inwards sloping sides and a flat base.	W- 1.35m
	E:II (1: [4042]		D- 0.54-1.17
(4042)	Fill of Linear [1013]	moderately compact dark brown very clayey silt	L- 1.1m
(1012)		with occasional bio inclusions.	W- 0.60m
	0		D- 0.54-0.84
	Cut of Linear	Rectilinear with gentle inwards sloping sides	L- 1.1m
[1013]		and a gentle concave base. N-S aligned. Cuts	W- 0.60m
		[1015] [1018]	D- 0.54-0.84
	Fill of Linear [1015]	moderately compact mottled orangey brown	L- 0.90m
(1014)	, ,	and dark brown clayish silt with occasional bio	W- 0.45m
(1014)		inclusions.	D- 0.54-0.74
	C + (1)		
	Cut of Linear	Rectilinear with gentle inward sloping sides and	L- 0.90m
[1015]		a moderate concave base aligned N-S. Cuts	W- 0.45m
		[1018] cut by [1013]	D- 0.54-0.74
	Upper Fill of Linear	Firmish mid grey/brown clayey silt with	L- 1.2m
(1016)	[1018]	moderate bio inclusions.	W- 1.1m
			D- 0.54-0.89
	Basal Fill of Linear	Firm mid orangey brown clayey silt with no	L- 1.2m
(1017)	[1018]	inclusions.	W- 0.80m
			D- 0.89-1.00
	Cut of Linear	Rectilinear with steep inward sloping sides and a	L- 1.2m
[1018]		gentle concave to flat base aligned N-S. Cut by	W- 1.1m
		[1013][1015]	D- 0.54-1.00
	Fill of Linear [1020]		L- 2.2m+
(1019)			W- 1.95m
			D- 0.54+
	Cut of Linear	Rectilinear. WNW-ESE aligned. Cuts [1022].	L- 2.2m+
[1020]		Possibly same as [917] [1110]. Unexcavated.	W- 1.95m
			D- 0.54+
	Fill of Terminus		L- 1.05m+
(1021)	[1022]		W- 0.66m
			D- 0.54+
	Cut of Terminus	Terminus. NW-SE aligned. Cut by [1020].	L- 1.05m+
[1022]		Unexcavated.	W- 0.66m
-			D- 0.54+
	Fill of Linear [1024]		L- 2.2m+
(1023)			W- 0.69m
• •			D- 0.54+
	Cut of Linear	Rectilinear. WNW-ESE aligned. Unexcavated.	L- 2.2m+
		5	
[1024]			W- 0.69m

	Fill of Pit [1026]		L- 0.43m+
(1025)			W- 0.36m
			D- 0.54+
	Cut of Pit	Ovate. NW-SE aligned. Unexcavated.	L- 0.43m+
[1026]			W- 0.36m
			D- 0.54+
	Fill of Posthole		L- 0.23m
(1027)	[1028]		W- 0.22m
			D- 0.54+
	Cut of Posthole	Circular. Unexcavated.	L- 0.23m
[1028]			W- 0.22m
			D- 0.54+
	Fill of Possible	Soft mid grey brown clayey silt with frequent	L- 5m+
(1029)	SFB/Terminus	bio. (worms).	W- 1.50m+
	[1031] 1034		D- 0.54-0.64
	Basal Fill of	Moderate-firm mottled light whitish grey and	L- 5m+
(1030)	Possible	mid grey brown very slightly clayey silt with	W- 1.50m+
(1030)	SFB/Terminus	frequent bio. (worms).	D- 0.64-0.69
	[1031] 1034		D- 0.04-0.03
	Cut of Possible	Assumed sub-rectangular with steep inwards	L- 5m+
[1031]	SFB/Terminus	sloping sides and a flat base. NNE-SSW aligned.	W- 1.50m+
	within 1034	Relationship with [1033] is unclear.	D- 0.54-0.69
	Fill of Posthole	Soft mid-light slightly grey brown clayey silt with	L- 0.31m
(1032)	[1033] 1034	occasional bio. (worms).	W- 0.14m
			D- 0.54-0.66
	Cut of Posthole	Ovate with steep (NE)-moderate (SE) inwards	L- 0.31m
[1033]	within 1034	sloping sides and a V-shape base. E-W aligned.	W- 0.14m
		Relationship with [1031] is unclear.	D- 0.54-0.66
	Structure of	Structure containing possible SFB [1031] and	L- 5m+
1034	Possible SFB	posthole [1033].	W- 1.50m+
			D- 0.54-0.69
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish	0.54+
ivatural		orange brown silty clay).	0.54⊤

Trench 11	Dimensions: 26m x 2.3m Trench alignment: NE-SW Ground level at SW end: 16.19mOD Ground level at NE end: 16.62mOD			
Context	Interpretation	Description	Depth (m)	
(1100)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions.	0.00-0.29	
(1101)	Subsoil	Moderately compact greyish mid-brown clayish silt loam with occasional flint and bio inclusions.	0.29-0.46	
(1102)	Upper Fill of Linear [1104]	Moderate-firm dark brownish grey clayey silt with inclusions of occasional Mn.	L- 2.48m+ W- 0.99m D- 0.46-0.73	
(1103)	Basal Fill of Linear [1104]	Moderately compact mid greyish brown clayey silt with inclusions of occasional Mn.	L- 2.48m+ W- 0.80m D- 0.73-0.87	
[1104]	Cut of Linear	Rectilinear with steep inwards sloping sides and a moderately concave base. NNE-SSW aligned. Cuts [1106].	L- 2.48m+ W- 0.99m D- 0.46-0.87	
(1105)	Fill of Linear [1106]	Soft light greyish brown slightly clayey silt with inclusions of occasional Mn.	L- 2.40m+ W- 0.26m D- 0.46-0.60	
[1106]	Cut of Linear	Linear with gentle-moderate inwards sloping sides with a flat base. NNE-SSW aligned. Cut by	L- 2.40m+ W- 0.26m	

		[1104].	D- 0.46-0.60
(1107)	Fill of Pit [1108]	Firm brownish orange silty clay with no inclusions.	L- 1.50m+ W- 0.99m D- 0.46-0.71
[1108]	Cut of Pit	Ovate with steep inwards sling sides and a flat base. WSW-ENE aligned.	L- 1.50m+ W- 0.99m D- 0.46-0.71
(1109)	Fill of Linear [1110]	Moderate-firm dark orangey brown slightly silty clay with inclusions of occasional Mn flecks.	L- 2m+ W- 2.00m D- 0.46+
[1110]	Cut of Linear	Rectilinear. Cut by [1112]. E-W aligned. Possibly same as [1020] [917]. Unexcavated.	L- 2m+ W- 2.00m D- 0.46+
(1111)	Fill of Pit [1112]	Firm mottled mid orange, dark brown and mid yellow brown silty clay with inclusions of occasional chalk flecks.	L- 1m W- 0.50m+ D- 0.46+
[1112]	Cut of Pit	Assumed circular. Cuts [1110]. Unexcavated.	L- 1m W- 0.50m+ D- 0.46+
(1113)	Upper Fill of Elongated Pit [1115]	Moderately compact mottled mid-dark yellow grey and slightly orange mid brown silty clay with inclusions of occasional small-medium subround flints and frequent bio. (worms & roots)	L- 1.57m+ W- 0.97m D- 0.46-0.68
(1114)	Basal Fill of Elongated Pit [1115]	Compact mid-light browny grey slightly silty clay with inclusions of occasional small-medium subangular flint and frequent bio. (worms & roots)	L- 1.57m+ W- 0.97m D- 0.62-0.86
[1115]	Cut of Elongated Pit	Ovate with near vertical inwards sloping sides and a moderately concave base. Cuts [1118]. NE-SW aligned.	L- 1.57m+ W- 0.97m D- 0.46-0.86
(1116)	Upper Fill of Linear [1118]	Soft mottled mid-light brown with mid-light grey silty clay with inclusions of occasional small angular flints and frequent bio (worms & roots)	L- 2.25m+ W- 0.58m D- 0.46-0.63
(1117)	Basal Fill of Linear [1118]	Moderately compact mid yellowish brown slightly silty clay with moderate bio. (worms & roots)	L- 2.25m+ W- 0.58m D- 0.61-0.74
[1118]	Cut of Linear	Rectilinear with very steep inwards sloping sides and a steep concave base. NNE-SSW aligned. Cut by [1115].	L- 2.25m+ W- 0.58m D- 0.46-0.74
(1119)	Fill of Linear [1120]		L- 2.15m+ W- 0.26m D- 0.46+
[1120]	Cut of Linear	Curvilinear. NNW-S aligned. Unexcavated.	L- 2.15m+ W- 0.26m D- 0.46+
(1121)	Fill of Linear [1122]		L- 2.50m+ W- 0.36m D- 0.46+
[1122]	Cut of Linear	Curvilinear. NNE-S aligned. Unexcavated.	L- 2.50m+ W- 0.36m D- 0.46+
(1123)	Fill of Linear [1124]		L- 1.15m+ W- 0.55m D- 0.46+
[1124]	Cut of Linear	Possible linear. Only partly exposed in trench. ~E-W aligned. Possibly same as [825] [1024] [1208] [1329] Unexcavated.	L- 1.15m+ W- 0.55m D- 0.46+
(1125)	Upper Fill of Linear [1127]	Firm dark grey brown clayey silt with frequent bio. (animal burrow).	L- 1.60m+ W- 1.59m

			D- 0.46-0.63
(1126)	Fill of Linear [1127]	Firm mid yellowish grey silty clay with frequent bio. (animal burrow).	L- 1.60m+ W- 1.48m D- 0.63-0.81
[1127]	Cut of Linear	Rectilinear with steep (near vertical on NE side) inwards sloping sides and a concave-flat base. WNW-ESE aligned. Cuts [1129].	L- 1.60m+ W- 1.59m D- 0.46-0.99
(1128)	Fill of Linear [1129]	Soft dark brownish orange silty clay with occasional bio. (worms).	L- 0.90m+ W- 0.49m D- 0.46-0.81
[1129]	Cut of Linear	Rectilinear with gentle inwards sloping sides and a moderate concave base. WNW-ESE aligned. Cut by [1127].	L- 0.90m+ W- 0.49m D- 0.46-0.81
(1130)	Basal Fill of Linear [1127]	Firm mid-dark grey slightly silty clay with inclusions of occasional Mn flecks and frequent bio. (animal burrow).	L- 1.60m+ W- 1.08m D- 0.81-0.99
Natural	Natural Geology	Non-calcareous brickearth (slightly greyish orange brown silty clay)	0.46+

Trench 12	Dimensions: 24.5m x 2.2m Trench alignment: N-S Ground level at N end: 17.14mOD Ground level at S end: 16.32mOD				
Context	Interpretation	Description	Depth (m)		
(1200)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.33		
(1201)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.33-0.56		
(1202)	Fill of Linear [1203]	Moderately compact mid greyish brown clayey silt with occasional bio. (worms).	L- 1.7m+ W- 0.90m D- 0.56-0.76		
[1203]	Cut of Linear	Rectilinear with moderate inwards sloping sides and a flat base. E-W aligned. Cuts [1205].	L- 1.7m+ W- 0.90m D- 0.56-0.76		
(1204)	Fill of Pit [1205]	Moderate-firm mottled mid orange and light grey very clayey silt with no inclusions.	L- 0.80m W- 0.60m D- 0.56-0.72		
[1205]	Cut of Pit	Ovate with gentle inwards sloping sides and a flare base. SE-NW aligned. Cut by [1203].	L- 0.80m W- 0.60m D- 0.56-0.72		
(1206)	Upper Fill of Linear [1208]	Moderate-firm orangey-brown silty clay with inclusions of occasional charcoal flecks and burnt clay flecks and very occasional small round flints and occasional bio. (worms).	L- 0.72m+ W- 0.99m D- 0.56-0.90		
(1207)	Basal Fill of Linear [1208]	Firm dark brown silty clay with inclusions of occasional Mn flecks, charcoal flecks and burnt clay flecks and occasional bio. (worms).	L- 0.72m+ W- 0.56m D- 0.75-1.08		
[1208]	Cut of Linear	Possible curivilinear. Steep inwards sloping sides and a flat base. E-W aligned. Same as [1024] [1124] [1329].	L- 0.72m+ W- 0.56m D- 0.56-1.08		
(1209)	Upper Fill of Linear [1211]	Moderate to soft mid grey brown clayey silt with occasional charcoal and Mn flecks and bio inclusions.	L- 0.72m+ W- 1.74m D- 0.56-1.06		
(1210)	Basal Fill of Linear [1211]	Moderately compact, mottled dark orange & brown slightly clayey silt with occasional Mn flecks and bio inclusions.	L- 0.72m+ W- 1.75m D- 0.60-1.13		
[1211]	Cut of Linear	Curvilinear with very steep inwards sloping sides	L- 0.72m+		

		and a flat base. WNW-ESE aligned. Cut by	W- 1.81m
		[1208]. Cuts [1213]. [Possibly same as 1331]	D- 0.56-1.13
(1212)	Fill of Linear [1213]	Firm to moderately compact light orangey	L- 0.72m+
		brown clay silt with occasional charcoal flecks	W- 0.58m
		and moderate bio (worms) inclusions.	D- 0.56-0.69
	Cut of Linear	Rectilinear with steep inwards sloping sides and	L- 0.72m+
[1213]		a flat base. WNW-ESE aligned. Cut by [1211].	W- 0.58m
			D- 0.56-0.69
	Fill of Terminus	Moderately compact mid grey brown silty clay	L- 1.4m+
(1214)	[1215]	with no inclusions.	W- 0.64m
			D- 0.56-0.73
[]	Cut of Terminus	Terminus with gentle inwards sloping sides and	L- 1.4m+
[1215]		a gentle concave base. NE-SW aligned. Cuts	W- 0.64m
		[1226] [1220].	D- 0.56-0.73
(Upper Fill of Pit	Moderately compact mid orange brown clayey	L- 0.61m
(1216)	[1220]	silt with no inclusions.	W- 0.60m
	511 (B): [4000]		D- 0.56-0.80
(4047)	Fill of Pit [1220]	Moderately compact mid-light brown clayey silt	L- 0.61m
(1217)		with no inclusions.	W- 0.56m
	F:II - f B:: [4000]	Fine wild become 19 1 11	D- 0.80-1.00
(1240)	Fill of Pit [1220]	Firm mid browny grey silty clay with no	L- 0.40m
(1218)		inclusions.	W- 0.42m
	D 1511 (D)		D- 1.00-1.18
(4240)	Basal Fill of Pit	Firm mottled mid browny orange with mid	L- 0.35m
(1219)	[1220]	yellow clayey silt with no inclusions.	W- 0.25m
	0 : (5)		D- 1.18-1.32
[4220]	Cut of Pit	Circular with very steep inwards sloping sides	L- 1.61m
[1220]		and a moderate concave base. Cuts [1215].	W- 0.60m
	Hanna Fill of Lineau	NA-d-sataly	D- 0.56-1.32
(1221)	Upper Fill of Linear	Moderately compact mid-dark greyish brown	L- 1.88m+
(1221)	[1226]	silty clay with no inclusions.	W- 1.00m D- 0.56-0.71
	Fill of Linear [1226]	Firm light orangey brown silty clay with no	L- 1.88m+
(1222)	Fill Of Lifleat [1220]	inclusions.	W- 0.84m
(1222)		inclusions.	D- 0.71-0.92
	Fill of Linear [1226]	Firm mid browny grey silty clay with no	L- 1.88m+
(1223)	Till of Linear [1220]	inclusions.	W- 0.56m
(1223)		metasions.	D- 0.92-1.13
	Fill of Linear [1226]	Firm light yellowish orange silty clay with no	L- 1.88m+
(1224)	Till of Linear [1220]	inclusions.	W- 0.38m
(,		inclusions.	D- 1.13-1.29
	Basal Fill of Linear	Friable mottled light yellow, mid grey and	L- 1.88m+
(1225)	[1226]	orange slightly clayey silt with no inclusions.	W- 0.31m
(===0)	[0]	orange ongree, one man no morasions.	D- 1.29-1.48
	Cut of Linear	Rectilinear with very steep inwards sloping sides	L- 1.88m+
[1226]		and a flat base. NNE-SSW aligned. Cut by [1215]	W- 1.07m
		[1220]. Cuts [1258]	D- 0.56-1.48
	Upper Fill of Linear	Moderate-firm very dark browny orange silty	
(4227)	[1229]	clay with inclusions of frequent charcoal flecks,	L- 1.4m+
(1227)		Mn flecks and burnt clay flecks and moderate	W- 1.5m
		bio. (worms).	D- 0.56-0.87
	† <u>.</u> .	Moderate-firm(ALSO SAME AS 1208) dark	1.4.4
	Basal Fill of Linear	,	L- 1.4m+
(1220)	Basal Fill of Linear [1229]	orangey brown silty clay with inclusions of	
(1228)		orangey brown silty clay with inclusions of occasional Mn flecks, charcoal flecks and burnt	W- 1.44m
(1228)			
(1228)		occasional Mn flecks, charcoal flecks and burnt	W- 1.44m
(1228) [1229]	[1229]	occasional Mn flecks, charcoal flecks and burnt clay flecks and occasional bio. (worms).	W- 1.44m D- 0.86-1.03

		WNW-ESE aligned. Cuts [1226] [1231] [1234].	
	Fill of Pit [1231]	Moderate to firm dark orangey brown slightly	L- 0.76m+
(1230)		clayish silt with occasional charcoal and Mn fleck	W- 67m
, ,		and bio inclusions.	D- 0.65+
	Cut of Pit	Assumed ovate. Cut by [1226] [1229]. Cuts	L- 0.76m+
[1231]		[1234]. Unexcavated	W- 67m
			D- 0.65+
(1232)	Upper Fill of Linear [1234]	Moderately compact mid orange brown clayish silt with occasional Mn flecks and bio inclusions.	L- 2.96m
(1233)	Basal Fill of Linear [1234]	Moderate to firm dark orange to mid brown clayish silt with occasional charcoal and Mn fleck and bio inclusions.	L- 2.96m
[1234]	Cut of Linear	Rectilinear. NE-SW aligned. Largely truncated away / Cut by [1229] [1231]. Unexcavated.	L- 2.96m
	Fill of Terminus		L- 1.6m+
(1235)	[1236]		W- 0.41m D- 0.56+
	Cut of Terminus	Terminus. ENE-WSW aligned. Cuts [1238].	L- 1.6m+
[1236]		Unexcavated.	W- 0.41m
		0.10.100.100.100.100.100.100.100.100.10	D- 0.56+
	Fill of Pit [1238]		L- 0.17m+
(1237)			W- 0.65m
, ,			D- 0.56+
	Cut of Pit	Assumed ovate. Cut by [1236]. Unexcavated.	L- 0.17m+
[1238]		,,,,,	W- 0.65m
			D- 0.56+
	Fill of Linear [1240]		L- 2m+
(1239)			W- 0.98m
, ,			D- 0.56+
	Cut of Linear	Rectilinear. ESE-WNW aligned. Unexcavated.	L- 2m+
[1240]		-	W- 0.98m
			D- 0.56+
	Fill of Pit [1242]		L- 0.64m
(1241)			W- 0.58m
			D- 0.56+
	Cut of Pit	Sub-circular. Unexcavated.	L- 0.64m
[1242]			W- 0.58m
			D- 0.56+
	Fill of Linear [1244]		L- 2m+
(1243)			W- 1.19m
			D- 0.56+
	Cut of Linear	Rectilinear. WNW-ESE aligned. Cuts [1246]	L- 2m+
[1244]		[1248]. Unexcavated.	W- 1.19m
			D- 0.56+
	Fill of Linear [1246]		L- 2.6m+
(1245)			W- 0.70m
			D- 0.56+
•	Cut of Linear	Rectilinear. NNE-SSW aligned. Cuts [1248]. Cut	L- 2.6m+
[1246]		by [1229] [1244] [1250]. Unexcavated.	W- 0.70m
			D- 0.56+
	Fill of Linear [1248]		L- 3.6m+
(1247)			W- 0.35m
			D- 0.56+
	Cut of Linear	Rectilinear. NNW-SSE aligned. Cut by [1244]	L- 3.6m+
[1248]		[1246] [1250]. Unexcavated.	W- 0.35m
			D- 0.56+
(1249)	Fill of Linear [1250]		L- 2m+
(5)			W- 0.92m

			D- 0.56+
[1250]	Cut of Linear	Rectilinear. E-W aligned. Cuts [1246] [1248]. Unexcavated.	L- 2m+ W- 0.92m
[1230]		Offexcavated.	D- 0.56+
	Fill of Pit/Terminus		L- 0.75m+
(1251)	[1252]		W- 0.69m
			D- 0.56+
	Cut of	Possibly ovate/terminus. E-W aligned.	L- 0.75m+
[1252]	Pit/Terminus	Unexcavated.	W- 0.69m
			D- 0.56+
	Fill of Pit [1254]		L- 0.95m
(1253)			W- 0.67m
			D- 0.56+
	Cut of Pit	Ovate. SW-NE aligned. Unexcavated.	L- 0.95m
[1254]			W- 0.67m
			D- 0.56+
	Fill of Pit [1256]		L- 0.57m+
(1255)			W- 0.79m
			D- 0.56+
	Cut of Pit	Assumed ovate. ESE-WNW aligned.	L- 0.57m+
[1256]		Unexcavated.	W- 0.79m
			D- 0.56+
	Fill of Linear [1258]		L- 1.03m+
(1257)			W- 0.75m
			D- 0.56+
	Cut of Linear	Rectilinear. ENE-WSW aligned. Unexcavated.	L- 1.03m+
[1258]			W- 0.75m
			D- 0.56+
Natural	Natural Geology	Brickearth (Compact mid orange brown silt clay).	0.56+

Trench 13	Dimensions: 25m x 2.2m Trench alignment: NE-SW Ground level at NE end: 16.89mOD Ground level at SW end: 16.35mOD			
Context	Interpretation	Description	Depth (m)	
(1300)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.40	
(1301)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.40-0.85	
(1302)	Localised Colluvial Deposit	Moderate-firm mottled mid-light grey brown and mid orange brown clayey silt. Possibly localised to this trench. Cut by all interacting arch.	0.83-0.90	
(1303)	Fill of Posthole [1304]	Moderately compact mottled very dark greyish orange brown with light brown very clayey silt with inclusions of frequent charcoal flecks and Mn flecks and occasional bio. (worms).	L- 0.38m W- 0.25m D- 0.85-0.94	
[1304]	Cut of Posthole	Ovate with steep inwards sloping sides and a moderately concave base. NNW-SSE aligned. Cuts [1309].	L- 0.38m W- 0.25m D- 0.85-0.94	
(1305)	Fill of Posthole [1306]	Moderately compact mottled mid-dark grey brown with light brown slightly clayey silt with inclusions of moderate Mn flecks and moderate bio. (worms).	L- 0.48m W- 0.36m D- 0.85-0.99	
[1306]	Cut of Posthole	Ovate with moderate inwards sloping sides and a moderate concave base. NNW-SSE aligned.	L- 0.48m W- 0.36m	

		Cuts [1309].	D- 0.85-0.99
(1307)	Upper Fill of Pit [1309]	Firm mottled mid-light grey brown with light grey and light brown clayey silt with inclusions of frequent Mn flecks and occasional charcoal flecks and frequent bio. (worms).	L- 1m W- 0.70m D- 0.85-1.15
(1308)	Basal Fill of Pit [1309]	Very firm mottled mid-light grey brown and mid yellow brown clayey silt with inclusions of moderate Mn flecks and occasional bio. (worms).	L- 0.35m W- 0.50m D- 1.15-1.25
[1309]	Cut of Pit	Ovate with steep inwards sloping sides and a moderate concave base. NW-SE aligned. Cut by [1304] [1306].	L- 1m W- 0.70m D- 0.85-1.25
(1310)	Upper Fill of Pit [1312]	Moderate-firm mid grey brown silty clay with inclusions of occasional charcoal flecks, Mn flecks and burnt clay flecks and occasional bio. (worms).	L- 1.25m W- 0.61m+ D- 0.85-1.10
(1311)	Basal Fill of Pit [1312]	Moderate-firm dark orange brown silty clay with inclusions of occasional charcoal flecks and burnt clay flecks and occasional bio. (worms).	L- 1.21m W- 0.61m+ D- 1.00-1.24
[1312]	Cut of Pit	Ovate with steep inwards sloping sides and a flat base. E-W aligned. Cuts (1302).	L- 1.25m W- 0.61m+ D- 0.85-1.24
(1313)	Upper Fill of Linear [1315]	Moderate-firm mid greyish browny orange clayey silt with no inclusions.	L- 1.70m+ W- 0.77m D- 0.85-1.10
(1314)	Basal Fill of Linear [1315]	Moderately compact mid orange brown clayey silt with occasional bio. (worms).	L- 1.70m+ W- 0.60m D- 0.99-1.19
[1315]	Cut of Linear	Rectilinear with moderate inwards sloping sides and a flat base. N-S aligned. Cuts(1302).	L- 1.70m+ W- 0.77m D- 0.85-1.19
(1316)	Fill of Linear [1317]	Moderately compact mid-light grey brown clayey silt with inclusions of moderate Mn flecks and occasional bio. (worms).	L- 2.3m+ W- 0.70m D- 0.85-1.00
[1317]	Cut of Linear	Rectilinear with gentle (N) to steep (S) inwards sloping sides and a flat base. WNW-ESE aligned. Cuts (1302).	L- 2.3m+ W- 0.70m D- 0.85-1.00
(1318)	Fill of Terminus [1319]	Moderate-firm dark orange brown silty clay with inclusions of occasional Mn flecks and charcoal flecks and occasional bio. (worms).	L- 0.6m+ W- 0.49m D- 0.85-1.00
[1319]	Cut of Terminus	Terminus with gentle inwards sloping sides and a gentle concave base. NW-SE aligned.	L- 0.6m+ W- 0.49m D- 0.85-1.00
(1320)	Fill of Posthole [1321]	Moderate-firm mid orange brown clayey silt with no inclusions.	L- 0.58m W- 0.40m D- 0.85-1.03
[1321]	Cut of Posthole	Ovate with gentle inwards sloping sides and a gentle concave base. E-W aligned.	L- 0.58m W- 0.40m D- 0.85-1.03
(1322)	Fill of Posthole [1323]	Moderate-firm mottled mid orange brown with mid brown clayey silt with no inclusions.	L- 0.35m W- 0.32m D- 0.85-1.01
[1323]	Cut of Posthole	Ovate with moderate inwards sloping sides and a moderate concave base. WNW-ESE aligned.	L- 0.35m W- 0.32m D- 0.85-1.01
(1324)	Fill of Pit [1325]		L- 1.61m+ W- 1.08m+ D- 0.85+

	Cut of Pit	Assumed ovate. E-W aligned. Cuts [1327] [1329]	L- 1.61m+
[1225]	Cutorrit	_	
[1325]		[1331]. Unexcavated.	W- 1.08m+
			D- 0.85+
	Fill of Posthole		L- 0.27m
(1326)	[1327]		W- 0.32m
			D- 0.85+
	Cut of Posthole	Ovate. NE-SW aligned. Cuts [1329] (1302). Cut	L- 0.27m
[1327]		by [1325].	W- 0.32m
		by [1323].	D- 0.85+
	Fill of Linear [1329]		L- 1.50+m
(1328)	Till of Linear [1323]		W- 0.67m
(1320)			
	C + (1)	D (1): 14224]	D- 0.85+
	Cut of Linear	Rectilinear. WNW-ESE aligned. [Cuts 1331]	L- 1.50+m
[1329]		(1302). Cut by [1325] [1327] Possibly same as	W- 0.67m
		[825] [1024] [1124] [1208]. Unexcavated.	D- 0.85+
	Fill of Linear [1331]		L- 2.2m+
(1330)			W- 1.44m
			D- 0.85+
	Cut of Linear	Rectilinear. NW-SE aligned. Cuts (1302). Cut by	L- 2.2m+
[1331]		[1325] [1329]. Unexcavated. Possibly same as	W- 1.44m
[====]		[1211].	D- 0.85+
	Fill of Linear [1333]	·	L- 2.2m+
(1332)	Till Of Lifeat [1555]		W- 1.21m
(1332)			
	C + (1)	D 1:1: NW CE 1: 1 C 1 [4225] (4202)	D- 0.85+
[]	Cut of Linear	Rectilinear. NW-SE aligned. Cuts [1335] (1302).	L- 2.2m+
[1333]		Cut by [1356]. Relationship with [1353] is	W- 1.21m
		unclear. Unexcavated.	D- 0.85+
	Fill of Linear/Pit		L- 1.63m+
(1334)	[1335]		W- 0.70m
			D- 0.85+
	Cut of Linear	Rectilinear/Ovate. E-W aligned. Cuts [1302]. Cut	L- 1.63m+
[1335]		by [1333] Unexcavated.	W- 0.70m
			D- 0.85+
	Fill of Posthole		L- 0.28m
(1336)	[1337]		W- 0.25m
(====)	[2001]		D- 0.85+
	Cut of Posthole	Circular. Unexcavated. Cut by [1353].	L- 0.28m
[1337]	Cut of 1 ostilole	Circular. Offexcavated. Cut by [1555].	W- 0.25m
[1557]			
	EIL CD 11 1		D- 0.85+
	Fill of Posthole		L- 0.30m
(1338)	[1339]		W- 0.26m
			D- 0.85+
	Cut of Posthole	Ovate. SW-NE aligned. Unexcavated.	L- 0.30m
[1339]			W- 0.26m
			D- 0.85+
	Fill of Pit [1341]		L- 1.05m
(1340)			W- 0.90m+
/			D- 0.85+
	Cut of Pit	Assumed sub-rectangular. Unexcavated.	L- 1.05m
[1341]	Suc Oi Fit	, issumed sub-rectangular. Offexedvated.	W- 0.90m+
[1341]			
	E:II of D:+ [40.40]		D- 0.85+
(42.45)	Fill of Pit [1343]		L- 0.38m
(1342)			W- 0.29m+
			D- 0.85+
	Cut of Posthole	Assumed ovate/circular. Unexcavated.	L- 0.38m
[1343]			W- 0.29m+
	Ī		D- 0.85+
			2 0.03

			W- 0.51m
			w- 0.51m D- 0.85+
	Cut of Pit	Ovate. NW-SE aligned. Unexcavated.	L- 0.85m
[1345]	Cut of Fit	Ovate. NVV-3L alighed. Offexcavated.	W- 0.51m
[1545]			D- 0.85+
	Fill of Pit [1347]		L- 1.28m
(1346)	6		W- 1.16m+
(== :=)			D- 0.85+
	Cut of Pit	Ovate. NW-SE aligned. Cuts (1302) Unexcavated.	L- 1.28m
[1347]			W- 1.16m+
			D- 0.85+
	Fill of Pit [1349]		L- 1.20m
(1348)			W- 0.95+
			D- 0.85+
	Cut of Pit	Sub-rectangular. Cuts (1302) Unexcavated.	L- 1.20m
[1349]			W- 0.95+
			D- 0.85+
	Upper Fill of Linear	Moderately compact mottled mid grey brown	L- 2.3m+
(1350)	[1353]	with light brown clayey silt with inclusions of	W- 1.24m
, ,		occasional chalk flecks and moderate Mn flecks	D- 0.85-1.00
	Fill of Linear [1353]	and moderate bio. (worms). Moderate-firm mottled mid-light grey brown	1 2 1Em i
(1351)	Fill Of Lifledi [1555]	with light brown clayey silt with inclusions of	L- 2.15m+ W- 1.04m
(1331)		frequent Mn flecks and moderate bio. (worms).	D- 1.00-1.31
	Basal Fill of Linear	Firm mottled mid-light grey brown and mid	D- 1.00-1.31
	[1353]	orange brown very clayey silt with inclusions of	L- 2.3m+
(1352)		moderate Mn flecks and occasional small sub-	W- 1.24m
		angular flints and moderate bio. (worms).	D- 1.31-1.42
	Cut of Linear	Rectilinear with moderate inwards sloping sides	1 2 2 m 1
[1353]		and a moderate concave, slightly undulating,	L- 2.3m+ W- 1.24m
[1333]		base. WNW-ESE aligned. Cuts (1302) [1356],	D- 0.85-1.42
		[1337]	D 0.03-1.42
	Upper Fill of Linear	Moderately compact mottled mid-dark grey	L- 2.3m+
(1354)	[1356]	brown with light yellow brown clayey silt with	W- 1.18m
/		inclusions of moderate Mn flecks and moderate	D- 0.85-1.03
	Decel Cill Cir	bio. (worms).	
	Basal Fill of Linear	Moderate-firm mottled mid greyish orange	L- 2.3m+
(1355)	[1356]	brown with light yellow brown clayey silt with inclusions of moderate Mn flecks and moderate	W- 0.40m
		bio. (worms).	D- 1.03-1.18
	Cut of Linear	Rectilinear with moderate inwards sloping sides	L- 2.3m+
[1356]	Cat of Linear	and a flat base. NNW-SSE oriented. Cuts (1302).	W- 1.18m
[1000]		Cut by [1353].	D- 0.85-1.18
	Natural Geology	Brickearth (Compact mid orange brown silt	
Natural	, , , , , , , , , , , , , , , , , , ,	clay).	0.85+
		ciay).	

Trench 14	Dimensions: 25m x 1.9m Trench alignment: E-W Ground level at W end: 16.38mOD Ground level at E end: 16.71mOD		
Context	Interpretation	Description	Depth (m)
(1400)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00- 0.37(E) / 0.30(W)
(1401)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.37-0.79 / 0.30-0.66
(1402)	Upper Fill of Linear [1404]	Soft mid browny grey clayey silt with inclusions of occasional small flints and chalk flecks and	L- 2.3m+ W- 1.8m+

	1		
		very occasional charcoal flecks.	D- 0.79-1.79
	Basal Fill of Linear	Soft mottled mid brown with mid grey and light	
(1402)	[1404]	brown clayey silt with inclusions of occasional	L- 2.3m+
(1403)		chalk flecks and charcoal flecks and very	W- 1.8m+
		occasional medium-large sub-angular flints.	D- 1.62-1.92
	Cut of Linear	Rectilinear west flanking ditch for trackway	
		[1417] with very steep inwards sloping sides and	1 2 2m i
[1404]		a step 0.3m from the base of the linear with a	L- 2.3m+ W- 1.8m+
[1404]			D- 0.79-1.92
		slightly concave base. N-S aligned. Cut by [1413].	D-0.79-1.92
	5:11	Cuts (1428).	
(4.405)	Fill of Pit [1406]	Soft mottled mid grey with mid brown clayey silt	L- 2.3m+
(1405)		with inclusions of very occasional chalk flecks.	W- 1.2m+
	Cut of Pit	Sub-ovato with gontle inwards cloning cides and	D- 0.79-0.91 L- 2.3m+
[1406]	Cut of Pit	Sub-ovate with gentle inwards sloping sides and a slightly undulating base. E-W aligned. Cut by	U- 2.3111+ W- 1.2m+
[1400]		[1413].	D- 0.79-0.91
	Upper Fill of Linear	Soft mid grey clayey silt with inclusions of	L- 1m+
(1407)	[1411]	moderate charcoal flecks and occasional	W- 1.2m
,,		charcoal flecks and small flints.	D- 0.66-1.03
	Fill of Linear [1411]	Soft mottled mid browny grey with dark brown	L- 1m+
(1408)		clayey silt with inclusions of occasional small	W- 2.09m
		flints and charcoal flecks.	D- 0.73-1.31
	Fill of Linear [1411]	Soft mid grey clayey silt with inclusions of	L- 1m+
(1409)		occasional small flints and chalk flecks and very	W- 2.09m
		occasional charcoal flecks.	D- 1.31-1.66
	Basal Fill of Linear	Firm mottled mid grey with mid grey brown and	L- 1m+
(1410)	[1411]	mid greenish grey clayey silt with inclusions of	W- 0.88m+
(-/		occasional small flints and moderate chalk	D- 1.66-1.81
	6 1 (1)	flecks.	
	Cut of Linear	Rectilinear east flanking ditch for trackway	L- 1m+
[1411]	[1411]	[1417] with very steep inwards sloping sides and a moderate concave base. N-S aligned. Cuts	W- 2.9m
		(1428).	D- 0.66-1.81
	Fill of Recut Linear	Soft mid browny grey clayey silt with inclusions	
	[1413]	of occasional flints, chalk flecks and charcoal	L- 1.2m+
(1412)		flecks. Contains possible articulated remains	W- 1.65m
		entering south section, not excavated.	D- 0.79-1.52
	Cut of Recut Linear	Rectilinear with steep inwards sloping sides and	L- 1.2m+
[1413]		a moderate concave base. N-S aligned. Recut of	W- 1.65m
		[1404]. Cuts [1404] [1406].	D- 0.79-1.52
	Upper Fill of	Moderate-soft mid brown very slightly clayey silt	L- 1.9m+
(1414)			L I.JIII
(1717)	Trackway [1417]	with inclusions of moderate sub-angular flints,	$W_{-} 2.44m+$
	Trackway [1417]	frequent chalk flecks, occasional burnt clay	W- 2.44m+ D- 0.75-1.05
	, , ,	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418).	W- 2.44m+ D- 0.75-1.05
	Fill of Trackway	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with	
(1415)	, , ,	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very	D- 0.75-1.05
(1415)	Fill of Trackway	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn	D- 0.75-1.05 L- 1.9m+
(1415)	Fill of Trackway [1417]	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn flecks. Same as (1419).	D- 0.75-1.05 L- 1.9m+ W- 2.4m+ D- 1.05-1.17
	Fill of Trackway [1417] Flint Metalling of	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn flecks. Same as (1419). Moderately dense gravel metalling in a matrix of	D- 0.75-1.05 L- 1.9m+ W- 2.4m+ D- 1.05-1.17 L- 1m+
(1415)	Fill of Trackway [1417]	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn flecks. Same as (1419). Moderately dense gravel metalling in a matrix of soft mottled light and dark grey clayey silt. Not	D- 0.75-1.05 L- 1.9m+ W- 2.4m+ D- 1.05-1.17 L- 1m+ W- 1.4m+
	Fill of Trackway [1417] Flint Metalling of Trackway [1417]	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn flecks. Same as (1419). Moderately dense gravel metalling in a matrix of soft mottled light and dark grey clayey silt. Not present for entire width of slot across trackway.	D- 0.75-1.05 L- 1.9m+ W- 2.4m+ D- 1.05-1.17 L- 1m+
(1416)	Fill of Trackway [1417] Flint Metalling of Trackway [1417] Cut of Trackway	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn flecks. Same as (1419). Moderately dense gravel metalling in a matrix of soft mottled light and dark grey clayey silt. Not present for entire width of slot across trackway. Rectilinear cut trackway with very steep inwards	D- 0.75-1.05 L- 1.9m+ W- 2.4m+ D- 1.05-1.17 L- 1m+ W- 1.4m+ D- 1.15-1.18 L- 1.9m+
	Fill of Trackway [1417] Flint Metalling of Trackway [1417]	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn flecks. Same as (1419). Moderately dense gravel metalling in a matrix of soft mottled light and dark grey clayey silt. Not present for entire width of slot across trackway. Rectilinear cut trackway with very steep inwards sloping sides and a flat base. Aligned N-S.	D- 0.75-1.05 L- 1.9m+ W- 2.4m+ D- 1.05-1.17 L- 1m+ W- 1.4m+ D- 1.15-1.18 L- 1.9m+ W- 2.44m+
(1416)	Fill of Trackway [1417] Flint Metalling of Trackway [1417] Cut of Trackway	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn flecks. Same as (1419). Moderately dense gravel metalling in a matrix of soft mottled light and dark grey clayey silt. Not present for entire width of slot across trackway. Rectilinear cut trackway with very steep inwards sloping sides and a flat base. Aligned N-S. Partially metalled surface (1416) sealed by	D- 0.75-1.05 L- 1.9m+ W- 2.4m+ D- 1.05-1.17 L- 1m+ W- 1.4m+ D- 1.15-1.18 L- 1.9m+
(1416)	Fill of Trackway [1417] Flint Metalling of Trackway [1417] Cut of Trackway	frequent chalk flecks, occasional burnt clay flecks and Mn flecks. Same as (1418). Moderate to soft light grey silt loam with inclusions of moderate sub-angular flints, very occasional chalk flecks, charcoal flecks and Mn flecks. Same as (1419). Moderately dense gravel metalling in a matrix of soft mottled light and dark grey clayey silt. Not present for entire width of slot across trackway. Rectilinear cut trackway with very steep inwards sloping sides and a flat base. Aligned N-S.	D- 0.75-1.05 L- 1.9m+ W- 2.4m+ D- 1.05-1.17 L- 1m+ W- 1.4m+ D- 1.15-1.18 L- 1.9m+ W- 2.44m+

		occasional Mn flecks and very occasional small	D- 0.75-1.35
		flints. Same as (1414).	
	Fill of Linear [1421]	Moderate-soft light grey silt loam with	L- 1.9m+
(1419)		inclusions of occasional chalk flecks, Mn flecks	W- 1.1m+
		and small flints. Same as (1415).	D- 1.35-1.6
	Basal Fill of Linear	Moderate-firm mottled white and mid brown	L- 1.9m+
(1420)	[1421]	silt and loam with inclusions of occasional small	W- 0.50m+
		flints and very occasional chalk flecks.	D- 1.48-1.69
[1421]	Cut of Linear	Rectilinear with moderate inwards sloping sides (stepped on W side) and a concave-flat base. Possible flanking ditch to west of trackway [1417] and may be contemporary as they share common sealing fills (1414)=(1418) and (1415)=(1419). N-S aligned. Cuts (1428).	L- 1.9m+ W- 2.12m+ D- 0.75-1.69
	Fill of Posthole	Moderately compact dark orange brown very	L- 0.3m
(1422)	[1423]	clayey silt with inclusions of occasional Mn	W- 0.3m
		flecks.	D- 0.79+
	Cut of Posthole	Circular. Unexcavated.	L- 0.3m
[1423]			W- 0.3m
			D- 0.79+
	Fill of Pit [1425]	Soft mottled grey orange and orange brown	L- 2.25m
(1424)		slightly sandy clayey silt with no inclusions.	W- 0.35m+
			D- 0.79+
	Cut of Pit	Assumed sub-ovate. E-W aligned. Unexcavated.	L- 2.25m
[1425]			W- 0.35m+
			D- 0.79+
()	Fill of Linear [1427]	Soft dark grey brown clayey silt with inclusions	L- 1.3m+
(1426)		of occasional chalk flecks.	W- 0.42m+
			D- 0.79+
[4 40=1	Cut of Linear	Rectilinear. Unexcavated.	L- 1.3m+
[1427]			W- 0.42m+
		6.0.1.1	D- 0.79+
	Colluvial Deposit	Very soft light brown slightly clayey silt with	L- 1.9m+
(1428)	'D'	inclusions of occasional chalk flecks and small	W- 14.3m
, ,		flints. Cut by [1404] [1406] [1413] [1417] [1421] [1411].	D- 0.66-1.11
Natural	Natural Geology	Brickearth (Compact mid orange brown silt clay)	0.66+
	I	I .	l

Trench 15	Dimensions: 25m x 2m Trench alignment: E-W Ground level at W end: 16.45mOD Ground level at E end: 17.20/17.23mOD			
Context	Interpretation	Description	Depth (m)	
(1500)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.34	
(1501)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.34-0.58	
(1502)	Fill of Posthole [1503]	Soft mottled mid orangey brown with mid grey silty clay with inclusions of occasional chalk flecks.	L- 0.36m W- 0.28m D- 0.58-0.63	
[1503]	Cut of Posthole	Ovate with moderate inwards sloping sieds and a moderate concave base.	L- 0.36m W- 0.28m D- 0.58-0.63	
(1504)	Fill of Linear [1505]	Soft mottled mid brown with light-mid orange brown slightly clayey silt with inclusions of occasional chalk flecks and frequent bio. (worms).	L- 4.3m+ W- 0.62m D- 0.58-0.73	

	T =	T	
[1505]	Cut of Linear	Curvilinear with gentle inwards sloping sides and a gentle concave base. SE-WNW aligned.	L- 4.3m+ W- 0.62m
			D- 0.58-0.73
	Fill of Pit [1507]	Soft mid greyish orange brown silty clay with no	L- 1.38m
(1506)		inclusions.	W- 0.94m+
			D- 0.58-0.66
	Cut of Pit	Ovate with moderate inwards sloping sides and	L- 1.38m
[1507]		a moderate concave base.	W- 0.94m+
			D- 0.58-0.66
	Fill of Pit [1509]	Moderately compact mid greyish orange brown	1 2 4 m
(1508)		very clayey silt with inclusions of moderate Mn	L- 3.4m W- 0.40m+
(1306)		flecks and occasional small chalk pieces and	D- 0.58-0.73
		moderate bio. (worms).	D- 0.36-0.73
	Cut of Pit	Elongated ovate pit with moderate inwards	L- 3.4m
[1509]		sloping sides and a gentle concave base. E-W	W- 0.40m+
		oriented.	D- 0.58-0.73
	Upper Fill of Linear	Moderately compact mottled light grey brown	
(4540)	[1512]	with mid orange brown very clayey silt with	L- 2.2m+
(1510)		inclusions of moderate Mn flecks and moderate	W- 1.34m
		bio. (worms).	D- 0.58-0.70
	Basal Fill of Linear	Firm mottled light greyish orange brown and	L- 2.2m+
(1511)	[1512]	light yellow brown clayey silt with inclusions of	W- 1.10m
, ,	, ,	moderate Mn flecks and moderate bio. (worms).	D- 0.70-0.83
	Cut of Linear	Rectilinear with moderate-steep inwards sloping	L- 2.2m+
[1512]		sides and a flat base. N-S aligned.	W- 1.34m
[]			D- 0.58-0.83
	Colluvium Deposit	Very firm mottled light greyish orange brown	
	'E'	with occasional whitish grey clayey silt with	L- 2.8m
(1513)		frequent bio. (worms). Only present in SW	W- 2.2m+
		corner of T15. cut by [1527][1509][1512]	D- 0.58+
	Fill of Posthole	Soft mid browny orange silty clay with no	L- 0.35m
(1514)	[1515]	inclusions.	W- 0.32m
(1314)	[1515]	metasions.	D- 0.58-0.69
	Cut of Posthole	Sub-circular with moderate inwards sloping	L- 0.35m
[1515]	Cut of 1 ostiloic	sides and moderate concave base.	W- 0.32m
[1313]		sides and moderate concave base.	D- 0.58-0.69
	Upper Fill of Pit	Firm mid orangey brown silty clay with	L- 1.62m
(1516)	[1519]	moderate bio. (worms).	W- 1.1m+
(1310)	[1319]	moderate bio. (worms).	D- 0.58-0.73
	Fill of Pit [1519]	Firm mottled mid browny grey and mid orange	L- 1.62m
(1517)	1 111 01 FIL [1313]	brown clayey silt with moderate bio. (worms).	U- 1.02m W- 1.1m+
(1517)		brown clayey siit with moderate bio. (worms).	D- 0.73-0.88
	Pacal Fill of Dit	Eriable mid browny groy clayey silt with	D- 0.75-0.66
	Basal Fill of Pit [1519]	Friable mid browny grey clayey silt with inclusions of occasional chalk flecks and	L- 1.62m
(1518)	[1213]		W- 1.1m+
		frequent charcoal flecks and very large charcoal	D- 0.79-0.92
	Cut of Dit	pieces.	1 4 63
[1510]	Cut of Pit	Circular with moderate to steep inwards sloping	L- 1.62m
[1519]		sides and a flat base.	W- 1.1m+
	Fill of Death - ! -		D- 0.58-0.92
(1520)	Fill of Posthole		L- 0.22m+
(1520)	[1521]		W- 0.20m
	C. A F.D. VI. I	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D- 0.58+
[4504]	Cut of Posthole	Assumed ovate. N-S aligned. Unexcavated.	L- 0.22m+
[1521]			W- 0.20m
	FILL CALL CARRAGE		D- 0.58+
	Fill of Pit [1523]		L- 1.6m
(1522)			W- 1.3m
	1		D- 0.58+

	Cut of Pit	Ovate. Unexcavated. NNE-SSW aligned.	L- 1.6m
[1523]			W- 1.3m
			D- 0.58+
	Fill of Posthole		L- 0.17m
(1524)	[1525]		W- 0.17m
			D- 0.58+
	Cut of Posthole	Circular. Unexcavated.	L- 0.17m
[1525]			W- 0.17m
			D- 0.58+
	Fill of Linear [1527]		L- 2.50m+
(1526)			W- 1.6m
			D- 0.58+
	Cut of Linear	Curvilinear. NW-SSE aligned. Cuts (1513).	L- 2.50m+
[1527]		Unexcavated.	W- 1.6m
			D- 0.58+
	Fill of Linear [1529]		L- 2.1m+
(1528)			W- 0.70m
			D- 0.58+
	Cut of Linear	Rectilinear. NNW-SSE aligned. Unexcavated.	L- 2.1m+
[1529]			W- 0.70m
			D- 0.58+
	Fill of Pit [1531]		L- 0.2m+
(1530)			W- 0.72m
			D- 0.58+
	Cut of Pit	Assumed ovate. Unexcavated.	L- 0.2m+
[1531]			W- 0.72m
			D- 0.58+
Natural	Natural Geology	Brickearth (Compact orange brown silt clay with inclusions of occasional Mn flecks).	0.58+

Trench 16	Dimensions: 25m x 2.3m Trench alignment: E-W Ground level at W end: 17.51mOD Ground level at E end: 18.59mOD		
Context	Interpretation	Description	Depth (m)
(1600)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.30
(1601)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.30-0.55
(1602)	Fill of Posthole [1603]	Soft mid grey brown clayey silt with no inclusions.	L- 0.54m W- 0.39m D- 0.55-0.61
[1603]	Cut of Posthole	Irregular ovate with steep inwards sloping sides and a moderate concave base. N-S aligned.	L- 0.54m W- 0.39m D- 0.55-0.61
(1604)	Fill of Posthole [1605]	Soft mid orange brown clayey silt with no inclusions.	L- 0.40m W- 0.36m D- 0.55-0.61
[1605]	Cut of Posthole	Ovate with moderate inwards sloping sides and a moderate concave base.	L- 0.40m W- 0.36m D- 0.55-0.61
(1606)	Fill of Posthole [1607]	Soft mid orange brown clayey silt with no inclusions.	L- 0.34m W- 0.34m D- 0.55-0.62
[1607]	Cut of Posthole	Circular with gentle inwards sloping sides and a gentle concave base.	L- 0.34m W- 0.34m D- 0.55-0.62

Fill of Posthole (1608) [1609]	Soft mid grey brown clayey silt with no	L- 0.20m
(1608) [1609]		
1 ' ' ' '	inclusions.	W- 0.18m
		D- 0.55-0.60
Cut of Posthole	Circular with moderate inwards sloping sides	L- 0.20m
[1609]	and a moderate concave base.	W- 0.18m
		D- 0.55-0.60
Fill of Posthole	Soft mid orange brown clayey silt with no	L- 0.39m
(1610) [1611]	inclusions.	W- 0.29m
		D- 0.55-0.62
Cut of Posthole	Ovate with gentle inwards sloping sides and a	L- 0.39m
[1611]	gentle concave base. N-S oriented.	W- 0.29m
		D- 0.55-0.62
Fill of Terminus	Moderate-soft mottled mid orange grey and mid	L- 1.84m+
(1612) [1613]	yellow brown clayey silt with no inclusions.	W- 1m+
(1012)	yenew brown dayey she with no melasions.	D- 0.55-0.72
Cut of Terminus	Terminus with gentle inwards sloping sides and	L- 1.84m+
[1613]	a flat base. WSW-ENE aligned. Cut by [1615].	W- 1m+
[1013]	- · · · · · · · · · · · · · · · · · · ·	
Fill of Dooth old	Same as [1619].	D- 0.55-0.72
Fill of Posthole	Moderate-soft mottled dark grey and mid	L- n/a
(1614) [1615]	yellow brown clayey silt with no inclusions.	W- 0.20m
		D- 0.55-0.87
Cut of Posthole	Circular with vertical sides and a steep concave	L- n/a
[1615]	base. Cuts [1613].	W- 0.20m
		D- 0.55-0.87
Fill of Linear [1617]	Moderate-firm mottled mid orange brown and	L- 1m+
(1616)	mid grey brown silty clay with inclusions of	W- 0.65m
	occasional small Mn flecks and chalk flecks.	D- 0.55-0.83
Cut of Linear	Rectilinear with moderate inwards sloping sides	L- 1m+
[1617]	and a moderate concave base. N-S aligned. Cuts	W- 0.65m
	[1619] (uncertain).	D- 0.55-0.83
Fill of Terminus	Moderate-firm mottled mid orange brown with	1 2 2
(1619)	mid-light grey silty clay with inclusions of	L- 2.2m+
(1618)	occasional small chalk flecks and small angular	W- 0.98m
	flints.	D- 0.55-0.99
Cut of Terminus	Terminus with moderate inwards sloping sides	L- 2.2m+
[1619]	and a gentle concave base. WSW-ENE aligned.	W- 0.98m
, , ,	Same as [1613]. Cuts [1621].	D- 0.55-0.99
Fill of Linear [1621]	Moderately compact mottled mid orange brown	L- 1m+
(1620)	with mid grey brown silty clay with inclusions of	W- 1.00m
(1020)	occasional small chalk flecks.	D- 0.55-0.73
Cut of Linear	Rectilinear with steep (E) and gentle (W)	L- 1m+
	inwards sloping sides and a flat base. N-S	W- 1.00m
[1621]	· •	
F:II - f 1 : [4 C22]	aligned. Cut by [1619]. Cuts [1623], [1641]	D- 0.55-0.73
Fill of Linear [1623]	Moderately compact mottled mid orange brown	L- 1m+
(1622)	with mid grey brown silty clay with inclusions of	W- 1.22m
	occasional small chalk flecks.	D- 0.55-0.90
Cut of Linear	Rectilinear with moderate inwards sloping sides	L- 1m+
[1623]	and a moderate concave base. N-S aligned. Cut	W- 1.22m
	by [1621].	D- 0.55-0.90
Fill of Pit/Terminus		L- 0.75m
(1624) [1625]		W- 0.40m
		D- 0.55+
Cut of	Ovate. NW-SE aligned. Cuts [1627].	L- 0.75m
[1625] Pit/Terminus	Unexcavated.	W- 0.40m
		D- 0.55+
Fill of Linear [1627]		L- 2.2m+
Tim Of LiftCat [102/]		
(1626)		W- 0.60m+

	Cut of Linear	Rectilinear. N-S aligned. Cut by [1625].	L- 2.2m+
[1627]	Cut of Ellical	Rectificat. W 5 diighed. Cut by [1025].	W- 0.60m+
[1027]			D- 0.55+
	Fill of Posthole		L- 0.36m
(1628)	[1629]		W- 0.38m
(1028)	[1023]		D- 0.55+
	Cut of Posthole	Circular Unavasystad	
[4.020]	Cut of Postnoie	Circular. Unexcavated.	L- 0.36m
[1629]			W- 0.38m
	511 (5 1)		D- 0.55+
	Fill of Posthole		L- 0.42m
(1630)	[1631]		W- 0.36m
			D- 0.55+
	Cut of Posthole	Sub-circular. Unexcavated.	L- 0.42m
[1631]			W- 0.36m
			D- 0.55+
	Fill of Pit [1633]		L- 1.1m+
(1632)			W- 0.28m
			D- 0.55+
	Cut of Pit	Ovate/Terminus. WNW-ESE. Unexcavated.	L- 1.1m+
[1633]		·	W- 0.28m
[====]			D- 0.55+
	Fill of Linear [1635]		L- 0.80m+
(1634)	Till of Ellical [1035]		W- 0.28m
(1034)			D- 0.55+
	Cut of Lincor	Postilinear SW NE Cuts [1627] Cut by [1612]	
[4625]	Cut of Linear	Rectilinear. SW-NE. Cuts [1637]. Cut by [1613]	L- 0.80m+
[1635]		[1621]. Unexcavated.	W- 0.28m
	f. co=1		D- 0.55+
	Fill of Linear [1637]		L- 2.5m+
(1636)			W- 0.32m
			D- 0.55+
	Cut of Linear	Rectilinear. SE-NW. Cuts [1641]. Cut by [1613]	L- 2.5m+
[1637]		[1635]. Unexcavated.	W- 0.32m
			D- 0.55+
	Fill of Linear [1639]		L- 2.5m+
(1638)			W- 0.40m
			D- 0.55+
	Cut of Linear	Rectilinear. SE-NW aligned. Cuts [1641]. Cut by	L- 2.5m+
[1639]		[1613].	W- 0.40m
			D- 0.55+
	Fill of Elongated Pit		L- 3.3m
(1640)	[1641]		W- 0.70m+
(/			D- 0.55+
	Cut of Elongated	Sub-ovate. WSW-E aligned. Cut by [1637] [1639]	L- 3.3m
[1641]	Pit	[1621]. Unexcavated.	W- 0.70m+
[10:1]	1.10	[1021]. Shekaavatea.	D- 0.55+
	Fill of Linear [1643]		L- 2.0m+
(1642)	. III of Linear [1043]		W- 1.00m
(1042)			
	Cut of Linear	Doctilinger N. Colinsod, Cuts [4.04.7] [4.04.7]	D- 0.55+
[4 C 4 2]	Cut of Linear	Rectilinear. N-S aligned. Cuts [1617] [1645].	L- 2.0m+
[1643]		Unexcavated.	W- 1.00m
			D- 0.55+
	Fill of Pit [1645]		L- 1.22m+
(1644)			W- 0.33m
			D- 0.55+
	Cut of Pit	Assumed ovate. SSW-NNE aligned. Cuts [1617].	L- 1.22m+
[1645]		Cut by [1643]. Unexcavated.	W- 0.33m
			D- 0.55+
	Fill of Terminus		L- 1.7m+

	[1647]		W- 0.43m D- 0.55+
	Cut of Terminus	Terminus. N-S aligned. Cuts [1649].	L- 1.7m+
[1647]		Unexcavated.	W- 0.43m
[==]			D- 0.55+
	Fill of Terminus		L- 1.16m+
(1648)	[1649]		W- 0.30m
(1040)	[1045]		D- 0.55+
	Cut of Terminus	Terminus. NNW-SSE aligned. Cut by [1647].	L- 1.16m+
[1649]	Cat of Terrinias	Unexcavated.	W- 0.30m
[10+5]		onexed valed.	D- 0.55+
	Fill of Posthole		L- 0.25m+
(1650)	[1651]		W- 0.24m
(1000)	[1001]		D- 0.55+
	Cut of Posthole	Assumed ovate. N-S aligned. Unexcavated.	L- 0.25m+
[1651]	Cut of 1 ostriole	7.55amed ovate. W 5 dilghed. Offexedvated.	W- 0.24m
[1031]			D- 0.55+
	Fill of Posthole		L- 0.17m
(1652)	[1653]		W- 0.12m
(1032)	[1033]		D- 0.55+
	Cut of Posthole	Ovate. N-S aligned. Unexcavated.	L- 0.17m
[1653]	Cut of Fostilole	Ovate. 14-3 aligned. Ollexcavated.	W- 0.12m
[1000]			D- 0.55+
	Fill of Posthole		L- 0.21m
(1654)	[1655]		W- 0.18m
(1054)	[1033]		D- 0.55+
	Cut of Posthole	Sub-circular. Unexcavated.	L- 0.21m
[1655]	Cut of Postfiole	Sub-circular. Offexcavated.	W- 0.18m
[1033]			D- 0.55+
	Cill of Dootholo	+	
(1000)	Fill of Posthole		L- 0.23m
(1656)	[1657]		W- 0.18m
	Cut of Posthole	Sub-circular. Unexcavated.	D- 0.55+
[1657]	Cut of Postnoie	Sub-circular. Offexcavated.	L- 0.23m
[1657]			W- 0.18m
	F:II - f D t - -		D- 0.55+
/1CE0\	Fill of Posthole		L- 0.58m
(1658)	[1659]		W- 0.22m
	6 1 (5 11 1	A 1 . F.W. P. 111	D- 0.55+
[4650]	Cut of Posthole	Assumed ovate. E-W aligned. Unexcavated.	L- 0.58m
[1659]			W- 0.22m
	E.H. (D1 . 1		D- 0.55+
(4666)	Fill of Posthole		L- 0.38m
(1660)	[1661]		W- 0.26m
	0		D- 0.55+
[4.004]	Cut of Posthole	Ovate. ESE-WNW aligned. Unexcavated.	L- 0.38m
[1661]			W- 0.26m
			D- 0.55+
	Fill of Posthole		L- 0.14m
(1662)	[1663]		W- 0.10m
			D- 0.55+
_	Cut of Posthole	Ovate. E-W aligned. Unexcavated.	L- 0.14m
[1663]			W- 0.10m
			D- 0.55+
	Fill of Posthole		L- 0.31m
(1664)	[1665]		W- 0.26m
			D- 0.55+
[1665]	Cut of Posthole	Ovate. NE-SW aligned. Unexcavated.	L- 0.31m
[1002]			W- 0.26m

			D- 0.55+
	Fill of Posthole		L- 0.18m
(1666)	[1667]		W- 0.11m
(====)	[200.]		D- 0.55+
	Cut of Posthole	Ovate. E-W aligned. Unexcavated.	L- 0.18m
[1667]			W- 0.11m
			D- 0.55+
	Fill of Posthole		L- 0.15m
(1668)	[1669]		W- 0.13m
			D- 0.55+
	Cut of Posthole	Sub-circular. Unexcavated.	L- 0.15m
[1669]			W- 0.13m
			D- 0.55+
	Fill of Posthole		L- 0.16m
(1670)	[1671]		W- 0.13m
			D- 0.55+
	Cut of Posthole	Sub-circular. Unexcavated.	L- 0.16m
[1671]			W- 0.13m
	Fill of Doodle of		D- 0.55+
(1672)	Fill of Posthole		L- 0.21m
(1672)	[1673]		W- 0.20m D- 0.55+
	Cut of Posthole	Assumed ovate. N-S aligned. Unexcavated.	L- 0.21m
[1673]	Cut of Postfiole	Assumed ovate. N-3 aligned. Offexcavated.	W- 0.20m
[10/3]			D- 0.55+
	Fill of Linear [1675]	Moderate-firm mid orangey grey clayey silt with	L- 3.5m
(1674)	Till of Linear [1075]	inclusions of occasional chalk flecks.	W- 0.54m
(1074)		inclusions of occasional chark ficers.	D- 0.55-0.79
	Cut of Linear	Rectilinear with steep inwards sloping sides and	L- 3.5m
[1675]		a steep concave base. WNW-ESE aligned. Cuts	W- 0.54m
		[1677] [1679].	D- 0.55-0.79
	Fill of Pit [1677]	Soft mottled mid grey brown and mid orange	L- 4.6m
(1676)		brown slightly clayey silt with inclusions of	W- 1.60m+
		moderate chalk flecks.	D- 0.55-0.66
	Cut of Pit	Large ovate with gentle inwards sloping sides	L- 4.6m
[1677]		and a flat base. Cut by [1675].	W- 1.60m+
			D- 0.55-0.66
(4.670)	Fill of Terminus		L- 1.90m+
(1678)	[1679]		W- 0.17m
	Cut of Townsians	Tamaiana af annillia an NNE Calina al Cuta	D- 0.55+
[1679]	Cut of Terminus	Terminus of curvilinear. NNE-S aligned. Cuts [1681]. Cut by [1675]. Unexcavated.	L- 1.90m+
[10/9]		[1681]. Cut by [1675]. Onexcavated.	W- 0.17m D- 0.55+
	Fill of Posthole		L- 0.17m
(1680)	[1681]		W- 0.16m
(1000)	[1001]		D- 0.55+
	Cut of Posthole	Assumed circular. Cut by [1679]. Unexcavated.	L- 0.17m
[1681]	30.0.1.000.1010	The state of the s	W- 0.16m
[·]			D- 0.55+
	Fill of Posthole		L- 0.20m
(1682)	[1683]		W- 0.18m
. ,			D- 0.55+
	Cut of Posthole	Sub-circular. Unexcavated.	L- 0.20m
[1683]			W- 0.18m
			D- 0.55+
Natural	Natural Geology	Brickearth (Compact orange brown silt clay)	0.55+

Trench 17	Dimensions: 32m x 2 Ground level at WSV	2.15m Trench alignment: WSW-ENE W end: 18.10mOD Ground level at ENE end: 18.83	BmOD
Context	Interpretation	Description	Depth (m)
(1700)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.31
(1701)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.31-0.64
(1702)	Colluvium Deposit 'E'	Soft mottled light yellow brown with white grey very slightly clayey silt. S.F.4: Flint scraper. Cut by [1705] [1707] [1709] [1711] [1713]	0.64-0.75
(1703)	Upper Fill of Linear [1705]	Moderately compact mottled dark browny grey and light yellow brown clayey silt with inclusions of occasional chalk flecks and small flints.	L- 1m+ W- 1.12m D- 0.64-1.00
(1704)	Basal Fill of Linear [1705]	Moderately compact mottled dark grey and mid yellow brown silty clay with inclusions of moderate chalk flecks and small flints.	L- 1m+ W- 0.56m D- 1.00-1.09
[1705]	Cut of Linear	Rectilinear with steep inwards sloping sides and a moderate concave, slightly undulating, base. WNW-ESE aligned. Cuts (1702)	L- 1m+ W- 1.12m D- 0.64-1.09
(1706)	Fill of Pit [1707]	Soft mid yellowish grey brown silty clay with inclusions of occasional chalk pieces and small flints.	L- 1.1m W- 0.70m D- 0.64+
[1707]	Cut of Pit	Ovate. NNW-SSE aligned. Cuts (1702). Unexcavated.	L- 1.1m W- 0.70m D- 0.64+
(1708)	Fill of Linear [1709]	Moderate-loose mottled mid browny grey and light grey slightly clayey silt with inclusions of moderate small chalk pieces and occasional Mn flecks and frequent bio. (worms).	L- 2.3m+ W- 0.56m D- 0.64-0.84
[1709]	Cut of Linear	Rectilinear with very gentle inwards sloping sides and a flat base. NW-SE aligned. Cuts (1702).	L- 2.3m+ W- 0.56m D- 0.64-0.84
(1710)	Fill of Terminus [1711]	Friable mottled mid browny grey and light grey slightly clayey silt with inclusions of frequent Mn flecks and chalk flecks and frequent bio. (worms).	L- 1.2m+ W- 0.90m D- 0.64+
[1711]	Cut of Terminus	Terminus. NW-SE aligned. Cuts (1702) [1713]. Unexcavated.	L- 1.2m+ W- 0.90m D- 0.64+
(1712)	Fill of Pit [1713]	Firm mottled mid-light browny grey with mid grey and light yellow brown slightly silty clay with no inclusions.	L- 0.50m W- 0.34m D- 0.64+
[1713]	Cut of Pit	Ovate. E-W aligned. Cuts (1702). Unexcavated.	L- 0.50m W- 0.34m D- 0.64+
Natural	Natural Geology	Firm orangey brown silty clay non-calcareous brickearth.	0.75+

Trench 18	Dimensions: 25m x 2m Trench alignment: WNW-ESE Ground level at WNW end: 18.52mOD Ground level at ESE end: 18.25mOD		
Context	Interpretation	Description	Depth (m)

(1800)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.36
(1801)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.36-0.74
(1802)	Colluvium Deposit 'B'	Mid-dark browny grey slightly clayey silt with inclusions of very occasional chalk flecks. Seals all features in trench.	0.74-0.96
(1803)	Fill of Linear [1804]	Moderate-firm mid orange brown silty clay with inclusions of very occasional Mn flecks.	L- 1.36m+ W- 0.60m D- 0.96-1.15
[1804]	Cut of Linear	Rectilinear with gentle inwards sloping sides and a gentle concave base. NNW-SSE aligned. Cuts (1820).	L- 1.36m+ W- 0.60m D- 0.96-1.15
(1805)	Fill of Pit [1806]	Loose orangey brown silty loam with no inclusions.	L- 1.30m W- 0.80m D- 0.96-1.19
[1806]	Cut of Pit	Ovate with gentle inwards sloping sides and a flat base. NE-SW aligned. Cuts (1820).	L- 1.30m W- 0.80m D- 0.96-1.19
(1807)	Fill of Linear [1808]	Very firm dark orange brown very silty clay with inclusions of occasional Mn flecks and burnt clay flecks.	L- 1.36m+ W- 1.1m D- 0.96-1.25
[1808]	Cut of Linear	Rectilinear with gentle inwards sloping sides and a gentle concave base. NE-SW aligned. Cuts (1820).	L- 1.36m+ W- 1.1m D- 0.96-1.25
(1809)	Upper Fill of Linear [1811]	Loose mid grey brown clayey silt with no inclusions.	L- 1.2m+ W- 0.50m D- 0.96-1.16
(1810)	Basal Fill of Linear [1811]	Firm mid grey brown slightly clayey silt.	L- 1.2m+ W- 0.50m D- 0.96-1.16
[1811]	Cut of Linear	Rectilinear with moderate inwards sloping sides and a gentle concave base. NNW-SSE aligned. Cuts (1820).	L- 1.2m+ W- 0.50m D- 0.96-1.16
(1812)	Fill of Linear [1813]		L- 2.1m+ W- 0.35m D- 0.96+
[1813]	Cut of Linear	Rectilinear. NNE-SSW aligned. Cuts (1820). Unexcavated.	L- 2.1m+ W- 0.35m D- 0.96+
(1814)	Fill of Linear [1815]		L- 2.2m+ W- 0.80m+ D- 0.96+
[1815]	Cut of Linear	Rectilinear. NE-SW aligned. Cuts (1820). Cut by [1817]. Unexcavated.	L- 2.2m+ W- 0.80m+ D- 0.96+
(1816)	Fill of Linear [1817]		L- 1.8m+ W- 0.46m D- 0.96+
[1817]	Cut of Linear	Assumed rectilinear. NNW-SSE aligned. Cuts [1817] (1820). Unexcavated.	L- 1.8m+ W- 0.46m D- 0.96+
(1818)	Fill of Linear [1819]		L- 2.1m+ W- 0.45m D- 0.96+

[1819]	Cut of Linear	Rectilinear. NNE-SSW aligned. Cuts (1820). Unexcavated.	L- 2.1m+ W- 0.45m D- 0.96+
(1820)	Colluvium Deposit 'E'	Light yellow brown v. slightly clayey silt. Cut by all features in trench.	0.96+

Trench 19	Dimensions: 25m x 2m Trench alignment: NNW-SSE Ground level at NNW end: 19.16mOD Ground level at SSE end: 18.07mOD		
Context	Interpretation	Description	Depth (m)
(1900)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.34
(1901)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.34-0.65
(1902)	Colluvium Deposit 'B'	Mid-dark browny grey slightly clayey silt. Seals all features in this trench.	0.65-0.96
(1903)	Fill of Linear [1904]	Soft dark orangey brown silty clay with no inclusions.	L- 1.m+ W- 0.49m D- 0.96-1.14
[1904]	Cut of Linear	Rectilinear with steep and concave inwards sloping sides and a moderate concave base. Aligned NW-SE Cuts (1923).	L- 1.m+ W- 0.49m D- 0.96-1.14
(1905)	Upper Fill of Pit [1908]	Soft mottled mid grey and mid brown clayey silt with no inclusions.	L- 1.4m W- 0.90m D- 0.96-1.24
(1906)	Fill of Pit [1908]	Moderately compact mid grey brown clayey silt with no inclusions.	L- 1.4m W- 0.90m D- 0.96-1.46
(1907)	Basal Fill of Pit [1908]	Firm mottled mid orange and mid brown clayey silt with no inclusions.	L- 1.4m W- 0.90m D- 1.36-1.46
[1908]	Cut of Pit	Ovate with vertical and slightly concave overhanging sides and a flat base. NNW-SSE aligned. Cuts (1924).	L- 1.4m W- 0.90m D- 0.96-1.46
(1909)	Upper Fill of Linear [1913]	Moderately compact mottled mid greyish brown light grey clayey silt with inclusions of occasional Mn flecks and chalk flecks and frequent bio. (worms).	L- 2.2m+ W- 0.80m D- 0.96-1.39
(1910)	Fill of Linear [1913]	Moderate-firm mottled mid-light greyish brown with light yellow brown slightly clayey silt with inclusions of occasional chalk flecks and moderate bio. (worms).	L- 2.2m+ W- 0.70m D- 1.39-1.49
(1911)	Fill of Linear [1913]	Firm mottled dark grey brown with light brown very slightly clayey silt with inclusions of occasional chalk flecks and moderate bio. (worms).	L- 2.2m+ W- 0.45m D- 1.49-1.57
(1912)	Basal Fill of Linear [1913]	Very firm mottled light greyish orange brown with dark grey and mid yellow brown clayey silt with inclusions of frequent Mn flecks and very occasional small chalk flecks and moderate bio. (worms).	L- 2.2m+ W- 0.48m D- 1.51-1.61
[1913]	Cut of Linear	Rectilinear with very steep inwards sloping sides and a flat base. E-W aligned. Cuts (1923) (1924) [1916].	L- 2.2m+ W- 0.80m D- 0.96-1.61
(1914)	Upper Fill of Linear	Moderate-firm mid-light grey brown clayey silt	L- 2.2m+

	[1916]	with inclusions of moderate Mn flecks and chalk	W- 0.52m
		flecks and moderate bio. (worms).	D- 0.96-1.26
	Basal Fill of Linear	Firm light greyish orange brown slightly clayey	L- 2.2m+
(1915)	[1916]	silt with inclusions of very occasional Mn flecks	W- 0.46m
		and chalk flecks and moderate bio. (worms).	D- 1.26-1.32
	Cut of Linear	Rectilinear with moderate inwards sloping sides	L- 2.2m+
[1916]		and a moderate concave base. SW-NE aligned.	W- 0.52m
		Cuts (1923).	D- 0.96-1.32
	Fill of Posthole		L- 0.22m
(1917)	[1918]		W- 0.23m
			D- 0.96+
	Cut of Posthole	Circular. Cuts (1924). Unexcavated.	L- 0.22m
[1918]			W- 0.23m
			D- 0.96+
	Fill of Pit [1920]		L- 1.00m
(1919)			W- 0.55m
			D- 0.96+
	Cut of Pit	Assumed ovate. WSW-ENE aligned. Cuts (1924).	L- 1.00m
[1920]		Unexcavated.	W- 0.55m
			D- 0.96+
	Fill of Linear [1922]		L- 2.3m+
(1921)			W- 0.32m
			D- 0.96+
	Cut of Linear	Rectilinear. NE-SW aligned. Cuts (1923).	L- 2.3m+
[1922]		Unexcavated.	W- 0.32m
			D- 0.96+
(1923)	Colluvium Deposit	Moderately compact mid greyish brown slightly silty clay with inclusions of frequent chalk flecks. Possibly same as (1924), though (1924) is slightly darker in colour. There is sharp change in depth of the natural, with natural visible at approximately 0.2m deep at linears [1913] [1916] and 0.6m at pit [1908]. Localised to this trench. Truncated by all features.	0.96-1.16
(1924)	Colluvium Deposit	Moderately compact mid-dark greyish brown slightly silty clay with inclusions of frequent chalk flecks. Same as (1923). Localised to this trench and Trench 20. Truncated by all features. Non-calcareous brickearth visible in patches at	0.96-1.56
Natural	Natural Geology	base of trench. Some calcareous brick earth visible at base of [1908].	0.96+

Trench 20	Dimensions: 25m x 2.2m Trench alignment: WNW-ESE Ground level at WNW end: 18.96mOD Ground level at ESE end: 18.12mOD			
Context	Interpretation	Description	Depth (m)	
(2000)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.31	
(2001)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.31-0.54	
(2002)	Colluvium Deposit	Moderately compact mid-dark greyish brown slightly silty clay with inclusions of frequent chalk flecks. Same as (1924). Localised to this trench and Trench 19. Seals [2004] [2016] (2017). Cut by [2006] [2010] [2012] [2014].	0.54-0.87	

	Fill of Linear [2004]	Moderately compact mid orangey grey brown	L- 1.14m+
(2003)	Till of Linear [2004]		W- 0.58m
(2003)		clayey silt with no inclusions.	D- 0.87-0.98
	Cut of Linear	Rectilinear with gentle inwards sloping sides and	
[2004]	Cut of Linear		L- 1.14m+
[2004]		a gentle concave base. NW-SE aligned. Sealed by	W- 0.58m
		(2002). Cuts (2017).	D- 0.87-0.98
	Fill of Linear [2006]	Firm mottled dark brown and dark grey/black	L- 2m+
(2005)		silty clay with inclusions of occasional chalk	W- 1.30m
		flecks and frequent charcoal flecks.	D- 0.87-1.17
	Cut of Linear	Rectilinear with gentle-moderate inwards	L- 2m+
[2006]		sloping sides and a gentle concave base. NE-SW	W- 1.30m
		aligned. Cuts (2002).	D- 0.87-1.17
	Upper Fill of Linear	Soft mid greyish brown silty clay with inclusions	L- 1.12m+
(2007)	[2010]	of frequent chalk flecks and occasional small	W- 0.92m
		flints.	D- 0.87-1.22
	Fill of Linear [2010]	Soft mid brown clayey silt with inclusions of	L- 1.12m+
(2008)		occasional chalk flecks.	W- 0.92m
			D- 1.22-1.42
	Basal Fill of Linear	Soft dark brown/black clayey silt with no	L- 1.12m+
(2009)	[2010]	inclusions.	W- 0.92m
			D- 1.42-1.48
	Cut of Linear	Rectilinear with moderate inwards sloping sides	L- 1.12m+
[2010]		and a moderate concave base. NNE-SSW	W- 0.92m
		aligned. Cuts (2002)	D- 0.87-1.48
	Fill of Linear [2012]		L- 2.1m+
(2011)			W- 0.51m
			D- 0.87+
	Cut of Linear	Rectilinear. NNW-SSE aligned. Cuts (2002).	L- 2.1m+
[2012]			W- 0.51m
			D- 0.87+
	Fill of Pit [2014]		L- 0.54m
(2013)			W- 0.54m
			D- 0.87+
_	Cut of Pit	Sub-circular. Cuts (2002). Unexcavated.	L- 0.54m
[2014]			W- 0.54m
			D- 0.87+
	Fill of Terminus		L- 1.5m+
(2015)	[2016]		W- 0.30m
			D- 0.87+
_	Cut of Terminus	Terminus. NW-SE aligned. Sealed by (2002).	L- 1.5m+
[2016]		Unexcavated.	W- 0.30m
			D- 0.87+
	Colluvium Deposit	Mottled light yellow brown with white grey very	
(2017)	'E'	slightly clayey silt. Cut by [2004]. Sealed by	0.87+
		(2002). Forms the base of the SE corner of T20.	
Natural	Natural Geology	Firm mid orange brown silty clay brickearth.	0.87+

Trench 21	Dimensions: 26.4m x 2.05m Trench alignment: WSW-ENE Ground level at WSW end: 19.11mOD Ground level at ENE end: 19.96mOD			
Context	Interpretation	Description	Depth (m)	
(2100)	Topsoil	Soft black lumic silt loam with inclusions of frequent chalk flecks and rounded and sub angular flints and frequent bio.	0.00-0.36	
(2101)	Subsoil	Soft light grey brown clayey silt loam with inclusions of frequent small-medium flints and	0.36-0.66	

		very frequent chalk flecks and pieces and	
		1 .	
		frequent bio.	
	Fill of Terminus	Moderately compact dark grey silty clay with	L- 2.16m+
(2102)	[2103]	inclusions of frequent chalk flecks and	W- 0.47m
		occasional small flints.	D- 0.66-0.75
	Cut of Terminus	Terminus with gentle inwards sloping sides and	L- 2.16m+
[2103]		a gentle concave base. NW-SE aligned.	W- 0.47m
			D- 0.66-0.75
	Upper Fill of Linear	Moderate-soft mid brown clayey silt with	L- 2.m+
(2104)	[2106]	inclusions of moderate chalk flecks and very	W- 1.58m
		occasional charcoal flecks.	D- 0.66-0.96
	Basal Fill of Linear	Soft black brown clayey silt with inclusions of	L- 2.m+
(2105)	[2106]	occasional chalk flecks and small flints and	W- 0.83m
		occasional bio. (worms).	D- 0.96-1.15
	Cut of Linear	Rectilinear with moderate inwards sloping sides	L- 2.m+
[2106]		and a moderate concave base. NW-SE aligned.	W- 1.58m
			D- 0.66-1.15
	Fill of Terminus	Moderately compact dark grey brown clayey silt	L- 1m+
(2107)	[2108]	loam with inclusions of occasional chalk flecks	W- 0.52m
		and Mn flecks.	D- 0.66+
	Cut of Terminus	Terminus. N-S aligned. Unexcavated.	L- 1.1m+
[2108]			W- 0.52m
			D- 0.66+
()	Fill of Pit [2110]	Moderate to firm mid greyish brown clayey silt	L- 0.45m
(2109)		with inclusions of moderate chalk flecks and	W- 0.39m
	C + (B)	moderate bio. (worms).	D- 0.66+
[2110]	Cut of Pit	Sub-ovate. NW-SE aligned. Unexcavated.	L- 0.45m W- 0.39m
[2110]			D- 0.66+
	Natural Geology	Moderately compact mid orange brown	D- 0.00∓
	Tracarar Geology	brickearth and clay silts with inclusions of	
Natural		occasional chalk flecks and 10% chalk scarring	0.66+
		aligned N-S	
1	1	1	

Trench 22	Dimensions: 24.2mx2.10m Trench alignment: E-W Ground level at W end: 17.47mOD Ground level at WNW end: 17.60mOD			
Context	Interpretation	Description	Depth (m)	
(2200)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.34	
(2201)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.34-0.85	
(2202)	Colluvial Deposit 'D'	Soft mid browny grey slightly clayey silt with inclusions of occasional small flints. Same as (2216).	0.85-1.07	
(2203)	Upper Fill of Linear [2205]	Soft mottled mid grey and mid browny grey clayey silt with inclusions of occasional small flints, charcoal flecks and Mn flecks and very occasional chalk flecks.	L- 2.75m+ W- 1.47m D- 1.07-1.39	
(2204)	Basal Fill of Linear [2205]	Soft mottled mid greyish brown and light browny grey clayey silt with inclusions of very occasional Mn flecks.	L- 2.75m+ W- 1m D- 1.39-1.56	

	Cut of Linear	Rectilinear with steep inwards sloping sides and	L- 2.75m+
[2205]	Cut of Linear	a flat base. NW-SE aligned. Sealed by (2202).	W- 1.47m
[2203]		a flat base. NVV-3L diigileu. Sealeu by (2202).	D- 1.07-1.56
	Flint Deposit on Pit	Heat affected flint in a matrix of very soft black	L- 0.85m
(2206)	[2208]	silt with inclusions of frequent charcoal and	W- 0.82m
(2200)	[2200]	occasional chalk flecks. Soil Sample 6.	D- 0.85-0.90
	Fill of Pit [2208]	Soft mottled yellow brown and black soft clay	L- 0.85m
(2207)	FIII OI PIL [2206]	silt and clay with inclusions of very frequent	W- 0.82m
(2207)		charcoal and occasional chalk flecks.	D- 0.90-1.13
	Cut of Pit	Sub-circular with moderate-steep inwards	L- 0.85m
[2200]	Cut of Pit	· · · · · · · · · · · · · · · · · · ·	
[2208]		sloping sides and a steep concave base. Cuts	W- 0.82m
	Fill of Possible	[2210].	D- 0.85-1.13
(2200)		Soft mottled mid brown and black brown silt	L- 3.4m
(2209)	SFB/Pit [2210]	clay with inclusions of frequent flint and chalk	W- 2.22m
	0	flecks. Soil Sample 7.	D- 0.85-1.12
	Cut of Possible	Sub-rectangular with protrusion at centre of SE	L- 3.4m
[2210]	SFB/Pit	end, though no postholes visible, with steep	W- 2.22m
[]		inwards sloping sides and a flat base. SE-NW	D- 0.85-1.12
		aligned. Cut by [2208]. Cuts [2213].	
	Fill of Linear [2213]	Moderately compact dark brown clayey silt with	L- 2.1m+
(2211)		inclusions of moderate chalk flecks and	W- 2.32m
		occasional small flints.	D- 0.85-1.10+
	Fill of Linear [2213]	Soft mottled mid yellow and mid brown silty	L- 2.1m+
(2212)		clay with inclusions of occasional charcoal flecks	W- n/a
		and chalk flecks.	D- 1.10+
	Cut of Linear	Rectilinear probable west flanking ditch for	L- 2.1m+
[2213]		trackway [2221]. N-S aligned. Cut by [2210].	W- 2.32m
		Cuts [2215].	D- 0.85-1.10+
	Fill of Pit/Linear	Soft dark greenish grey brown clayey silt loam	L- 1.46m+
(2214)	[2215]	with inclusions of moderate flints and chalk	W- 0.55m+
, ,	, ,	flecks and occasional charcoal flecks.	D- 1.12-1.32
	Cut of Pit/Linear	Shape in plan unknown. Moderate inwards	L- 1.46m+
[2215]	,	sloping sides and a gentle concave base. Aligned	W- 0.55m+
		SE-NW. Cuts (2216). Cut by [2213].	D- 1.12-1.32
	Colluvial Deposit	Soft mid browny grey slightly clayey silt with	
(2216)	'D'	inclusions of occasional small flints. Same as	0.85-1.02+
, ,		(2202).	
	Upper Fill of	Soft dark grey brown clayey silt with inclusions	L- 2.1m+
(2217)	Trackway [2221]	of occasional chalk flecks.	W- 3.31m+
, ,	, , , ,		D- 0.85-1.23
	Fill of Trackway	Soft mid-light brown silt with very inclusions of	L- 2.1m+
(2218)	[2221]	frequent chalk flecks.	W- 1.8m+
(2210)	[2221]	mequent onanchesis.	D- 1.23-1.43
	Fill of Trackway	Moderate-soft dark grey brown clay silt with	L- 2.1m+
(2219)	[2221]	inclusions of occasional chalk flecks, Mn flecks	W- 4.4m+
(2213)	[]	and charcoal flecks.	D- 1.23-1.63
	Basal Fill of	Firm mid-light grey brown very clayey silt with	L- 2.1m+
	Trackway [2221]	inclusions of occasional chalk flecks, as a matrix	W- 4.12m+
(2220)	ITACKWAY [ZZZI]	surrounding sporadic possible metalling of small	D- 1.20-1.46 /
	Cut of Traderies	rounded gravels.	1.76-1.86
[2224]	Cut of Trackway	Rectilinear with gentle inwards sloping sides and	L- 2.1m+
[2221]		a flat base. SSW-NNE aligned. Cuts (2216),	W- 4.4m+
	1 1 10 11 1 1	(2222)	D- 0.85-1.86
	Localised Colluvial	Moderately compact medium-dark brown	L- 2.1m+
(2222)	Deposit	slightly clayey silt with inclusions of very	W- 3.24m+
` '		occasional charcoal flecks and occasional Mn	D- 1.46-1.80
	i	flecks. Localised to this trench. Cut by [2221]	1
(2223)	Localised Colluvial	Moderate-soft mid brown sandy silt loam with	L- 2.1m+

	Deposit	inclusions of frequent Mn flecks and moderate	W- 2.98m+
		charcoal flecks. Localised to this trench.	D- 1.80-2.08
(222.1)	Fill of Possible SFB	Soft black brown clay silt with inclusions of	L- 3.25m
(2224)	[2225]	frequent flints, chalk flecks and charcoal flecks.	W- 0.90m+ D- 0.85+
	Cut of Possible SFB	Rectangular. E-W aligned. Cuts (2202).	L- 3.25m
[2225]		Unexcavated.	W- 0.90m+
			D- 0.85+
	Fill of Possible SFB	Soft very dark brown clay silt with inclusions of	L- 3.07m
(2226)	[2227]	frequent flints, chalk flecks and charcoal flecks.	W- 0.78m+
			D- 0.85+
	Cut of Possible SFB	Rectangular. E-W aligned. Cuts (2202).	L- 3.07m
[2227]		Unexcavated.	W- 0.78m+
			D- 0.85+
	Fill of Posthole	Moderately compact mid brown silt loam with	L- 0.25m
(2228)	[2229]	inclusions of occasional chalk flecks and flints.	W- 0.25m
			D- 0.85+
	Cut of Posthole	Sub-ovate. N-S aligned. Sealed by SFB [2227].	L- 0.25m
[2229]		Cuts (2202). Unexcavated.	W- 0.25
			D- 0.85+
	Fill of Pit [2231]	Soft dark brown clay silt with inclusions of	L- 0.63m+
(2230)		occasional chalk flecks and flints.	W- 1.24m
			D- 0.85+
	Cut of Pit	Sub-ovate. Cuts (2202). Unexcavated.	L- 0.63m+
[2231]			W- 1.24m
			D- 0.85+
Natural	Natural Geology	Compact light orange slightly silty brickearth overlaying yellow silty sand with inclusions of chalk flecks.	1.07m+

Trench 23	Dimensions: 23m x 2.06m Trench alignment: N-S Ground level at N end: 18.75mOD Ground level at S end: 17.59mOD		
Context	Interpretation	Description	Depth (m)
(2300)	Topsoil	Very soft black brown lumic clayey silt loam with inclusions of frequent flints and frequent bio.	0.00- 0.32(N) / 0.38(S)
(2301)	Subsoil	Moderately compact greyish brown clay silt with inclusions of occasional flints and moderate bio.	0.32-0.60 / 0.38-0.70
(2302)	Colluvium Deposit 'A'	Soft mid grey brown clayey silt with inclusions of very occasional chalk flecks and small flints. Seals all features in this trench.	0.60-0.82 / 0.70-1.06
(2303)	Upper Fill of Pit [2309]	Moderately compact mid grey brown silty clay with inclusions of occasional chalk flecks.	L- 0.82+m W- 1.24m D- 1.06-1.25
(2304)	Fill of Pit [2309]	Soft-moderate, very dark grey, slightly clayey silt with inclusions of very frequent charcoal flecks and occasional chalk flecks. Soil Sample 4.	L- 0.82+m W- 1.20m D- 1.17-1.39
(2305)	Fill of Pit [2309]	Moderately compact mid-dark grey brown very silty clay with inclusions of occasional chalk flecks.	L- n/a W- 0.52m D- 1.29-1.47
(2306)	Fill of Pit [2309]	Moderately compact mid browny grey clayey silt with inclusions of frequent large sub-round and sub-angular flints, patches of light green clay and occasional charcoal flecks.	L- n/a W- 1.36m D- 1.25-1.49
(2307)	Fill of Pit [2309]	Soft mid brown slightly clayey silt with inclusions	L- n/a

		of occasional chalk flecks.	W- 1.44m
			D- 1.49-1.61
	Basal Fill of Pit	Very soft mid-light yellowy brown slightly clayey	L- n/a
(2308)	[2309]	silt with inclusions of occasional small angular	W- 1.30m
		flints and very occasional chalk flecks.	D- 1.60-1.72
	Cut of Pit	Assumed ovate with concave undercutting sides	L- 0.82m+
[2309]		and a flat base. Cuts (2310). Sealed by (2302).	W- 1.80m
			D- 1.06-1.72
	Colluvium Deposit	Friable light browny grey slightly clayey silt with	
(2310)	'D'	inclusions of very occasional flints. Cut by both	0.82-1.06
		features on trench	
	Fill of Linear [2312]		L- 2.45m+
(2311)			W- 0.45m
			D- 1.06+
	Cut of Linear	Rectilinear. NW-SE aligned. Cuts (2310). Sealed	L- 2.45m+
[2312]		by (2302). Unexcavated.	W- 0.45m
			D- 1.06+
(2313)	Colluvium Deposit 'E'	Friable light yellow brown very slightly clayey silt with inclusions of occasional Mn flecks.	1.06+

Trench 24	Dimensions: 23m x 2.06m Trench alignment: NW-SE Ground level at NW end: 18.27mOD Ground level at SE end: 18.51mOD		
Context	Interpretation	Description	Depth (m)
(2400)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.34
(2401)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.34-0.75
(2402)	Fill of Quarry [2404]	Soft dark browny grey clayey silt with inclusions of occasional small angular flints and chalk flecks and very occasional charcoal flecks.	L- 2m+ W- 8m+ D- 0.75-1.20
(2403)	Fill of Quarry [2404]	Firm dark browny grey clayey silt with inclusions of very occasional chalk flecks and flints and occasional charcoal flecks.	L- 2m+ W- 4m+ D- 1.05-1.35+
[2404]	Cut of Quarry	Large assumed ovate with steep inwards sloping sides with an undulating base and no clear alignment. Cuts [2407] (2408).	L- 2m+ W- 8m+ D- 0.75-1.35+
(2405)	Upper Fill of Linear [2407]	Soft mottled mid browny grey with light grey brown clayey silt with inclusions of very occasional chalk flecks.	L- 2m+ W- 2.42m D- 1.20-1.38
(2406)	Basal Fill of Ditch [2407]	Firm mottled light greyish brown with mid browny grey clayey silt with inclusions of moderate chalk pieces and very occasional charcoal flecks.	L- 2m+ W- 2.42m D- 1.38-1.86
[2407]	Cut of Linear	Rectilinear probable east trackway flanking ditch with moderate inwards sloping sides and a gentle concave base. NNE-SSW aligned. Cuts (2418). Cut by [2404].	L- 2m+ W- 2.42m D- 1.20-1.86
(2408)	Colluvium Deposit 'A'	Soft mid grey brown clayey silt with inclusions of occasional chalk flecks, small angular flints and very occasional charcoal flecks. Cut by [2404], seals (2416).	0.75-1.00
(2409)	Fill of Terminus [2410]	Moderate-firm mid orangey brown silty clay with no inclusions.	L- 0.8m+ W- 0.80m D- 1.00-1.22

	Cut of Terminus	Terminus with moderate inwards sloping sides	L- 0.8m+
[2410]		and a moderate concave base. NNE-SSW	W- 0.80m
		aligned. Cuts [2412] [2415]. Sealed by (2408).	D- 1.00-1.22
	Fill of Posthole	Moderate-firm mid browny orange clayey silt	L- 0.30m
(2411)	[2412]	with no inclusions.	W- 0.30m
			D- 1.22-1.35
	Cut of Posthole	Circular with gentle-steep inwards sloping sides	L- 0.30m
[2412]		and a moderate concave base. Cut by [2410].	W- 0.30m
			D- 1.22-1.35
	Post Pipe in	Moderate-firm dark orange brown clayey silt	L- 0.22m
(2413)	Posthole [2415]	with no inclusions.	W- 0.20m
			D- 1.11-1.35
	Post Packing Fill of	Moderately compact light orange brown clayey	L- 0.42m
(2414)	Posthole [2415]	silt with no inclusions.	W- 0.40m
			D- 1.11-1.35
	Cut of Posthole	Circular with steep inwards sloping sides and a	L- 0.42m
[2415]		moderate concave base.	W- 0.40m
			D- 1.11-1.35
	Colluvium Deposit	Soft mid-dark browny grey slightly clayey silt	
(2416)	'B'	with inclusions of very occasional chalk flecks	0.83-1.05
, ,		and charcoal flecks. Sealed by (2408), seals	
	0.11 1 0 11	(2416)	
	Colluvium Deposit	Firm mottled dark grey brown with light yellow	
(2417)	'C'	brown slightly clayey silt with inclusions of very	1.05-1.2+
		occasional chalk flecks and charcoal flecks.	
	Colluvium Donosit	Sealed by (2416)	
	Colluvium Deposit	Firm light browny grey slightly clayey silt with inclusions of occasional chalk flecks and small	
(2418)	ט		1.2+
		flints. Cut by [2407]. Only seen at the base of [2407]. Seals (2419)	
	Colluvium Deposit	Firm mottled light yellow brown with white grey	
	'F'	very slightly clayey silt with inclusions of very	
(2419)	_	occasional chalk flecks. Cut by [2407]. Only seen	1.2+
		at the base of [2407]. Sealed by (2418)	
	Natural Geology	Compact mid orange brown brickearth	
		overlaying yellow silty sand with inclusions of	0.66+ (SE) /
Natural		chalk flecks overlaying chalk with inclusions of	1.1m+
		occasional modular flints. Visible at SE half of	(middle)
		trench.	,

Trench 25	Dimensions: 25m x 2.2m Trench alignment: WNW-ESE Ground level at WNW end: 18.21mOD Ground level at ESE end: 19.33mOD		
Context	Interpretation	Description	Depth (m)
(2500)	Topsoil	Soft black/brown humic clayish silt loam with frequent bio and occasional flint inclusions	0.00-0.35
(2501)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.35-0.67
(2502)	Upper Fill of Linear [2504]	Moderately compact mottled mid-light greyish brown with mid orange brown slightly clayey silt with inclusions of very occasional chalk flecks and moderate Mn flecks and moderate bio. (worms).	L- 1.4m+ W- 0.70m D- 0.72-0.82
(2503)	Basal Fill of Linear [2504]	Firm mottled light greyish orange brown with dark grey slightly clayey silt with inclusions of	L- 1.4m+ W- 0.50m D- 0.82-0.92

		occasional Mn flecks and occasional bio.	
		(worms).	
	Cut of Linear	Rectilinear with moderate inwards sloped sides	
[2504]	eat or Emear	and a flat base. NNW-SSE aligned. Cuts [2506].	L- 1.4m+
[2504]			W- 0.70m
		Sealed by (2507).	D- 0.72-0.92
	Fill of Posthole	Moderately compact mottled light greyish	L- 0.40m
(2505)	[2506]	yellow brown with mid yellow brown slightly	W- 0.30m
(====)		clayey silt with inclusions of moderate Mn flecks	D- 0.72-0.80
		and moderate bio. (worms).	
	Cut of Posthole	Ovate with gentle inwards sloping sides and a	L- 0.40m
[2506]		flat base. NW-SE aligned. Cut by [2506]. Sealed	W- 0.30m
		by (2507).	D- 0.72-0.80
	Colluvium Deposit	Firm mottled mid greyish light brown and mid	
	'C'	yellow brown clayey silt with inclusions of	
(2507)		moderate chalk flecks and Mn flecks and	0.67-0.77
		moderate bio. (worms). Seals all features in	
		trench except [2530].	
	Colluvium Deposit	Firm mottled light greyish brown with white	
(2508)	'E'	slightly clayey silt with inclusions of occasional	0.74-0.83
		chalk flecks and moderate bio. (worms).	
	Upper Fill of Recut	Moderately compact mottled very dark browny	
	Linear [2512]	grey and mid grey with light brown clayey silt	L- 2.2m+
(2509)		with inclusions of frequent charcoal and	W- 0.56m
		occasional Mn flecks and moderate bio.	D- 0.77-1.07
		(worms).	
	Fill of Recut Linear	Moderately compact mid browny grey clayey silt	L- 2.2m+
(2510)	[2512]	with inclusions of moderate Mn flecks and	W- 1.27m
		moderate bio. (worms).	D- 0.77-1.13
	Basal Fill of Recut	Moderately compact very light brownish grey	L- 2.2m+
(2511)	Linear [2512]	clayey silt with inclusions of moderate Mn flecks	W- 0.08m
		and moderate bio. (worms).	D- 0.87-0.97
	Cut of Recut Linear	Rectilinear with gentle inwards sloping sides and	L- 2.2m+
[2512]		a gentle concave base. NW-SE aligned. Cuts	W- 1.27m
		[2525]. Sealed by (2507).	D- 0.77-1.13
	Upper Fill of Linear	Moderately compact light grey brown clayey silt	L- 2.2m+
(2513)	[2519]	with inclusions of occasional chalk flecks and Mn	W- 0.32m
		flecks and moderate bio. (worms).	D- 0.77-0.96
	Fill of Linear [2519]	Moderate-firm mid-light browny grey with	L- 2.2m+
(2514)		inclusions of occasional chalk flecks and	W- 0.43m
		moderate Mn flecks and moderate bio. (worms).	D- 0.96-1.10
	Fill of Linear [2519]	Moderate-loose mottled mid-light orange	L- 2.2m+
(2515)		brown and dark grey slightly clayey silt with	W- 0.86m
(====)		inclusions of occasional charcoal flecks and	D- 1.10-1.23
		moderate Mn flecks and moderate bio. (worms).	
	Fill of Linear [2519]	Moderate-loose mottled very dark browny grey	L- 2.2m+
(2516)		with light brown clayey silt with inclusions of	W- 0.36m
(/		moderate Mn flecks and frequent charcoal	D- 1.23-1.33
	FIII 644 5=====	flecks and occasional bio. (worms).	
(a = 1 = 1	Fill of Linear [2519]	Moderately compact mid greyish brown clayey	L- 2.2m+
(2517)		silt with inclusions of moderate Mn flecks and	W- 0.27m
	B 1500 671	moderate bio. (worms).	D- 1.20-1.36
	Basal Fill of Linear	Very firm very dark browny grey slightly clayey	L- 2.2m+
(2518)	[2519]	silt with inclusions of moderate Mn flecks and	W- 0.25m
,		occasional charcoal flecks and moderate bio.	D- 1.35-1.54
	0	(worms).	
[2519]	Cut of Linear	Rectilinear with moderate-very steep inwards	L- 2.2m+
		sloping sides and a flat base. NW-SE aligned.	W- 1.25m

		Recut by [2512]. Cut by [2525], cuts (2508)	D- 0.77-1.54
(2520)	Fill of Linear [2519]	Very firm light greyish orange brown very clayey silt with moderate bio. (worms).	L- 1m+ W- 0.55m D- 1.33-1.38
(2521)	Fill of Linear [2519]	Moderately compact mottled mid-light grey brown with dark grey clayey silt with inclusions of very occasional Mn flecks and moderate bio. (worms).	L- 1m+ W- 0.60m D- 1.06-1.17
(2522)	Colluvium Deposit	Firm mottled light greyish brown with whitish yellow brown slightly clayey silt with inclusions of frequent Mn flecks and occasional chalk flecks. Cut by [2512], [2519], [2525].	0.82-0.90
(2523)	Colluvium Deposit	Very firm mottled mid greyish orange brown, white grey, mid grey and yellow brown very clayey silt with inclusions of occasional Mn flecks. Cut by [2512], [2519], [2525].	0.90-1.00+
(2524)	Fill of Pit [2525]	Moderate-loose mottled light grey brown with light yellow brown slightly clayey silt with inclusions of moderate chalk flecks and moderate bio. (worms).	L- 0.80m+ W- 0.20m+ D- 0.74-0.92
[2525]	Cut of Pit	Ovate with moderate inwards sloping sides and a v-shaped base. Cut by [2512], cuts [2519].	L- 0.80m+ W- 0.20m+ D- 0.74-0.92
(2526)	Deposit	Moderately compact mid greyish orange brown with light yellow brown clayey silt with inclusions of moderate chalk flecks. Same as (2609).	L- 2.2m+ W- 4.56m D- 0.45-0.60
(2527)	Fill of Pit [2528]	Moderately compact light greyish orange brown clayey silt with inclusions of moderate chalk and Mn flecks and bio. (worms).	L- 1.00m+ W- 0.7m+ D- 0.74m+
[2528]	Cut of Pit	Ovate. WNW-ESE aligned. Cuts (2508), sealed by (2507). Unexcavated.	L- 1.00m+ W- 0.7m+ D- 0.74m+
(2529)	Fill of terminus [2530]		L- 1.5m+ W- 0.3m D- 0.45m+
	0	Terminus aligned SSW-NNE. Cuts (2508), sealed	L- 1.5m+
[2530]	Cut of terminus Natural Geology	by (2507). Unexcavated	W- 0.3m D- 0.45m+

Trench 26	Dimensions: 25m x 2m Trench alignment: NNE-SSW Ground level at SSW end: 19.18mOD Ground level at NNE end: 20.30mOD		
Context	Interpretation	Description	Depth (m)
(2600)	Topsoil	Soft black humic clayey silt loam with inclusions of frequent flints and chalk flecks and frequent bio.	0.00-0.34
(2601)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.34-0.44
(2602)	Upper Fill of Recut Linear [2606]	Moderately compact mid grey brown clayey silt with inclusions of very occasional chalk flecks and small flints and moderate bio. (worms).	L- 2.2m+ W- 0.66m D- 0.44-0.68
(2603)	Fill of Recut Linear [2606]	Moderate-firm mid-light greyish brown clayey silt with inclusions of very occasional chalk flecks and small flints and moderate bio. (worms).	L- 2.2m+ W- 0.85m D- 0.68-0.77

	Fill of Recut Linear	Firm light greyish yellow brown slightly clayey	L- 2.2m+
(2604)	[2606]	silt with inclusions of frequent small-medium	W- 0.60m
		angular flints and moderate bio. (worms).	D- 0.77-0.90
	Fill of Recut Linear	Very firm mid greyish orange brown clayey silt	L- 2.2m+
(2605)	[2606]	with inclusions of moderate small-medium	W- 0.46m
		angular flints and very occasional chalk flecks.	D- 0.87-0.96
	Cut of Recut Linear	Rectilinear with very steep inwards sloping sides	L- 2.2m+
[2606]		and an undulating base. WNW-ESE aligned.	W- 0.85m
		Recut of [2608].	D- 0.44-0.96
	Fill of Linear [2608]	Moderately compact light greyish orange brown	L- 2.2m+
(2607)		slightly clayey silt with inclusions of moderate	W- 1.20m
, ,		small-medium flints and occasional chalk flecks.	D- 0.44-0.61
	Cut of Linear	Rectilinear with very gentle (S) and steep (N)	L- 2.2m+
[2608]		inwards sloping sides. Base cut out by [2608].	W- 1.20m
		WNW-ESE aligned. Recut by [2606].	D- 0.44-0.61
	Fill of Deposit	Moderately compact mid greyish orange brown	
	[2610]	slightly clayey silt with inclusions of moderate	L- 2.4m+
(2609)		chalk flecks and occasional chalk flecks. Same as	W- 1.6m+
		(2526).	D- 0.44-0.55
	Cut of Deposit	Irregular ovate with very gentle inwards sloping	I - 2.4m+
[2610]	cut of Deposit		W- 1.6m+
[2010]		sides and a gently south sloping base.	D- 0.44-0.55
	Natural Goology	Brickearth to south of trench overlying chalk,	D- 0.44-0.33
Natural	Natural Geology	with 40% chalk scarring to north of trench.	0.44+

Trench 27	Dimensions: 25.5m x 2.2m Trench alignment: NNE-SSW Ground level at SSW end: 19.85mOD Ground level at NNE end: 21.26mOD		
Context	Interpretation	Description	Depth (m)
(2700)	Topsoil	Soft black humic clayey silt loam with inclusions of frequent flints and chalk flecks and frequent bio.	0.36
Natural	Natural Geology	Brickearth with stripes of compact green-grey clay in NNE half of trench and one chalk scar at NNE end.	0.36+

Trench 28	Dimensions: 25m x 2.2m Trench alignment: NW-SE Ground level at NW end: 21.67mOD Ground level at SE end: 21.85mOD		
Context	Interpretation	Description	Depth (m)
(2800)	Topsoil	Soft black humic clayey silt loam with inclusions of frequent flints and chalk flecks and frequent bio.	0.28
Natural	Natural Geology	Compact mid-light greenish grey clay with occasional patches of mid orange sand and 10% chalk scarring aligned NE-SW. Final 2m of NW end of trench is brickearth.	0.28+

Trench 29	Dimensions: 24m x 2.2m Trench alignment: WNW-ESE	
	Ground level at WNW end: 20.95OD Ground level at WNW end: 22.03mOD	

Context	Interpretation	Description	Depth (m)
(2900)	Topsoil	Soft black humic clayey silt loam with inclusions of frequent flints and chalk flecks and frequent bio.	0.37
Natural	Natural Geology	Compact mid-light greenish grey clay overlying chalk and occasional chalk scarring at WNW end, getting more frequent towards ESE end.	0.37+

Trench 30	Dimensions: 25m x 2.19m Trench alignment: NW-SE Ground level at NW end: 22.88mOD Ground level at WNW end: 22.57mOD		
Context	Interpretation	Description	Depth (m)
(3000)	Topsoil	Soft black humic clayey silt loam with inclusions of frequent flints and chalk flecks and frequent bio.	0.00-0.35
(3001)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.35- 0.56/0.70
(3002)	Fill of Quarry [3003]	Loose-moderate mid-dark greyish brown loam with inclusions of very frequent redeposited small-medium chalk pieces and occasional bio. (worms). Same as (3008)	L- 4.4m W- 1.24m+ D- 0.44-0.57
[3003]	Cut of Quarry	Irregular shape in plan with gentle inwards sloping sides and a SE sloping base. NW-SE aligned. Same as [3012] [3017].	L- 4.4m W- 1.24m+ D- 0.44-0.57
(3004)	Void	-	
(3005)	Void	-	
(3006)	Fill of Terminus [3007]	Loose redeposited small-medium chalk pieces in a matrix of a mid-dark greyish brown loam.	L- 1.2m+ W- 1.75m D- 0.35-0.55
[3007]	Cut of Terminus	Terminus with moderate inwards sloping sides and a moderate concave base. NNE-SSW aligned.	L- 1.2m+ W- 1.75m D- 0.35-0.55
(3008)	Upper Fill of Quarry [3012]	Moderately compact very dark grey clayey silt with inclusions of frequent chalk flecks/pieces, occasional small sub-angular flints and very occasional charcoal flecks and burnt clay flecks. Same as (3002).	L- 1m+ W- 1.1m+ D- 0.56-0.94
(3009)	Fill of Quarry [3012]	Compact mid grey brown clayey silt with inclusions of frequent chalk pieces/flecks, occasional small rounded and sub-angular flints and very occasional charcoal flecks. Same as (3013).	L- 1m+ W- 1.1m+ D- 0.60-0.97
(3010)	Fill of Quarry [3012]	Hard light grey brown clayey silt with inclusions of very frequent small-large chalk pieces and occasional burnt clay flecks and charcoal flecks. Same as (3015).	L- 1m+ W- 1.1m+ D- 0.97-1.22
(3011)	Basal Fill of Quarry [3012]	Redeposited chalk pieces in a matrix of loose dark grey silty clay with inclusions of occasional angular flints.	L- 1m+ W- 1.1m+ D- 1.22-1.52
[3012]	Cut of Quarry	Large ovate quarry causing a defined dip in field height with moderate to steep inwards sloping sides and an undulating base. Aligned ~NW-SE in trench. Full extent unknown. Same as [3003]	L- 1m+ W- 1.1m+ D- 0.56-1.52

		[3017].	
(3013)	Upper Fill of Quarry [3017]	Compact mid grey brown clayey silt with inclusions of frequent chalk pieces/flecks, occasional small round and sub-angular flints and very occasional charcoal flecks. Same as (3009).	L- 0.85m+ W- 1.35m+ D- 0.70-1.0/ 1.09-1.35
(3014)	Fill of Quarry [3017]	Moderate-soft very dark grey silty clay with inclusions of frequent chalk flecks/pieces and occasional charcoal flecks.	L- 0.85m+ W- 1.35m+ D- 1.0-1.31/ 1.35-1.65
(3015)	Fill of Quarry [3017]	Hard light grey brown clayey silt with very frequent small-large chalk pieces and occasional charcoal flecks and burnt clay flecks. Same as (3010).	L- 0.85m+ W- 1.35m+ D- 1.31-1.75/ 1.65-1.90
(3016)	Basal Fill of Quarry [3017]	Redeposited chalk pieces in a matrix of loose dark grey silty clay with inclusions of occasional angular flints. Same as (3011).	L- 0.85m+ W- 0.92m+ D- 1.75-1.95+
[3017]	Cut of Quarry	Large ovate quarry. Sides not present in base. Feature not bottomed.	L- 0.85m+ W- 1.35m+ D- 0.70-1.95+
Natural	Natural Geology	Bedrock chalk.	0.34+

Trench 31	Dimensions: 22m x 2.2m Trench alignment: NNE-SSW Ground level at NNE end: 22.55mOD Ground level at SSW end: 21.85mOD		
Context	Interpretation	Description	Depth (m)
(3100)	Topsoil	Soft black humic clatish silt loam with frequent flint and chalk fleck inclusions	0.00-0.37
Natural	Natural Geology	Bedrock chalk.	0.37+

Trench 32	Dimensions: 24.1m x 2.1m Trench alignment: WNW-ESE Ground level at WNW end: 19.98mOD Ground level at ESE end: 21.33mOD			
Context	Interpretation	Description	Depth (m)	
(3200)	Topsoil	Soft black humic clayey silt loam with inclusions of frequent flints and chalk flecks and frequent bio.	0.00-0.30	
(3201)	Subsoil	Moderately compact mid grey clay silt with inclusions of frequent flints and frequent bio.	0.30-0.50	
(3202)	Upper Fill of Recut Pit/Grave Cut [3209]	Moderately compact darkish brown clay silts with inclusions of frequent chalk pieces,	L- 1.5m W- 1.19m+ D- 0.50-0.84	
(3203)	Fill of Recut Pit/Grave Cut [3209]	moderate to firm dark brown slightly clayish silt with very frequent chalk pieces and occasional small flint & charcoal inclusions.	L- 0.85m+ W- 1.22m+ D- 0.84-1.10	
(3204)	Fill of Recut Pit/Grave Cut [3209]	Redeposited chalk pieces in a matrix of soft midbrown clayish silt. A slump into the Recut from the 'E' on top of possible coffin/lining (3206). Redeposited (3210).	L- 0.25m W- 1m D- 0.88-1.10	
(3205)	Fill of Recut Pit/Grave Cut [3209]	Moderate to soft very dark brown silty clay with frequent chalk pieces and occasional angular flint and charcoal fleck inclusions.	L- 1m W- 0.35m D- 0.93-1.03	
(3206)	Fill of Recut Pit/Grave Cut	Soft black band of dense charcoal with clays surrounding (3207). Possible coffin or organic	L- 1.1m W- 0.6m	

	[3209]	wrapping for iInhumation (3208). Not fully excavated.	T- 0.04m D- 0.95-1.10
(3207)	Fill of Recut Pit/Grave Cut [3209]	Soft light brown very slightly clayish silt with frequent chalk pieces surrounding Inhumation (3208). Not fully excavated.	L- 1.1m W- 0.6m+ D- 0.95-1.25
(3208)	Inhumation within [3209]	Partial remains of articulated human inhumation. Skull and part of right shoulder exposed lying on left hand side facing south. Not excavated.	-
[3209]	Cut of Recut Pit/Grave cut	Sub circular pit with vertical sides and no base or alignment visible during excavation. Grave cut.	L- 1.5m W- 1.19m+ D- 0.50-1.25
(3210)	Fill of Pit [3215]	Firm light grey brown slightly clayish silt surrounding possible redeposited chalk with occasional small angular flint inclusions.	L- 2.31m W- 1.48m+ D- 0.46-0.92
(3211)	Fill of Pit [3215]	Moderately compact light brown clay silt with occasional angular flint, chalk pieces and very occasional charcoal fleck inclusions.	L- 1.4m+ W- 0.32m D- 0.90-1.18
(3212)	Fill of Pit [3215]	Redeposited chalk in a matrix of soft light grey silt clay with no inclusions.	L- 1.4m+ W- 0.32m D- 1.18-1.33
(3213)	Fill of Pit [3215]	soft light brown clayey silt with very frequent charcoal pieces with chalk inclusions.	L- 1.4m+ W- 0.30m D- 0.37-1.10+
(3214)	Fill of Pit [3215]	Very soft black brown silty clay with frequent charcoal pieces and burnt clay with occasional chalk piece and flint inclusions.	L- 0.3m+ W- 0.51m D- 1.33-1.47
[3215]	Cut of Pit	Sub-circular pit cut with overhanging to vertical sides and a flat base. No clear alignment. recut by grave cut [3215]	L- 2.31m W- 1.48m+ D- 0.37-1.47
Natural	Natural Geology	Bedrock chalk with a looser frost-cracked chalk to E end of trench.	0.37m+

Trench 33	Dimensions: 25m x 2.2m Trench alignment: NNE-SSW Ground level at NNE end: 21.20 mOD Ground level at SSW end: 20.66 mOD			
Context	Interpretation	Description	Depth (m)	
(3300)	Topsoil	Soft black brown humic silty loam with significant bio and occasional flint inclusions.	0.00-0.28	
(3301)	Subsoil	Moderately compact mid brown clayey silt with occasional flint, Mn fleck and bio inclusions.	0.28- 0.53/0.40	
(3302)	Colluvial Deposit 'A'	Sof darkish grey brown slightly clayish silt with occasional chalk flecks and bio inclusions. Seals all features.	0.53-0.65	
(3303)	Upper Fill of Quarry [3306]	Moderate to firm mottled brown and beige silty clay with occasional Mn flecks and frequent chalk fleck inclusions. Same as (3307)	L- 1.47m+ W- 1.2m+ D- 0.53-0.80	
(3304)	Fill of Quarry [3306]	Moderate to firm black brown with beige mottling silty clay with frequent chalk flecks. Same as (3308)	L-1.47m+ W- 1.2m+ D- 0.80-1.05	
(3305)	Fill of Quarry [3306]	Firm mottled dark brown and grey silty clay with frequent chalk fleck inclusions. Same as (3309)	L-1.08m+ W- 1.2m+ D- 1.05-1.34	

	Cut of Quarry	Ovate quarry cut with steep inward sloping to	L- 1.47m+
[3306]		near vertical sides and undulating base and no	W- 1.2m+
		clear alignment. Same as [3310]	D- 0.53-1.34
	Upper Fill of	Moderate to firm mottled brown and beige silty	L-1.7m+
(3307)	Quarry [3310]	clay with occasional Mn flecks and frequent	W- 1.2m+
		chalk fleck inclusions. Same as (3303)	D- 0.53-0.94
	Fill of Quarry	Moderate to firm black brown with beige	L- 1.37m+
(3308)	[3310]	mottling silty clay with frequent chalk flecks.	W- 1.2m+
		Same as (3304)	D- 0.94-1.15
	Fill of Quarry	Firm mottled dark brown and grey silty clay with	L- 1.32m+
(3309)	[3310]	frequent chalk fleck inclusions. Same as (3305)	W- 1.2m+
			D- 1.15-1.42
	Cut of Quarry	Ovate quarry cut with steep inward sloping to	L- 1.7m+
[3310]		near vertical sides and undulating base and no	W- 1.2m+
		clear alignment. Same as [3306]	D- 0.53-1.42
	Natural Geology	80% chalk with glacial scarring aligned SE-NW in-	
Natural		filled with calcareous and non-calcareous brick	0.40+ / 0.65+
		earth, turning to non-calcareous brickearth at	0.40+ / 0.03+
		the N 2m of the trench.	

Trench 34	Dimensions: 27m x 2m Trench alignment: N-S Ground level at S end: 18.80 mOD Ground level at N end: 19.20 mOD			
Context	Interpretation	Description	Depth (m)	
(3400)	Top Soil	Soft black brown humic silty loam with significant bio and occasional flint inclusions.	0.00-0.27	
(3401)	Subsoil	Moderately compact orangey brown clayey silt with frequent chalk fleck inclusions.	0.27-0.57	
(3402)	Colluvial Deposit 'A'	Firm mid-brown clayey silt. cut by quarry [3412]	0.57-0.93	
(3403)	Colluvial Deposit 'B'	Firm orangey brown slightly clayey silt with occasional chalk fleck inclusions.	0.93-1.16	
(3404)	Colluvial Deposit 'C'	Darkish orange brown clayey silt with occasional chalk flecks and flint inclusions. Seals [3406][3409].	1.16-1.47	
(3405)	Fill of Linear [3406]	Firm greyish orange brown clayey silt with occasional bio inclusions	L- 1.42m+ W- 0.40m D- 1.47-1.61	
[3406]	Cut of Linear	Rectilinear with moderate inward sloping sides and a medium concave base aligned SSW-NNE. Cuts [3409](3410)	L- 1.42m+ W- 0.40m D- 1.47-1.61	
(3407)	Upper Fill of Pit [3409]	Firm greyish orange brown clayey silt with occasional bio inclusions	L- 1.48m W- 1.00m D- 1.47-1.78	
(3408)	Fill of Pit [3409]	Firm mid brown silty clay with occasional bio inclusions.	L- 0.35m W- 0.36m+ D- 1.78-1.92	
[3409]	Cut of Pit	Ovate pit with steep inward sloping sides and a moderate concave base with no clear alignment. Cut by [3406], cuts (3410)	L- 1.48m W- 1.00m D- 1.47-1.92	
(3410)	Colluvial Deposit 'D'	Soft brown orange, with grey mottled patches, silty clay.	1.50-1.64	
(3411)	Fill of Quarry [3412]	Moderately firm dark grey brown silty clay with frequent chalk inclusions	L-1m+ W- 2m+ D- 0.50-0.89	

	Cut of Quarry	Large quarry cut with a flat base and no sides	L-1m+
[3412]		visible in this trench. cuts (3402)	W- 2m+
			D- 0.50-0.89
(3413)	Colluvial Deposit 'E'	Firm light mottled beige-orange clayey silt.	1.64-1.71m
(3414)	Colluvial Deposit 'G'	Firm to hard mottled light to dark beige and dark grey with orange clayey silt.	1.71-1.83+
Natural	-	trench cut to colluvial deposit	-

Trench 35	Dimensions: 25m x 2.2m Trench alignment: E-W Ground level at E end: 19.04 mOD Ground level at W end: 19.42 mOD		
Context	Interpretation	Description	Depth (m)
(3500)	Topsoil	Loose dark brown humic silty clay loam with small chalk inclusions.	0.00-0.31
(3501)	Subsoil	Firm light orangey brown clayey silt with chalk fleck and bio inclusions.	0.31-0.62
(3502)	Upper Fill of Pit [3505]	firm light orangey brown clayey silt with occasional chalk fleck and sub angular flint inclusions.	L- 0.28m+ W- 1.45m D- 0.62-0.87
(3503)	Fill of Pit [3505]	form very light orange brown silt with moderate chalk and sub angular flint inclusions.	L- 0.28m+ W- 1.2m D- 0.87-1.08
(3504)	Basal Fill of Pit [3505]	Compact light yellowish brown silt with frequent chalk and large flint inclusions.	L- 0.28m+ W- 1.05m D- 1.08-1.25
[3505]	Cut of Pit	Sub circular pit with steep inward sloping sides and a flat base. Cuts [3507]	L- 0.28m+ W- 1.45m D- 0.62-1.25
(3506)	Fill of Linear [3507]	Firm orangey brown silt with occasional chalk fleck, flint and bio inclusions.	L- 1.1m+ W- 0.85m D- 0.62-0.77
[3507]	Cut of Linear	Rectilinear with gentle inward sloping sides and an undulating base aligned NW-SE. Cut by [3505]	L- 1.1m+ W- 0.85m D- 0.62-0.77
(3508)	Colluvial Deposit 'A'	Loose mottled greyish brown/mid orange brown with mid orange patches, silty clay with frequent bio inclusions.	0.62-0.88
(3509)	Colluvial Deposit 'E'	soft mottled light yellow brown with light - mid orange slightly silty clay with moderate bio inclusions.	1.07-1.24
(3510)	Colluvial Deposit 'F'	compact mid-orange slightly clayey silt with occasional cio and small angular flint inclusions.	1.24-1.42+
(3511)	Colluvial Deposit 'B'	Soft mid-dark brown grey slightly clayey silt with moderate chalk fleck inclusions. Only visible in Sample Section 2 at 'E' end of trench.	0.88-1.07
Natural	Natural geology	20% chalk patches changing to firm orangey brown silty clay brick earth, covering 'W' half of trench. 'E' half cut to colluvium.	0.62m+

Trench 36	Dimensions: 25.5m x 2.0m Trench alignment: N-S Ground level at N end: 20.92 mOD Ground level at S end: 19.52 mOD		
Context	Interpretation	Description	Depth (m)

	T = 1		I
(3600)	Topsoil	Moderately compact black brown humic silty clay loam with occasional chalk flecks and flint inclusions	0.00-0.35
(3601)	Subsoil	Moderately compact mid orange brown silty clay with occasional chalk flecks	0.35-0.64
(3602)	Colluvial Deposit 'A'	Moderately compact light to mid orange brown silty clay with occasional chalk flecks and bio inclusions. Seals all features in trench	0.64-0.80
(3603)	Fill of Terminus [3604]	Moderate to firm greyish orange brown clayish silt with occasional small angular flint and chalk fleck inclusions.	L- 2m+ W- 0.56m D- 0.80-0.87
[3604]	Cut of Terminus	terminus with steep inward sloping sides and a flat base aligned NW-SE.	L- 2m+ W- 0.56m D- 0.80-0.87
(3605)	Fill of Pit [3606]	moderately compact mid-dark orange brown clayey silt with occasional chalk fleck and flint inclusions.	L- 1m+ W- 1.4m D- 0.66-0.84
[3606]	Cut of Pit	Ovate pit with gentle inward sloping sides and very gentle concave base. No clear alignment.	L- 1m+ W- 1.4m D- 0.66-0.84
(3607)	Fill of Pit [3608]	Moderately compact mid grey brown silty clay with occasional chalk fleck inclusions.	L- 0.4m W- 0.4m D- 0.66-0.84
[3608]	Cut of Pit	Circular pit with gentle inward sloping sides and flat base with no clear alignment.	L- 0.4m W- 0.4m D- 0.66-0.84
(3609)	Fill of Pit [3610]	Firmish orangey brown clayish silt with occasional chalk fleck inclusions	L- 2.8m W- 0.7m+ D- 0.59-0.79
[3610]	Cut of Pit	Sub ovate pit with gentle inward sloping sides and a flat base aligned N-S	L- 2.8m W- 0.7m+ D- 0.59-0.79
Natural	natural geology	'N' third of the trench showed 40% chalk with NNW-SSE glacial scarring, in-filled with brick earth, leading to just brick earth.	0.49+ / 0.80+

Trench 37	Dimensions: 23.1m x 1.9m Trench alignment: E-W Ground level at E end: 20.26 mOD Ground level at W end: 19.93 mOD			
Context	Interpretation	Description	Depth (m)	
(3700)	Topsoil	Soft black humic silty clay loam with frequent flint and bio inclusions.	0.00-0.29	
(3701)	Subsoil	Moderately compact grey clay silt with occasional small flint and bio inclusions.	0.27-0.66	
(3702)	Upper Fill of Quarry [3704]	Moderately compact light grey clay silt with frequent chalk flecks and occasional flint and bio inclusions	0.66-1.26	
(3703)	Fill of Quarry [3704]	soft light brown silt loam with rare chalk fleck and bio inclusions	1.26-1.6+	
[3704]	Cut of Quarry	large ovate quarry cut with moderate to gentle inward sloping sides and no base or alignment visible within test Pit 37.1. Cuts (3705)	0.66-1.6+	
(3705)	Colluvial Deposit 'A'	Soft mid grey brown clayey silt. Cut by [3704]	0.57-0.87	

(3706)	Colluvial deposit 'B'	Soft mid to dark brownish grey slightly clayey silt.	0.87-1.17
(3707)	Colluvial Deposit 'D'	Moderately compact light grey brownish grey slightly clayey silt. Seals [3710][3713]	1.17-1.38
	Upper Fill of Linear	soft very light blue grey very slightly clayey silt	L-1.9m+
(3708)	[3710]	with occasional Mn fleck inclusions.	W- 2.08m
			D- 1.38-1.54
	Fill of Linear [3710]	firm dark reddish brown clayey silt with	L- 0.6+
(3709)		moderate Mn fleck inclusions.	W- 0.40m
(0.00)			D- 1.54-1.61
	Cut of Linear	Rectilinear with gentle inward sloping sides and	L- 0.6+
[3710]		a shallow concave base aligned NE-SW. Cuts	W- 0.40m
		[3713](3714), sealed by (3707)	D- 1.38-1.61
	Upper Fill of Pit	moderately compact light brownish grey very	L- 1.9m+
(3711)	[3713]	slightly clayey silt with moderate Mn fleck	W- 3.52m
		inclusions	D- 1.31-1.57
	Fill of Pit [3713]	Moderately compact very light yellowish brown	L- 1.9m+
(3712)		silt with moderate Mn fleck and frequent bio	W- 2.72m
		inclusions.	D- 1.57-1.69
	Cut of Pit	large circular pit (not fully exposed) with gentle	L- 1.9m+
[3713]		inward sloping sides and a flat base. Cut by	W- 3.52m
		[3710], sealed by (3707), cuts (3714)	D- 1.31-1.69
(3714)	Colluvial Deposit	light yellow brown very slightly clayey silt.	1.35-1.49
(3714)	'E'	trench cut onto 'E'	1.55-1.45
(3715)	Colluvial Deposit	Compact reddish orange very slightly silty clay	
	'F'	with moderate large flint inclusions. Visible at	1.49-1.6+
		the base of features.	
Natural	-	trench cut onto colluvium	-

Trench 38	Dimensions: 25m x 2m Trench alignment: ESE-WNW Ground level at ESE end: 21.84 mOD Ground level at WNW end: 20.88 mOD		
Context	Interpretation	Description	Depth (m)
(3800)	Topsoil	Soft black brownish grey humic silt loam with frequent bio inclusions.	0.00-0.34
(3801)	Subsoil	Moderately compact lightish brown grey clayish silt loam with chalk fleck inclusions.	0.34-0.76
(3802)	Fill of Pit [3803]	moderately compact orangey brown clayey silt with occasional chalk fleck inclusions.	L-0.96m W- 0.90m D- 0.67-1.02
[3803]	Cut of Pit	Sub ovate pit/ poss terminus with moderately steep inward sloping sides and a mid concave base aligned SW-NE.	L-0.96m W- 0.90m D- 0.67-1.02
(3804)	Colluvial Deposit 'A'	Soft mid grey brown clayey silt. Seals [3806]	0.77-0.97
(3805)	Fill of terminus [3806]	Moderately compact orangey brown grey clayey silt.	L- 1.00m W- 0.70m D- 0.89-1.04
[3806]	Cut of terminus	terminus with moderate inward sloping sides and a mid concave base aligned NNW-SSE. Sealed by (3804)	L- 1.00m W- 0.70m D- 0.89-1.04
(3807)	Fill of Pit [3808]	moderately compact darkish orange brown clayey silt.	L- 0.45m W- 0.40m D- 1.17-1.27
[3808]	Cut of Pit	Ovate pit with gentle inward sloping sides and	L- 0.45m

		concave base aligned N-S. Cuts [3815]	W- 0.40m
		-	D- 1.17-1.27
	Fill of Linear [3810]	Moderate to soft greyish mid brown clayey silt.	L- 2m+
(3809)			W- 0.66m
			D- 1.17-1.40
	Cut of Linear	Rectilinear with moderate inward sloping sides	L- 2m+
[3810]		and a gentle concave base aligned N-S. Cuts	W- 0.66m
		(3813), Sealed by (3812)	D- 1.17-1.40
(3811)	Colluvial Deposit	Soft greyish brown silt with moderate chalk fleck	0.97-1.05
(3811)	'B'	inclusions.	0.97-1.03
	Colluvial Deposit	Moderately compact greyish brown silt with	
(3812)	'E'	occasional chalk fleck inclusions. Seals [3810]	1.05-1.17
		[3808]	
(3813)	Colluvial Deposit	Soft light grey brown silt. Seals [3815]	1.17-1.35
(3013)	'F'		1.17 1.55
	Fill of Linear [3815]	Moderately compact brownish orange clay silt	L- 2m+
(3814)		with occasional Mn fleck inclusions.	W- 3.1m
			D- 1.35-1.51
	Cut of Linear	Rectilinear with moderately steep inward	L- 2m+
[3815]		sloping sides and a flat base aligned N-S. Cut by	W- 3.1m
		[3808][3810] sealed by (3813)	D- 1.35-1.51
	Natural geology	Firm non-calcareous brick earth	0.65m+ (ESE) /
Natural			1.43m+
			(WNW)

Trench 39	Dimensions: 25m x 2.2m Trench alignment: WNW-ESE Ground level at ESE end: 22.93 mOD Ground level at WNW end: 22.08 mOD			
Context	Interpretation	Description	Depth (m)	
(3900)	Topsoil	Black grey/brown loose humic silt loam with very frequent chalk pieces and moderate bio inclusions	0.0-0.34	
Natural	Natural geology	Chalk	0.34+	

Trench 40	Dimensions: 24.25m x 2.20m Trench alignment: N-S Ground level at N end: 23.07 mOD Ground level at S end: 22.81 mOD			
Context	Interpretation	Description	Depth (m)	
(4000)	Topsoil	Greyish black brown humic silt loam with frequent chalk pieces and bio and occasional	0.00-0.30	
	Fill of Posthole	flint inclusions. Loose greyish mid brown loam with occasional	L-0.25	
(4001)	[4002]	chalk fleck inclusions.	W-0.18 D 0.30-0.37	
	Cut of Posthole	Ovate posthole with moderate inward sloping	L-0.25	
[4002]		sides and a concave base aligned N-S	W-0.18	
_			D 0.30-0.37	
	Natural Geology	90% chalk with glacial scarring aligned SW-NE in-		
Natural		filled with loose dark greyish orange brown	0.30+	
		loam.		

Trench 41	Dimensions: 26.3m x 2m Trench alignment: SW-NE
	Ground level at SW end: 22.22 mOD Ground level at NE end: 23.28 mOD

Context	Interpretation	Description	Depth (m)
(4100)	Topsoil	Soft black grey clayey silt loam with occasional chalk fleck, small rounded & sub angular flint and bio inclusions.	0.00- 0.30/0.35
(4101)	Subsoil	Soft mid greyish brown clayey silt with occasional angular flint and very occasional chalk fleck inclusions.	0.35-0.65
(4102)	Colluvial Deposit 'A'	Soft mid brownish grey clayey silt with occasional sub angular flint and occasional chalk inclusions. Seals [4104]	0.65-0.90
(4103)	Fill of Pit/Terminus [4104]	Soft mid greyish brown very clayey silt.	L-0.75+ W-0.84 D-0.90-0.97
[4104]	Cut of Pit/Terminus	Terminus/sub ovate pit with gentle inward sloping sides and a flat to undulating base aligned SE-NW. Sealed by (4102)	L-0.75+ W-0.84 D-0.90-0.97
Natural	Natural geology	NE of trench - firm mid orange brown silt clay brick earth with occasional chalk patches turning to 50% chalk with brick earth patches at SW of trench	0.90+

Trench 42	Dimensions: 25m x 1.8m Trench alignment: N-S Ground level at N end: 22.08 mOD Ground level at S end: 21.45 mOD		
Context	Interpretation	Description	Depth (m)
(4200)	Topsoil	Soft black grey clayey silt loam with occasional chalk fleck, small rounded & sub angular flint and bio inclusions.	0.00-0.31
(4201)	Subsoil	Moderately compact mid to dark brown clayish silt with frequent small to medium sub angular flint, frequent chalk fleck and bio inclusions.	0.31-0.71
(4202)	Colluvial Deposit 'A'	Soft dark brown very clayey silt with occasional to moderate chalk flecks and bio inclusions.	0.71-0.94
(4203)	Colluvial Deposit 'B'	Soft mid brown clayish silt with very occasional charcoal flecks and bio inclusions. Seals all arch in trench.	0.94-1.05
(4204)	Colluvial Deposit 'E'	Soft mottled white yellow and very light brown very slightly clayish silt with very occasional charcoal flecks and bio inclusions. Does not interact with arch in trench.	1.05+
(4205)	Upper Fill of Pit [4207]	soft dark grey silty clay with frequent charcoal and Mn flecks and occasional chalk fleck and bio inclusions.	L- 0.50m+ W- 0.58m D- 1.05-1.23
(4206)	Basal Fill of Pit [4207]	Moderate to firm light orangey brown slightly silty clay with moderate Mn fleck inclusions.	L- 0.50m+ W- 0.62m D- 1.10-1.35
[4207]	Cut of Pit	Ovate pit with moderate inward sloping sides and a mid concave base aligned N-S. Enter the side of trench. Sealed by (4203). Cuts [4209]	L- 0.50m+ W- 0.71m D- 1.05-1.35
(4208)	Fill of Linear [4209]	Moderate to soft slightly greyish light brown clayish silt with occasional Mb and chalk fleck and bio inclusions.	L- 1.8m+ W- 0.53m D- 1.05-1.35

[4209]	Cut of Linear	rectilinear with steep inward sloping sides and a gentle concave base aligned E-W. Sealed by (4203), Cut by [4207], cuts [4213][4216].	L- 1.8m+ W- 0.53m D- 1.05-1.35
(4210)	Fill of Linear [4211]	moderately compact greyish orange brown very slightly clayish silt with occasional chalk fleck and small flint inclusions.	L- 1.8m+ W- 0.81m D- 1.05-1.30
[4211]	Cut of linear	Rectilinear with moderately steep inward sloping sides and a moderate concave base aligned WSW-ENE. Cuts [4216][4218]. Sealed by (4203).	L- 1.8m+ W- 0.81m D- 1.05-1.30
(4212)	Fill of pit [4213]	Soft light greyish orange brown with frequent Mn flecks and occasional chalk fleck and bio inclusions.	L- 0.72m W- 0.40m D- 1.05-1.20
[4213]	Cut of pit	Ovate pit with steep inward sloping sides and a moderate concave base aligned E-W, mostly truncated away by [4207][4209], sealed by (4203).	L- 0.72m W- 0.40m D- 1.05-1.20
(4214)	Upper Fill of Linear [4216]	Moderately compact light greyish brown clayey silt with moderate Mn flecks and occasional charcoal fleck and bio inclusions.	L- 1.8m+ W- 0.17m D- 1.05-1.24
(4215)	Basal Fill of Linear [4216]	Moderate to form light brown clayey silt with occasional Mn flecks and bio inclusions.	L- 1.8m+ W- 0.26m D- 1.24-1.34
[4216]	Cut of Linear	rectilinear with moderately steep inward sloping sides and a mid concave base aligned E-W mostly truncated away by [4209][4211]. Sealed by (4203).	L- 1.8m+ W- 0.26m D- 1.05-1.34
(4217)	Fill of Linear [4218]	Soft orangey brown slightly clayey silt with occasional charcoal and burnt clay flecks and bio inclusions.	L- 1.8m+ W- 1.17m D- 1.05-1.23
[4218]	Cut of Linear	Sub-rectilinear with gentle inward sloping sides and a flat base aligned roughly E-W. Cut by [4211] sealed by (4203).	L- 1.8m+ W- 1.17m D- 1.05-1.23
(4219)	Fill of Terminus [4220]	Soft mid brown clayish silt with occasional charcoal, Mn and chalk flecks and bio inclusions.	L- 1.6m+ W- 0.39m D- 1.05+
[4220]	Cut of Terminus	Terminus aligned WSW-ENE. unexcavated feature. Sealed by (4203)	L- 1.6m+ W- 0.39m D- 1.05+
Natural	Natural Geology	Compact mottled grey & orange brown non-calcareous brick earth.	0.82/1.17m+

Trench 43	Dimensions: 25m x 2m Trench alignment: NNE-SSW Ground level at NNE end: 21.30 mOD Ground level at SSW end: 20.27 mOD		
Context	Interpretation	Description	Depth (m)
(4300)	Topsoil	Soft black brown humic silt loam with frequent chalk pieces and flint and bio inclusions.	0.00- 0.38/0.28
(4301)	Subsoil	Moderate to firm grey brown clay silt loam with frequent to moderate chalk flecks and occasional flint and charcoal fleck and bio	0.28-0.77 (TP43.1)
(4302)	Upper Fill of Quarry [4306]	inclusions. Soft dark brown slightly clayey silt with frequent chalk fleck and very occasional rounded flint and bio inclusions.	0.38-0.66 L- 20m+ W- 2m+ D- 0.77-1.03

	T		
	Fill of Quarry	Moderately compact light brown clayish silt with	L- 20m+
(4303)	[4306]	occasional chalk flecks and Mn fleck inclusions.	W- 2m+
			D- 1.03-1.35
	Fill of Quarry	Dark brown very clayey silt with occasional chalk	L- 20m+
(4304)	[4306]	flecks and moderate medium flint and bio	W- 2m+
		inclusions.	D- 1.35-1.53
	Fill of Quarry	Dark orangey brown silt clay with frequent chalk	L- 20m+
(4305)	[4306]	flecks and occasional flint inclusions.	W- 2m+
(4305) [4306] (4307) (4308)			D- 1.53-1.72+
	Cut of Quarry	Very large irregular quarry feature with	L- 20m+
[4306]		moderate inward sloping sides and a flat base.	W- 2m+
		Cuts (4307), [4309].	D- 0.77-1.72+
	Colluvial Deposit	Moderately compact mid grey brown clayey silt	
(4307)	'A'	with occasional chalk flecks and small angular	0.68-0.87
		flint inclusions. Cut by	
	Fill of Linear [4309]	Moderately compact dark orange brown silty	L- 6.5m+
(4308)		clay with chalk flecks and occasional flint	W- 0.77m
		inclusions.	D- 1.15m+
	Cut of Linear	Rectilinear unexcavated. aligned SW-NE. Cut by	L- 6.5m+
[4309]		[4306], cuts (4311), same as [4612] sealed by	W- 0.77m
(4303) (4304) (4305) (4305) (4307) (4308) (4310) (4311) (4312) (4312) (4312) (4308) (4312) (43		(4310)	D- 1.15m+
(4310)	Colluvial Deposit	Moderate to firm mid-dark brownish grey	0.87-1.04
(4310)	'B'	slightly clayey silt. Seals [4309].	0.07-1.04
(//311)	Colluvial Deposit	Soft light browns grey slightly clayey silt. Cut by	1.04-1.18
(4311)	'D'	[4309]	1.04-1.10
(4312)	Colluvial Deposit	Soft light yellow brown slightly clayey silt.	1.18-1.22+
(7312)	'E'		1.10 1.22
Natural	-	- trench cut to colluvium -	-

Trench 44	Dimensions: 25m x 2.4m Trench alignment: E-W Ground level at E end: 22.17 mOD Ground level at W end: 21.95 mOD		
Context	Interpretation	Description	Depth (m)
(4400)	Topsoil	Soft black brown humic silt loam with frequent bio inclusions.	0.00-0.30
(4401)	Subsoil	Soft mid to light brown clayey silt with occ bio inclusions.	0.30-0.43m
Natural	Natural Geology	50% chalk with glacial scars aligned NW-SE infilled with soft light brown clayey silt with occasional sub-angular flint and chalk fleck inclusions - brick earth	0.43m+

Trench 45	Dimensions: 25m x 2.4m Trench alignment: N-S Ground level at S end: 21.97 mOD Ground level at N end: 23.02 mOD		
Context	Interpretation	Description	Depth (m)
(4500)	Topsoil	Soft black brown clayey silt loam with occasional flint and chalk fleck and frequent bio inclusions.	0.00-0.30m
Natural	Natural geology	60% chalk with glacial scarring aligned NW-SE infilled with light brown firm silty clay brick earth	0.30m+

Trench 46	Dimensions: 26m x 2m Trench alignment: E-W		
	Ground level at E end: 21.53 mOD Ground level at W end: 21.85 mOD		

			1
Context	Interpretation	Description	Depth (m)
(4600)	Topsoil	Black humic silt loam with frequent flint and bio inclusions.	0.00-0.35
(4601)	Subsoil	Moderately compact light grey brown clay silt loam with occasional flint and chalk inclusions.	0.35- 0.60(W / 0.76(TP46.1
(4602)	Upper Fill of Quarry [4606]	Moderately compact mid-dark grey brown clayey silt with occasional chalk flecks and pieces and occasional angular flint inclusions.	L- 3m+ W- 2m+ D- 0.76-1.32
(4603)	Fill of Quarry [4606]	Moderately compact mottled mid grey/ mid light grey brown silty clay with moderate to frequent chalk flecks and occasional small angular flint inclusions	L- 3m+ W- 2m+ D- 1.32-1.70
(4604)	Fill of Quarry [4606]	Soft dark brown clay silt with occasional chalk flecks and moderate flint and bio inclusions.	L- 3m+ W- 2m+ D- 1.70-1.84
(4605)	Fill of Quarry [4606]	Soft light to mid grey silt with frequent chalk fleck inclusions.	L- 3m+ W- 2m+ D- 1.84-1.93-
[4606]	Cut of Quarry	Large feature with moderate inward sloping slides and no base visible in the trench. Cuts (4607)	L- 3m+ W- 2m+ D- 0.76-1.93-
(4607)	Colluvial Deposit 'A'	Soft mid grey brown clayey silt with occasional chalk flecks and small angular flint inclusions. Only present at W of trench due to truncation by [4606]	0.64-0.96
(4608)	Colluvial Deposit 'B'	soft mid brown grey slightly clayey silt.	0.96-1.13
(4609)	Fill of Pit [4610]	Soft mottled bid grey/ mid orange brown very clayey silt with occasional chalk flecks and bio inclusions.	L- 0.65m W- 0.62 D- 1.00-1.05
[4610]	Cut of Pit	Sub circular pit with very gentle inward sloping sides and a flat base. Cuts (4613) Sealed by (4608)	L- 0.65m W- 0.62 D- 1.00-1.05
(4611)	Fill of Linear [4612]	Soft mottled mid-dark grey brown/ mid to light yellowish grey clayey silt with occasional chalk fleck and bio inclusions.	L- 1.95m+ W- 1.10m D- 1.11-1.40
[4612]	Cut of Linear	Rectilinear with steep(E) to gentle (W) inward sloping sides and a flat to mid concave base aligned NNE-SSW. Same as [4309]. Cut by [4606] sealed by (4608)	L- 1.95m+ W- 1.10m D- 1.11-1.40
(4613)	Colluvial Deposit 'D'	Soft light brownish grey slightly clayey silt. Forms base on centre of trench	1.10-1.45m / 1.75m+ (TP46.1)
(4614)	Colluvial Deposit 'E'	Very soft light yellow brown very slightly clayey silt. Forms base of W end of trench. Not present at E end of trench.	1.45m+
Natural	-	- trench cut to colluvium -	-

Trench 47	Dimensions: 25m x 2.0m Trench alignment: WNW-ESE Ground level at ESE end: 23.18 mOD Ground level at WNW end: 24.17 mOD		
Context	Interpretation	Description	Depth (m)

(4700)	Topsoil	Soft black greyish brown silt loam with frequent bio inclusions.	0.00 - 0.34
(4701)	Subsoil	Moderately compact light brownish grey clayish silt with occasional chalk fleck inclusions.	0.34-0.56
(4702)	Upper Fill of Linear [4704]	Loose light dark brown clayish silt with frequent chalk fleck and occasional bio inclusions.	L- 1.4+ W- 2+ D- 0.56-0.71
(4703)	Fill of Linear [4704]	Light grey brown with moderate chalk fleck inclusions.	L-1.4+ W-0.40+ 0.66-0.86
[4704]	Cut of Linear	Rectilinear with stepped sides -medium inward sloping to undulating to medium inward sloping - with a flat base aligned SE-NW.	L- 1.4+ W- 2+ D- 0.56-0.86
Natural	Natural Geology	Chalk with glacial scarring aligned N-S in-filled with brickearth and dark brown clayish silt.	0.56+

Trench 48	Dimensions: 25m x 2.2m Trench alignment: N-S Ground level at N end: 22.04 mOD Ground level at S end: 23.13 mOD		
Context	Interpretation	Description	Depth (m)
(4800)	Topsoil	Soft black brown silty clay with frequent bio, occasional chalk fleck and flint inclusions.	0.00-0.30
(4801)	Subsoil	Moderate to firm orangey brown silty clay with frequent chalk fleck inclusions.	0.30-0.52
(4802)	Colluvial Deposit 'A'	Soft mid grey brown clayey silt with occasional chalk flecks and small angular flint inclusions.	0.52-0.66
(4803)	Colluvial Deposit 'B'	Moderate to firm mid-dark brownish grey slightly clayey silt. Seals [4823] [4825] [4827] [4829]	0.66-0.90
(4804)	Colluvial Deposit 'C'	Moderately compact mottled dark grey brown + light yellow brown slightly clayey silt with occasional chalk fleck inclusions. Not present at N end of trench. Doesn't interact with arch	0.90-1.25
(4805)	Colluvial Deposit 'D'	Moderate to firm light brownish orange grey clayey silt. Seals [4808]-[4821], cut by [4823]-[4829]	TP 48.1 0.98- 1.13 TP 48.2 1.25- 1.30
(4806)	Upper Fill of Posthole [4808]	Moderate to soft black grey slightly clayish silt with occasional charcoal and Mn fleck inclusions.	L- 0.36m W- 0.29m D- 1.24–1.28
(4807)	Basal Fill of Posthole [4808]	Moderately compact id brown clay silt with occasional Mn flecks and bio inclusions.	L- 0.35m W- 0.27m D- 1.27–1.43
[4808]	Cut of Posthole	Ovate posthole with steep inward sloping sides and a steep concave base aligned E-W. Cuts [4815](4830), sealed by (4805)	L- 0.36m W- 0.29m D- 1.24–1.43
(4809)	Upper Fill of Posthole [4812]	Very soft light brown silt with very occasional Mn flecks and small angular flint inclusions.	L- 0.48m W- 0.21m D- 1.24–1.32
(4810)	Fill of Posthole [4812]	Soft dark grey clayey silt with moderate bio and charcoal and Mn fleck inclusions.	L- 0.35m W- 0.21m D- 1.31–1.37
(4811)	Basal fill of Posthole [4812]	Moderately compact greenish light grey brown slightly clayey silt with moderate Mn fleck,	L- 0.25m W- 0.22m

		occasional charcoal fleck and bio inclusions.	D- 1.37-1.52
[4812]	Cut of Posthole	Ovate posthole with angled sides (steep inward sloped N, overhanging S) and a gentle concave base aligned E-W. Cuts [4815](4830). Sealed by (4805).	L- 0.48m W- 0.22m D- 1.24–1.52
(4813)	Fill of Pit [4815]	Soft mottled black and grey brown clayey silt with frequent charcoal, occasional Mn flecks and bio inclusions.	L- 0.1.05m W- 0.95m D- 1.24-1.30
(4814)	Fill of Pit [4815]	Moderately compact light greyish orange brown clay silt with occasional Mn flecks, very occasional small angular flint and bio inclusions.	L- 1.04m W- 1.05m D- 1.30–1.39
[4815]	Cut of Pit	Sub circular pit with moderate to gentle inward sloping sides and a flat base. Cut by [4808][4812]. Cuts (4830). Sealed by (4805)	L- 1.04m W- 1.05m D- 1.24–1.39
(4816)	Fill of Linear [4821]	Soft greyish brown silty clay.	L- 1.4m+ W- 0.90m D- 1.05–1.19
(4817)	Fill of Linear [4812]	Very soft light beige clayey silt.	L- 1.4m+ W- 0.80m D- 1.19-1.33
(4818)	Fill of Linear [4812]	Very soft beigey orange brown very silty clay.	L- 1.4m+ W- 0.74m D- 1.33–1.41
(4819)	Fill of Linear [4812]	Moderate to soft mottled brown and orange- beige very silty clay with Mn fleck inclusions.	L- 1.4m+ W- 0.66m D- 1.41–1.50
(4820)	Fill of Linear [4812]	Moderate to soft mottled light brown and beige silty clay.	L- 1.4m+ W- 0.61m D- 1.50-1.58
[4821]	Cut of Linear	Rectilinear with very steep inward sloping to near vertical sides and a very gentle concave base aligned SE-NW. Sealed by (4805). Cuts (4830).	L- 1.4m+ W- 0.90m D- 1.05–1.58
(4822)	Fill of Linear [4823]	Moderate to firm orangey grey brown clayey silt.	L- 1.02m+ W- 0.50m D- 0.90–1.08
[4823]	Cut of Linear	Rectilinear with moderate inward sloping sides and a gentle concave base aligned WSW-ENE. Sealed by (4803), cuts (4805)	L- 1.02m+ W- 0.50m D- 0.90–1.08
(4824)	Fill of Linear [4825]	Moderate to firm orange brown silty clay with occasional chalk fleck inclusions.	L- 2m+ W- 0.52m D- 0.90+
[4825]	Cut of Linear	Rectilinear aligned WSW-ENE not excavated Sealed by (4803) Cuts (4805)	L- 2m+ W- 0.52m D- 0.90+
(4826)	Fill of Linear [4827]	Moderately compact orangey brown clayey silt.	L- 0.83m+ W- 0.77m D- 0.90-1.00
[4827]	Cut of Linear	Rectilinear with gentle inward sloping sides and a gentle concave base aligned WSW-ENE. Sealed by (4803) cuts (4805).	L- 0.83m+ W- 0.77m D- 0.90-1.00
(4828)	Fill of Linear [4829]	Moderate to firm orangey brown clayey silt with occasional chalk fleck inclusions.	L- 2m+ W- 0.60m D- 0.90+
[4829]	Cut of Linear	Rectilinear aligned WSW-ENE. Not excavated. Sealed by (4803). Cuts (4805)	L- 2m+ W- 0.60m D- 0.90+
(4830)	Colluvial Deposit	Soft yellow beige clayey silt with occasional	TP48.1- 1.15+

	'E'	chalk flecks. Forms the base of Test Pits 48.1 and	TP48.2- 1.0-
		48.2.	1.1+
Natural	Natural Geology	Firm orange brick earth forming 70% of the base of Test Pit 48.2.	1.1+

Trench 49	Dimensions: 25m x 2.2m Trench alignment: WNW-ESE Ground level at ESE end: 22.70 mOD Ground level at WNW end: ? mOD		
Context	Interpretation	Description	Depth (m)
(4900)	Topsoil	Soft black to dark brown silt loam with occasional chalk fleck flint and bio inclusions.	0.00-0.34
(4901)	Subsoil	Moderate to soft dark orange brown clayey silt with occasional chalk and flint inclusions.	0.34-0.63
(4902)	Colluvial Deposit 'A'	Moderate to firm dark orangey beigey brown silty clay.	0.63-0.84
(4903)	Colluvial Deposit 'B'	Firm dark grey brown silty clay with occasional chalk fleck inclusions.	0.84-1.12
(4904)	Colluvial Deposit 'C'	Moderate to firm dark beige brown clayey silt.	1.12-1.33
(4905)	Colluvial Deposit 'D'	Moderate to firm light orange and beige mottled clayey silt. Seals [4909]	1.33-1.34+
(4906)	Fill of Linear [4909]	Moderately compact light orange brown beige very silty clay.	L- 1.7m+ W- 0.88m D- 0.87-1.01
(4907)	Fill of Linear [4909]	Moderate to firm mottled light orange brown/beige and dark brown very silty clay .	L- 1.7m+ W- 0.48m D- 1.01-1.11
(4908)	Fill of Linear [4909]	Moderate to hard mottled dark brown and dark orange grey silt clay.	L- 1.7m+ W- 0.20m D- 1.11-1.20
[4909]	Cut of Linear	rectilinear with steep inward sloping sides and a steep concave base aligned SW-NE. Sealed by (4905) cuts (4910)	L- 1.7m+ W- 0.88m D- 0.87-1.20
(4910)	Colluvial Deposit 'E'	Very soft mottled bright orange and beige slightly clayey silt. Cut by [4909]	0.87-0.91
(4911)	Colluvial Deposit 'F'	Moderate to soft mottled orange brown with beige silty clay.	0.91-1.15
Natural	Natural Geology	Bright orange brick earth giving way to chalk. Visible only at base of [4909]. Trench cut to colluvium.	1.15+

Trench 50	Dimensions: 25m x 2m Trench alignment: NW-SE Ground level at SE end: 23.30 mOD Ground level at NW end: 23.88 mOD		
Context	Interpretation	Description	Depth (m)
(5000)	Topsoil	Soft black brown humic clay silt loam with frequent flint and bio inclusions.	0.00-0.36
(5001)	Subsoil	Soft dark grey brown clayey silt with occasional chalk fleck, flint and bio inclusions.	0.36-0.65
(5002)	Upper Fill of Quarry [5004]	Moderate to soft very dark brown clayey silt with frequent chalk flecks, occasional bio, small angular and rounded flint, Mn and charcoal fleck inclusions.	L- 10m+ W- 2.2m+ D- 0.60-1.02

•	, , ,	L- 10m+
[5004]	moderate chalk flecks and occasional small flint	W- 2.2m+
	and bio inclusions.	D- 1.02-1.31
Cut of Quarry	Large amorphous quarry cut with possible ovate	L- 10m+
	shape, gentle to moderate inward sloping sides	W- 2.2m+
	and a flat base. Cuts (5009)(5010), [5006].	D- 0.60-1.31
Fill of Linear [5006]	Moderate to soft mid grey slightly clayish silt	L- 2m+
	with occasional Mn flecks and very occasional	W- 0.70m
	flint inclusions.	D- 1.31-1.57
Cut of Linear	Rectilinear with moderate to gentle inward	L- 2m+
	sloping sides and a gentle concave base aligned	W- 0.70m
	N-S. Cuts (5010), cut by [5004].	D- 1.31-1.57
Fill of Terminus	Soft greyish orange brown clayish silt with	L- 1.1m+
[5008]	occasional bio inclusions.	(10.5m+)
		W- 0.83m+
		D- 0.67-0.87
Cut of Terminus		L- 1.1m+
		W- 0.83m+
		D- 0.67-0.87
•		
'A'		0.66-0.76
	, , , , , , , , , , , , , , , , , , , ,	
0 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
•		
.D,	•	1.31-1.41
	· · · · · · · · · · · · · · · ·	
Fill of Linear [5012]		L- 2.2m+
i iii oi Liileai [3012]		W- 1.08m
	clayey siit with occasional bio inclusions.	D- 0.73-0.95
Cut of Linear	Rectilinear with moderate inward sloping sides	L- 2.2m+
cat of Linear	· -	W- 1.08m
	=	D- 0.73-0.95
Natural Geology	, , ,	2 3.73 3.33
		0.73m+
	trench is cut to colluvium.	0.70
	Fill of Linear [5006] Cut of Linear	[5004] moderate chalk flecks and occasional small flint and bio inclusions. Cut of Quarry Large amorphous quarry cut with possible ovate shape, gentle to moderate inward sloping sides and a flat base. Cuts (5009)(5010), [5006]. Fill of Linear [5006] Moderate to soft mid grey slightly clayish silt with occasional Mn flecks and very occasional flint inclusions. Cut of Linear Rectilinear with moderate to gentle inward sloping sides and a gentle concave base aligned N-S. Cuts (5010), cut by [5004]. Fill of Terminus Soft greyish orange brown clayish silt with occasional bio inclusions. Cut of Terminus terminus with gentle inward sloping sides and a very gentle concave base aligned NW-SE. Cuts (5009). Colluvial Deposit 'Ar' clayish silt with occasional flint and bio inclusions. Seals (5012), cut by [5008][5004], present at SE half of trench. Colluvial Deposit Moderate to soft grey slightly clayish silt with occasional chalk fleck and flint inclusions. cut by [5004][5006]. Present only at base of test pit 50.1 Fill of Linear [5012] Soft mottled grey brown and orange brown clayey silt with occasional bio inclusions. Cut of Linear Rectilinear with moderate inward sloping sides and a gentle concave base aligned NNE-SSW, sealed by (5009)

Trench 51	Dimensions: 25m x 2.15m Trench alignment: NNE-SSW Ground level at NNE end: 23.92 mOD Ground level at SSW end: 24.88 mOD		
Context	Interpretation	Description	Depth (m)
(5100)	Topsoil	Soft black brown humic silty clay with occasional flint and bio inclusions.	0.0-0.30
(5101)	Subsoil	Firm mid brown silty clay with occasional chalk fleck inclusions.	0.30- 0.65/0.50
(5102)	Colluvial Deposit 'A'	Firm mid brown clayey silt with frequent chalk fleck inclusions. Present at NNE end of trench	0.65-0.91
(5103)	Colluvial Deposit 'E'	Firm brown orange clayey silt with occasional chalk fleck inclusions. Seals [5107]. Present at NNE end of trench.	0.91-1.06
(5104)	Fill of Pit [5105]	Firm orangey brown silt with chalk fleck and bio inclusions.	L- 0.57m W- 0.47m D- 1.00-1.10
[5105]	Cut of Pit	Circular pit with gentle inward sloping sides and a mid concave base.	L- 0.57m W- 0.47m

			D- 1.00-1.10
	Fill of Linear [5107]	Moderately compact mid orange brown clayey	L- 1.08m
(5106)		silt with occasional flint inclusions.	W- 0.42m
			D- 1.00-1.12
	Cut of Linear	Rectilinear with moderate inward sloping sides	L- 1.08m+
[5107]		and a mid concave base aligned E-W. Sealed by	W- 0.42m
		(5103)	D- 1.00-1.12
	Fill of Terminus	Firm dark brown clayey silt with occasional chalk	L- 1.09m+
(5108)	[5109]	fleck inclusions.	W- 1.15m
			D- ~0.70-0.80
[5400]	Cut of Terminus	Terminus with moderate inward sloping sides	L- 1.09m+
[5109]		and a gentle concave base aligned SE-NW. Cuts	W- 1.15m
	F:II of D:+ [F111]	[5111][5115]	D- ~0.70-0.80
/E110\	Fill of Pit [5111]	Firm orangey mid brown clayey silt.	L- 0.70m+ W- 0.38m
(5110)			D- ~0.70-0.80
	Cut of Pit	Sub ovate pit with moderate inward sloping	L- 0.70m+
[5111]	Cut of the	sides and a flat base. Cut by [5109], Cuts [5115]	W- 0.38m
[3111]		Sides and a natibase. Cat by [5105], Cats [5115]	D- ~0.70-0.80
	Fill of Pit [5113]	Firm grey brown clayey silt with occasional chalk	L- 0.66m
(5112)	6	fleck inclusions.	W- 0.60m
(-)			D- ~0.70-0.86
	Cut of Pit	Sub circular pit with moderate inward sloping	L- 0.66m
[5113]		sides and a mid concave base. Cuts [5115]	W- 0.60m
			D- ~0.70-0.86
	Fill of Linear [5115]	Firm orangey brown clayey silt.	L- 0.13m+
(5114)			W- 0.51m
			D- ~0.70-0.82
	Cut of Linear	REctilinear with gentle inward sloping sides and	L- 0.13m+
[5115]		a concave base aligned SE-NW. Cut by	W- 0.51m
	C:II of D:+ [C117]	[5113][5111].	D- ~0.70-0.82
(5116)	Fill of Pit [5117]	Firm orangey brown silty clay with occasional chalk fleck inclusions.	L- 0.86m W- 0.71m
(3110)		Chair fieck inclusions.	D- 0.50+
	Cut of Pit	Sub circular pit. Unexcavated.	L- 0.86m
[5117]	out of the	Sub-circular pitt offexcurateur	W- 0.71m
[0==/]			D- 0.50+
	Fill of Pit [5119]	Firm orange brown silty clay with occasional	L- 0.68m
(5118)		chalk inclusions.	W- 0.55m
			D- 0.50+
	Cut of Pit	Sub circular pit. Unexcavated.	L- 0.68m
[5119]			W- 0.55m
			D- 0.50+
/	Upper Fill of Linear	Loose brownish grey silt with frequent chalk	L- 2m+
(5120)	[5125]	fleck inclusions.	W- 2.01m
	F:II of Lincon [F12F]	la acc deul husuus suovailtuviith ahalluflaalu	D- 0.50-0.78
(5121)	Fill of Linear [5125]	loose dark brown grey silt with chalk fleck inclusions. Possible slump from N.	L- 1m+ W- 0.90m
(3121)		merasions. Possible stuffly from N.	D- 0.64-0.98
	Fill of Linear [5125]	Loose darkish brown and grey silts with frequent	L- 1m+
	5. 263. [5125]	chalk pieces and fleck inclusions.	W- 2.20m
(5122)			D- 0.45-0.65 /
			0.80-1.10
	Fill of Linear [5125]	Soft black brown grey clayey silt with occasional	L- 1m+
(5123)		chalk flecks inclusions. Slump from S.	W- 1.62m
			D- 0.64-1.10
(5124)	Fill of Linear [5125]	Firm grey brown silt with chalk fleck inclusions	L- 1m+
(==:,			W- 1.20m

			D- 1.11-1.19
	Cut of Linear	Rectilinear with vertical to overhanging sides	L- 2m+
[5125]		and a flat base aligned E-W.	W- 2.44m
			D- 0.50-1.19
Matural	Natural Geology	60% chalk with N-S aligned glacial scarring in-	(SSW)0.45+/
Natural		filled with brickearth and dark brown clay silts.	(NNE)1.06+

Trench 52	Dimensions: 26.5m x 2.2m Trench alignment: WNW-ESE Ground level at ESE end: 24.73 mOD Ground level at WNW end: 25.68 mOD			
Context	Interpretation	Description	Depth (m)	
(5200)	Topsoil	Soft black brown humic silt loam with moderate flint and bio inclusions.	0.00-0.40	
(5201)	Subsoil	Moderately compact grey brown clayey silt loam with occasional flint and bio inclusions.	0.40-0.78	
(5202)	Colluvial Deposit 'A'	Soft mid grey brown clayey silt. Seals arch.	0.78-1.04	
(5203)	Fill of Linear [5204]	Loose light greyish orange brown with occasional yellowish beige mottling slightly clayish silt with occasional Mn fleck and bio inclusions.	L- 4.5m+ W- 0.50m D- 1.04-1.2+	
[5204]	Cut of Linear	Rectilinear aligned ENE-WSW. Sealed by (5202) cuts (5214). Unexcavated	L- 4.5m+ W- 0.50m D- 1.04-1.2+	
(5205)	Fill of Linear [5206]	Loose mid greyish light brown with yellow mottling slightly clayish silt with moderate Mn flecks and bio inclusions.	L- 3.3m+ W- 0.70m D- 1.04-1.30	
[5206]	Cut of Linear	Rectilinear with very gentle inward sloping slides and a flat base aligned NE-SW. Cuts [5211], sealed by (5202).	L- 3.3m+ W- 0.70m D- 1.04-1.30	
(5207)	Fill of Linear [5208]	Loose mid greyish yellow brown slightly clayish silt with moderate Mn flecks and bio inclusions.	L- 2.2m+ W- 0.74m D- 1.04-1.21	
[5208]	Cut of Linear	Rectilinear with very gentle inward sloping sides and a mid concave base aligned NNE-SSW. Cuts [5211][5213] sealed by (5202)	L- 2.2m+ W- 0.74m D- 1.04-1.21	
(5209)	Upper Fill of Pit [5211]	Loose light greyish yellowish brown with yellow patches slightly clayish silt with moderate Mn flecks and bio inclusions.	L- 2.8m W- 0.7m+ D- 1.04-1.38	
(5210)	Basal Fill of Pit [5211]	Loose to moderately compact mid greyish light brown with moderate Mn flecks and bio inclusions.	L- 2.8m W- 0.5m+ D- 1.38-1.58	
[5211]	Cut of Pit	Ovate pit with steep inward sloping sides and a steep concave base aligned ESE-WNW. Cut by [5206][5208]. Cuts (5214).	L- 2.8m W- 0.7m+ D- 1.04-1.58	
(5212)	Fill of Linear [5213]	Moderately compact to loose greyish light brown with regular yellow and dark grey patches clayish silt with moderate Mn flecks and bio inclusions.	L- 4.3m+ W- 0.48m D- 0.96-1.22	
[5213]	Cut of Linear	Rectilinear with undulating base and no visible sides in slot, aligned ENE-WSW. Cut by [5208], cuts (5214).	L- 4.3m+ W- 0.48m D- 0.96-1.22	
(5214)	Colluvial Deposit 'D'	Moderately compact light brownish grey slightly clayey silt.	0.98-1.15	
(5215)	Colluvial Deposit	Very soft light yellowish brown very slightly	1.04-1.19+	

	'E'	clayey silt.	
(5216)	Colluvial Deposit 'F'	Firm reddish orange slightly silty clay with frequent medium to large sub angular flint inclusions.	1.19m+
Natural	Natural Geology	Firm mid orange slightly clayey silt brickearth with occasional chalk patches. Seen at WNW or trench. Remainder of trench cut to colluvium.	0.80m+

Trench 53	Dimensions: 25m x 1.8m Trench alignment: WSW-ENE Ground level at SW end: 23.97 mOD Ground level at NE end: 24.27 mOD			
Context	Interpretation	Description	Depth (m)	
(5300)	Topsoil	Very soft black grey clayey silt with occasional angular flint and bio inclusions.	0.00-0.31	
(5301)	Subsoil	Soft mid greyish brown clayey silt with occasional rounded and angular flint inclusions.	0.31-0.73	
5302	VOID			
5303	VOID			
(5304)	Fill of Quarry [5305]	Soft mid brownish grey clayey silt with occasional angular and rounded flint, charcoal and burnt clay fleck inclusions.	L- 1.8m+ W- 4m+ D- 0.73-1.27	
[5305]	Cut of Quarry	Large ovate feature with near vertical to gentle inward sloping sides and an undulating base aligned NNE-SSW.	L- 1.8m+ W- 4m+ D- 0.73-1.27	
(5306)	Fill of Linear [5307]	Soft mid brownish grey clayey silt.	L- 1.8m+ W- 1.06m D- 0.73-0.94	
[5307]	Cut of Linear	Curvilinear with moderate inward sloping sides and a flat base aligned NW-SE. Cut by [5309].	L- 1.8m+ W- 1.06m D- 0.73-0.94	
(5308)	Fill of Linear [5309]	Soft mid brownish grey clayey silt with occasional flint inclusions.	L- 1.8m+ W- 1.03m D- 0.73-1.16	
[5309]	Cut of Linear	Rectilinear with very steep inward sloping sides and a gentle concave base aligned NW-SE. Cuts [5307].	L- 1.8m+ W- 1.03m D- 0.73-1.16	
(5310)	Colluvial Deposit 'B' in-filling [5311][5312]	Soft mid grey with brown patches clayey silt with very occasional sub angular flint and charcoal fleck inclusions. Same as (5324)	0.76-1.01	
[5311]	Cut of poss. Linear	Rectilinear with moderate inward sloping sides and a mid concave base aligned NNW-SSE. Appears contemporary with poss. hollow [5312] and at its NE edge.	L- 1m+ W- 0.40m D- 0.73-1.02	
[5312]	Cut of poss. Hollow	Large shallow depression with flat base in-filled with colluvial deposit 'B'.	0.76-0.95	
(5313)	Fill of Stakehole [5314]	Soft dark grey clayish silt.	L- 0.08m W- 0.08m D- 0.95-1.09	
[5314]	Cut of Stakehole	Circular stakehole with vertical sides and pointed base. Sealed by (5310).	L- 0.08m W- 0.08m D- 0.95-1.09	
(5315)	Fill of Pit [5316]	Soft dark grey with patches of mid greyish brown clayey silt with very occasional charcoal fleck inclusions.	L- 2.4m W- 0.90m D- 0.80-0.90	
[5316]	Cut of Pit	Sub-ovate pit with gentle inward sloping sides	L- 2.4m	

		and a flat base aligned ENE-WSW. Cuts (5324)	W- 0.90m
			D- 0.80-0.90
(5317)	Fill of Posthole [5318]	Soft mottled dark grey and mid greyish brown clayey silt with occasional charcoal and burnt clay fleck inclusions.	L- 0.36m W- 0.33m D- 0.80-0.89
[5318]	Cut of posthole	Circular posthole with moderate inward sloping sides and a gentle concave base. Cuts (5324)	L- 0.36m W- 0.33m D- 0.80-0.89
(5319)	Fill of Terminus [5320]	Soft mid orangey brown clayey silt with very occasional charcoal fleck inclusions.	L- 2.3m+ W- 0.52m
[5320]	Cut of Terminus	Terminus aligned WNW-ESE. Unexcavated	L- 2.3m+ W- 0.52m
(5321)	Fill of Terminus [5322]	Firm brownish orange with patches of orangey brown clayey silt with very occasional charcoal fleck inclusions.	L- 3m+ W- 0.49m
[5322]	Cut of Terminus	Terminus aligned ESE-W. Unexcavated.	L- 3m+ W- 0.49m
(5323)	Colluvial Deposit 'A'	Soft mid brown grey clayey silt with very occasional agular flint and charcoal fleck inclusions.	0.60-0.88
(5324)	Colluvial Deposit 'B'	Soft mid grey with mid brown grey patches clayey silt with very occasional angular flint and charcoal fleck inclusions. Same as (5310). Seals [5314], cut by [5316][5318].	0.88-1.08
(5325)	Colluvial Deposit 'E'	Firm light brownish grey with patches of mid grey silt.	1.08m+
Natural	Natural Geology	Firm light orangey brown silty clay brickearth.	0.70m+

Trench 54	Dimensions: 25m x 1.8m Trench alignment: NW-SE Ground level at SE end: 23.90 mOD Ground level at NW end: 24.98 mOD			
Context	Interpretation	Description	Depth (m)	
(5400)	Topsoil	Soft black grey humic clayey silt loam with occasional flint and frequent bio inclusions.	0.0 - 0.34/0.38	
(5401)	Subsoil	Moderately compact mid grey brown clayish silt with occasional flint, chalk fleck and moderate bio inclusions.	0.34-0.51 / 0.38-0.80	
(5402)	Fill of Quarry [5405]	Moderately compact mid brown slightly clayey silt with occasional flint and bio inclusions.	L- 1.8m+ W- ~23.5m D- 0.80-1.04 / 0.51-0.95	
(5403)	Fill of Quarry [5404]	Moderately compact light grey brown very slightly clayish silt.	L- 1.8m+ W- ~23.5m D- 1.04-1.3m+ /0.95-1.15m	
[5404]	Cut of Quarry	Large ovate quarry cut with stepped gentle them steep inward sloping sides and a gentle concave to flat base. Possibly aligned N-S. Cuts (5405) (5406).	L- 1.8m+ W- ~23.5m D- 0.80-1.3m / 0.51-1.15m	
(5405)	Colluvial Deposit 'A'	Soft to moderately compact mid brown clay silt with very occasional flint, bio and charcoal fleck inclusions. Visible in test pit 54.2	L- 1.8m+ W- 2.6m+ D- 0.46-0.84	
(5406)	Colluvial Deposit 'D'	Soft to moderate yellowish grey brown silt loam with very occasional bio and Mn fleck inclusions. Visible in test pit 54.1	L- 1.8m+ W- 1.9m+ D- 1.26m+	

Natural	Natural Geology	Test pit 54.2 cut onto orange brown silty clay	0.84m+
ivaturai		brickearth with occasional bio	0.041117

Trench 57	Dimensions: 25m x 2m Trench alignment: E-W Ground level at E end: 28.52 mOD Ground level at W end: 28.46 mOD			
Context	Interpretation	Description	Depth (m)	
(5700)	Topsoil	Soft black grey brown clayey silt loam with moderate chalk fleck, flint and bio inclusions.	0.00-0.30	
(5701)	Subsoil	Soft orangey mid brown slightly clayey silt with occasional chalk fleck inclusions.	0.30-0.45	
(5702)	Fill of Pit [5703]	Moderately compact greyish orange brown clayey silt with occasional chalk fleck inclusions.	L- 1m W- 0.78m D-0.45-0.69	
[5703]	Cut of Pit	Ovate pit with moderate inward sloping sides and a concave base aligned WSW-ENE.	L- 1m W- 0.78m D-0.45-0.69	
Natural	Natural Geology	70% chalk with glacial scarring aligned N-S infilled with brickearth.	0.45+	

Trench 58	Dimensions: 23m x 1.7m Trench alignment: SSW-NNE Ground level at SSW end: 26.45 mOD Ground level at NNE end: 28.10 mOD		
Context	Interpretation	Description	Depth (m)
(5800)	Topsoil	Moderate to soft black brown humic silty clay loam with occasional small angular flint, chalk fleck and bio inclusions.	0.00- 0.26/0.35
(5801)	Subsoil	Moderately compact mid brown silty clay loam with moderate chalk fleck inclusions.	0.26-0.41 / 0.35 -0.50
(5802)	Fill of Pit/SFB [5803] 5816	Moderately compact mid brown silty clay with occasional chalk fleck and angular flint inclusions. same as (5804)	L- 1.50m W- 1.00m D- 0.46-0.67
[5803]	Cut of Pit/SFB 5816	Sub rectangular pit/SFB cut with moderate to gentle inward sloping sides and a mostly flat base aligned SSE-NNW, not fully exposed by trench. Same as [5805]	L- 1.50m W- 1.00m D- 0.46-0.67
(5804)	Fill of Pit/SFB [5803] 5816	Moderately compact mid brown silty clay with occasional chalk fleck and angular flint inclusions. same as (5802)	L- 1.60m W- 1.00m D- 0.46-0.73
[5805]	Cut of Pit/SFB 5816	Sub rectangular pit/SFB cut with moderate to gentle inward sloping sides and a mostly flat base aligned SSE-NNW, not fully exposed by trench. Same as [5803]	L- 1.60m W- 1.00m D- 0.46-0.73
(5806)	Fill of Terminus [5807]	Moderately compact mottled mid grey brown silty clay with occasional small angular flint and chalk fleck inclusions.	L- 0.80m+ W- 0.36m D- 0.46-0.66
[5807]	Cut of Terminus	Terminus with moderate inward sloping sides and a mid concave base aligned SW-NE. Cut by [5809]	L- 0.80m+ W- 0.36m D- 0.46-0.66
(5808)	Fill of Linear [5809]	Moderately compact mottled mid grey brown with dark grey brown silty clay.	L- 1.7m+ W- 2.40m D- 0.35-0.67

[5809]	Cut of Linear	Rectilinear with gentle inward sloping sides and a flat base aligned E-W. Cuts [5807]	L- 1.7m+ W- 2.40m D- 0.35-0.67
(5810)	Fill of posthole [5811] 5816	Moderately compact mid grey brown with light grey brown patches silty clay with moderate chalk pieces and flecks and occasional small angular flint inclusions.	L- 0.32m W- 0.27m D- 0.46-0.57
[5811]	Cut of Posthole in 5816	Sub circular posthole with stepp inward sloping sides and an undulating to flat base.	L- 0.32m W- 0.27m D- 0.46-0.57
(5812)	Fill of Posthole [5813] 5816	moderately compact mid grey brown silty clay with occasional chalk fleck and small angular flint inclusions.	L- 0.42m W- 0.32m+ D- 0.46-0.79
[5813]	Cut of Posthole in 5816	Ovate posthole with moderate to steep inward sloping sides and a mid concave base sloping down toward 'N'. No clear alignment as it enters the 'E' L.O.E	L- 0.42m W- 0.32m+ D- 0.46-0.79
(5814)	Fill of Stakehole [5815] 5816	Soft light brown clayey silt with moderate chalk fleck inclusions.	L- 0.07m W- 0.07m D- 0.73-0.80
[5815]	Cut of Stakehole in 5816	Circular stakehole with near vertical sides and a flat to gentle concave base.	L- 0.07m W- 0.07m D- 0.73-0.80
5816	SFB structure	Structure of possible SFB with rectangular cut[5803][5805], two internal posts [5811][5813] and one internal stakehole [5815]. Aligned SSE-NNW.	L- ~5.1m W- 1.7m+
Natural	Natural Geology	50% chalk with large glacial scarring aligned N-S in-filled with brickearth.	0.41/0.50+

Trench 59	Dimensions: 26m x 1.85m Trench alignment: NNE-SSW Ground level at SSW end: 27.08 mOD Ground level at NNE end: 28.79 mOD			
Context	Interpretation	Description	Depth (m)	
(5900)	Topsoil	Soft very dark grey brown silt loam with occasional chalk fleck and large flint inclusions.	0.00-0.30	
(5901)	Subsoil	Moderately compact mid orangey brown clayey silt with moderate chalk flecks and occasional large flint inclusions.	0.30- 0.55/0.43	
(5902)	Colluvial Deposit 'A'	Soft mid orange brown slightly clayey silt with occasional chalk flecks and moderate medium sub angular flint inclusions. Seals all arch in trench.	0.43-0.60 / 0.55-0.68	
(5903)	Fill of Linear [5904]	moderately compact mottled light yellowish brown and mid orange brown clayey silt.	L- 1m+ W- 1.25m D- 0.60-0.73	
[5904]	Cut of Linear	Curvilinear with gentle to moderate inward sloping sides and a gentle concave base aligned ESE-W. Sealed by (5902)	L- 1m+ W- 1.25m D- 0.60-0.73	
(5905)	Fill of Pit [5906]	Moderately compact mid greyish brown clayey silt with occasional chalk fleck inclusions.	L- 0.60m W- 0.55m+ D- 0.60-0.70	
[5906]	Cut of Pit	Ovate pit entering WNW LOE with moderate inward sloping sides and a flat base and no clear orientation. Sealed by (5902)	L- 0.60m W- 0.55m+ D- 0.60-0.70	

Cut of Pit Sub-ovate pit with gentle inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902) Fill of Pit [5912] Moderately compact mid orangey brown clayey silt.		Fill of Pit [5908]	Moderately compact mottled mid grey brown	L- 0.58m+
Fill of Pit Sub-ovate pit with gentle inward sloping sides and a moderate concave base aligned F-W. Sealed by (5902) Fill of Pit [5910] Fill of Pit [5912] Moderately compact mid orangey brown clayey silt with moderate on solution orange brown and mid to light yellow brown clayey silt with occasional chalk fleck inclusions. Po.0.60-0.70	(5907)	1111 01 1 10 [3300]		
[5908] Cut of Pit Ovate pit with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5910] Fill of Pit [5910] Fill of Pit [5910] Sub-ovate pit with gentle inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902) Cut of Pit Sub-ovate pit with gentle inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902) D-0.60-0.70 Fill of Pit [5912] Moderate to firm mottled light grey brown and mid greyish yellow clayey silt with moderate chalk fleck and bio linclusions. Cut of Pit Large irregular ovate pit with steep inward sloping sides and an undulating base aligned N-S. Sealed by (5902). Fill of Pit[5914] Moderately compact mid orangey brown clayey silt. Fill of Pit[5914] Moderately compact mid orangey brown clayey silt. Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902). Fill of Pit[5914] Fill of Terminus gentle concave base aligned WNW-ESE. Sealed by (5902). Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned WNW-ESE. Sealed by (5902). Fill of Terminus Gentle dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base L-1.20m W-0.60m+D-0.60-0.70				
Sealed by (5902) Sealed by (5902) Fill of Pit [5910] Sub-ovate pit with gentle inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902) D-0.60-0.70		Cut of Pit		
Sealed by (5902) D- 0.60-0.72	[5008]	Cutoffit		
(5909) Fill of Pit [5910] Firm mottled mid orange brown and mid to light yellow brown clayey silt with occasional chalk fleck inclusions. Cut of Pit Sub-ovate pit with gentle inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902) Fill of Pit [5912] Moderate to firm mottled light grey brown and mid greyish yellow clayey silt with moderate chalk fleck and bio linclusions. Cut of Pit Large irregular ovate pit with steep inward sloping sides and an undulating base aligned N-S. Sealed by (5902). Fill of Pit[5914] Cut of Pit Sealed by (5902). Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned WNW-ESE. Sealed by (5902). Fill of Terminus (5915) Fill of Terminus (5916) Fill of Pit [5918] Cut of Pit [5918]	[3300]		_	
(5909) yellow brown clayey silt with occasional chalk fleck inclusions. Cut of Pit Sub-ovate pit with gentle inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902) D-0.60-0.70 Fill of Pit [5912] Moderate to firm mottled light grey brown and mid greyish yellow clayey silt with moderate chalk fleck and bio linclusions. D-0.60-0.72 Cut of Pit Large irregular ovate pit with steep inward sloping sides and an undulating base aligned N-S. Sealed by (5902). D-0.60-0.72 Fill of Pit[5914] Moderately compact mid orangey brown clayey silt. W-0.35m D-0.60-0.65 Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned WNW-ESE. Sealed by (5902). D-0.60-0.65 Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned WNW-ESE. Sealed by (5902). D-0.60-0.65 Fill of Terminus (5915) Fill of Terminus (5916) Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) D-0.60-0.74 Fill of Pit [5918] Moderately compact mottled dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. D-0.60-0.74 Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate concave base aligned E-W. Sealed by (5902) D-0.60-0.74 Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate concave base aligned E-W. O.60m+D-0.60-0.70 Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base U-0.60m+D-0.60-0.70		Fill of Dit [5910]		
Fill of Pit Sub-ovate pit with gentle inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902) D-0.60-0.70	(5909)	1111 01 1 11 [3310]	=	_
Cut of Pit Sub-ovate pit with gentle inward sloping sides and a gentle concave base aligned N-S. Sealed by (5902) Moderate to firm mottled light grey brown and mid greyish yellow clayey silt with moderate chalk fleck and bio linclusions. L- 4.36m W- 1.70m+ D- 0.60-0.72	(3303)			
Sealed by (5902) Sealed by (5902) D-0.60-0.70		Cut of Pit		
Sy (5902) D- 0.60-0.70	[5010]	Cutoffit		_
Fill of Pit [5912] Moderate to firm mottled light grey brown and mid greyish yellow clayey silt with moderate chalk fleck and bio linclusions. D- 0.60-0.72	[3310]			
Moderately compact mottled dark grey and mid orange by (5902) Moderately compact mottled dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. L- 0.66m+ W- 0.36m D- 0.60-0.74		Fill of Pit [5912]		
Cut of Pit Large irregular ovate pit with steep inward sloping sides and an undulating base aligned N-S. Sealed by (5902). Fill of Pit[5914] Moderately compact mid orangey brown clayey silt. Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned WNW-ESE. Sealed by (5902) Fill of Terminus Fill of Terminus (5915) Po.660-0.74 Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5918] Moderately compact mottled dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base	(5911)	1111 01 111 [3312]		
[5912] Cut of Pit Large irregular ovate pit with steep inward sloping sides and an undulating base aligned N-S. Sealed by (5902). D-0.60-0.72 [5913] Fill of Pit[5914] Moderately compact mid orangey brown clayey silt. W-0.35m D-0.60-0.65 [5914] Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned WNW-ESE. Sealed by (5902) D-0.60-0.65 [5915] Fill of Terminus Moderately compact mottled dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. D-0.60-0.74 [5916] Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) D-0.60-0.74 [5917] Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. L-1.20m W-0.60m+D-0.60-0.70 [5918] Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base W-0.60m+ W-0.60m+	(3311)			_
Sloping sides and an undulating base aligned N-S. Sealed by (5902). D- 0.60-0.72		Cut of Pit		
S. Sealed by (5902). D- 0.60-0.72	[5912]	Cutoffit		
(5913) Fill of Pit[5914] Moderately compact mid orangey brown clayey silt. Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned WNW-ESE. Sealed by (5902) Fill of Terminus [5916] Cut of Terminus Cut of Terminus Terminus with moderate inward sloping sides and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. Cut of Terminus Fill of Pit [5918] Fill of Pit [5918] Cut of Pit Cut of Pit Ovate pit with very gentle inward sloping sides and a moderate concave base and an undulating to gentle concave base L- 0.52m W- 0.35m D- 0.60-0.65 L- 0.66m+ W- 0.36m D- 0.60-0.74 L- 1.20m W- 0.60m+ D- 0.60-0.70 L- 1.20m W- 0.60m+ D- 0.60-0.70	[3312]			
Silt. W- 0.35m D- 0.60-0.65		Fill of Pit[5914]		
Cut of Pit Cut of Pit Cut	(5913)	1111 01 1 10[5514]		
[5914] Cut of Pit Ovate pit with steep inward sloping sides and a gentle concave base aligned WNW-ESE. Sealed by (5902) D- 0.60-0.65 [5915] Fill of Terminus [5916] Moderately compact mottled dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. D- 0.60-0.74 [5916] Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) D- 0.60-0.74 [5917] Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. [5918] Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base W- 0.60m+	(3313)		Sitt	
[5914] gentle concave base aligned WNW-ESE. Sealed by (5902) D- 0.60-0.65 Fill of Terminus Moderately compact mottled dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. D- 0.60-0.74 Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) D- 0.60-0.74 Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base W- 0.60m+		Cut of Pit	Ovate pit with steep inward sloping sides and a	
by (5902) Fill of Terminus (5915) Fill of Terminus [5916] Cut of Terminus Cut of Terminus Fill of Pit [5918] Cut of Pit D- 0.60-0.65 Moderately compact mottled dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. D- 0.60-0.74 W- 0.36m D- 0.60-0.74 W- 0.36m W- 0.36m D- 0.60-0.74 W- 0.36m Cut of Pit Cu	[5914]			
Fill of Terminus [5916] Moderately compact mottled dark grey and mid orange brown clayey silt with occasional chalk fleck and small flint inclusions. Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base W- 0.60m+	[331.]			
(5915) [5916] orange brown clayey silt with occasional chalk fleck and small flint inclusions. Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base W- 0.36m W- 0.36m D- 0.60-0.74 L- 1.20m W- 0.60m+ D- 0.60-0.70		Fill of Terminus		
fleck and small flint inclusions. Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base D- 0.60-0.74 U- 1.20m W- 0.60m+ D- 0.60-0.70 L- 1.20m W- 0.60m+ D- 0.60-0.70	(5915)			
[5916] Cut of Terminus Terminus with moderate inward sloping sides and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base L- 0.66m+ W- 0.60m+ D- 0.60-0.70 L- 1.20m W- 0.60m+ D- 0.60-0.70	(55 = 5)	[5525]	• •	D- 0.60-0.74
[5916] and a moderate concave base aligned E-W. Sealed by (5902) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base W- 0.36m D- 0.60-0.74 L- 1.20m W- 0.60m+ D- 0.60-0.70		Cut of Terminus		L- 0.66m+
Sealed by (5902) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base D- 0.60-0.74 L- 1.20m W- 0.60m+ D- 0.60-0.70	[5916]			W- 0.36m
(5917) Fill of Pit [5918] Moderately compact mottled mid to light grey brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base L- 1.20m W- 0.60m+ D- 0.60-0.70	,		_	D- 0.60-0.74
brown and greyish yellow very slightly clayey silt with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base L- 1.20m W- 0.60m+ D- 0.60-0.70 L- 1.20m W- 0.60m+		Fill of Pit [5918]		
with moderate chalk fleck and bio and occasional small angular flint inclusions. Cut of Pit Ovate pit with very gentle inward sloping sides and an undulating to gentle concave base W- 0.60m+ D- 0.60-0.70 L- 1.20m W- 0.60m+	(5917)			_
Cut of Pit Ovate pit with very gentle inward sloping sides L- 1.20m and an undulating to gentle concave base W- 0.60m+				
Cut of Pit Ovate pit with very gentle inward sloping sides L- 1.20m and an undulating to gentle concave base W- 0.60m+			occasional small angular flint inclusions.	D- 0.60-0.70
[5918] and an undulating to gentle concave base W- 0.60m+	[5918]	Cut of Pit		L- 1.20m
				W- 0.60m+
aligned E-W. Sealed by (5902). D- 0.60-0.70				D- 0.60-0.70
Natural Geology 30% chalk with glacial scarring aligned NNE-SSW 0.59/0.45	Natural	Natural Geology	30% chalk with glacial scarring aligned NNE-SSW	0.69/0.45
Natural Natural Geology in-filled with brickearth leading to brickearth 0.68/0.45+	Natural			0.08/0.45+

Trench 60	Dimensions: Trench Ground level at ESE)D
Context	Interpretation	Description	Depth (m)

Trench 61	Dimensions: Trench Ground level at ESE	_	
Context	Interpretation	Description	Depth (m)

Trench 62	Dimensions: 26m x 1.7m Trench alignment: ESE-WNW		
Trench 62	Ground level at ESE end: 26.88 mOD Ground level at WNW end: 26.49 mOD		

Context	Interpretation	Description	Depth (m)
(6200)	Topsoil	Black brown clay loam with occasional chalk flecks, flint and bio inclusions.	0.00-0.36
(6201)	Subsoil	Mid brown clay loam with very occasional flint and bio inclusions.	0.36-0.63
(6202)	Colluvial Deposit 'A'	Moderate to soft mid to light orange brown clayey silt with occasional chalk fleck and flint inclusions. Extends to 2.8m from WNW end of trench. Seals [6210][6208][6213]	0.56-0.78
(6203)	Fill of Terminus [6204]	Moderately compact orangey brown clayey silt with large to medium flint and chalk fleck inclusions. Same as (6205)	L- 1m+ W- 0.45m D- 0.78-0.98
[6204]	Cut of Terminus	Terminus with moderate inward sloping sides and a flat base aligned WNW-ESE. Same as [6206]	L- 1m+ W- 0.45m D- 0.78-0.98
(6205)	Fill of Linear [6206]	Moderately compact orangey brown clayey silt with large to medium flint and chalk fleck inclusions. Same as (6203)	L- 0.65m+ W- 0.45m D- 0.78-0.88
[6206]	Cut of Linear	Rectilinear with moderate inward sloping sides and a flat base aligned WNW-ESE. Same as [6204]	L- 0.65m+ W- 0.45m D- 0.78-0.88
(6207)	Fill of Terminus [6208]	Moderate to firm orange brown silty clay.	L- 1.39m+ W- 0.22m D- 0.78-0.92
[6208]	Cut of Terminus	Terminus with near vertical sides and a flat base aligned SSW-NNE. Cut by [6213] sealed by (6202)	L- 1.39m+ W- 0.22m D- 0.78-0.92
(6209)	Fill of Pit [6210]	Moderately compact orangey brown clayey silt.	L- 1.85m W- 1.50m D- 0.78-0.93
[6210]	Cut of Pit	Sub-ovate pit with gentle inward sloping sides and a flat base with no clear alignment. Sealed by (6202).	L- 1.85m W- 1.50m D- 0.78-0.93
(6211)	Fill of Pit [6213]	Moderate to firm dark orange brown silty clay with occasional Mn fleck and bio inclusions.	L- 0.54m W- 0.43m D- 0.78-0.87
(6212)	Fill of Pit [6213]	Moderately compact orange brown silty clay with occasional Mn flecks and bio inclusions.	L- 0.54m W- 0.43m D- 0.87-0.94
[6213]	Cut of Pit	Ovate pit with steep inward sloping sides and an undulating base aligned SE-NW. Cuts [6208] No clear relationship with (6202).	L- 0.54m W- 0.43m D- 0.78-0.94
Natural	Natural Geology	Brickearth leading to 20% chalk with glacial scarring aligned NNE-SSW in-filled with brickearth.	0.63/0.78+

Trench 63	Dimensions: 25m x 1.96m Trench alignment: E-W Ground level at E end: 26.82 mOD Ground level at W end: 26.09 mOD		
Context	Interpretation	Description	Depth (m)
(6300)	Topsoil	Loose dark grey to very dark brown clay loam with occasional chalk fleck and flint and frequent bio inclusions.	0.00-0.34

	Subsoil	Moderately compact mid greyish orangey brown	
(6301)		clay loam with frequent chalk fleck and	0.34-0.63
		occasional angular flint inclusions.	
	Fill of Pit [6303]	Loose mottled mid brown, light orange brown	L- 1.24m
(6302)		and dark grey clayish loam with frequent chalk	W- 0.60m
		pieces and occasional angular flint inclusions.	D- 0.60-0.77m
	Cut of Pit	Ovate pit with gentle inward sloping sides and a	L- 1.24m
[6303]		gentle concave base aligned E-W.	W- 0.60m
			D- 0.60-0.77
Natural	Natural Geology	75% chalk with glacial scarring aligned SW-NE in -filled with brickearth.	0.63+

Trench 64	Dimensions: 25m x 2 Ground level at SSW	2.2m Trench alignment: NNE-SSW end: 24.98 mOD Ground level at NNE end: 26.30	mOD
Context	Interpretation	Description	Depth (m)
(6400)	Topsoil	Soft black grey humic silt loam with significant bio and occasional angular flint inclusions.	0.00-0.32
(6401)	Subsoil	Moderate to soft mid brown clayey silt with occasional flint, Mn fleck and bio inclusions.	0.32-0.60
(6402)	Colluvial Deposit 'A'	Soft darkish grey brown very slightly clayish silt with occasional chalk flecks and bio inclusions. Seals all arch in trench	0.60-0.88
(6403)	Upper Fill of Linear [6405]	Moderate to firm dark orange brown clay silt with occasional Mn, charcoal and burnt clay fleck and bio inclusions.	L- 2.2m+ W- 1.23m D- 0.82-0.96
(6404)	Basal fill of Linear [6405]	Very compact yellowish brown slightly clayish silt with occasional Mn, charcoal and burnt clay fleck and bio inclusions.	L-2.2m+ W-0.35m D- 0.96-1.25
[6405]	Cut of Linear	Rectilinear with stepped sides, gentle inward sloping on 'N' then steep inward sloping with a flat base aligned E-W. Cuts [6408]. Sealed by (6402)	L- 2.2m+ W- 1.23m D- 0.82-1.25
(6406)	Silt Deposit	Moderate to firm orange brown clayish silt. Cut by [6405].	L- 0.88m W- 0.69m D- 0.82-0.90
(6407)	Fill of Pit [6408]	Moderate to soft mottled darkish brown and grey orange silt with occasional Mn fleck and small angular flint inclusions.	L- 1.21m W- 0.90m D- 0.77-0.93
[6408]	Cut of Pit	Subovate pit with moderately steep inward sloping sides and a gentle concave base aligned N-S. Cuts (6409). Sealed by (6402).	L- 1.21m W- 0.90m D- 0.77-0.93
(6409)	Silt Deposit	Very soft white grey silt with occasional Mn fleck and very occasional small sub angular and rounded flint inclusions. Cut by [6408] Same as (6410). Possibly colluvial deposit 'E'	L- 2.40m W- 1.3m D-0.77-0.96
(6410)	Silt Deposit	Very soft white grey silt with occasional Mn fleck and very occasional small sub angular and rounded flint inclusions. Same as (6409). Possibly colluvial deposit 'E'	L- 1.8m (approx. 10m max) W- 2.2m D-0.80-1.04
(6411)	Fill of Pit [6413]	Moderately compact brownish beige grey silty clay.	L-1.38m W- 0.72m D- 0.82-0.92

	Fill of Pit [6413]	Moderate to firm orangey beige grey silty clay.	L-1.38m
(6412)	1 01 1 [0 125]	inductate to initialized being given such and it	W-0.72m
			D-0.82-1.01
	Cut of Pit	Ovate pit with steep inward sloping sides and a	L-1.38m
[6413]		flat base aligned N-S. Cuts [6420][6424][6417].	W-0.72m
		Sealed by (6402).	D-0.82-1.01
	Fill of pit [6415]	Moderately compact mottled orange and grey	L- 0.98m
(6414)		silty clay.	W- 1.36m
, ,			D- 0.82-0.92m
	Cut of Pit	Ovate pit with steep inward sloping slides and a	L- 0.98m
[6415]		flat base aligned NW-SE. Cuts [6417][6424]	W- 1.36m
		Sealed by (6402)	D- 0.82-0.92m
	Fill of Pit [6417]	Moderate to firm mottled beige and orange silty	L- 0.53m
(6416)		clay.	W- 0.26m
(0410)			D- 0.82-1.01m
	Cut of Pit	Sub circular pit with moderate inward sloping	L- 0.53m
[6417]		sides and a flat base aligned NNE-SSW. Cut by	W- 0.26m
		[6413][6415]. Sealed by (6402)	D- 0.82-1.01m
	Fill of Pit [6420]	Moderate to firm mottled light beige and light	L-0.80m
(6418)		brown slightly clayish silt.	W- 0.42m
			D- 0.82-0.97m
	Fill of Pit [6420]	Moderate to firm beige brown grey silt.	L- 0.80m
(6419)			W-0.42m
			D- 0.82-1.04m
	Cut of Pit	Sub circular pit with moderate inward sloping	L- 0.80m
[6420]		sides and mid concave base aligned WNW-ESE.	W-0.42m
		Cut by [6413] cuts [6422] sealed by (6402)	D- 0.82-1.04m
	Fill of Pit [6422]	Moderate to firm light orange grey brown	L- 0.68m
(6421)		clayish silt.	W- 0.42m
			D- 0.82-1.00m
<u>.</u>	Cut of Pit	Sub ovate pit with moderate inward sloping	L- 0.68m
[6422]		sides and a concave base aligned SSW-NNE. Cut	W- 0.42m
		by [6420] sealed by (6402).	D- 0.82-1.00m
	Fill of Pit [6424]	Moderate to firm dark brown grey with	L- 0.29m
(6423)		occasional beige patches, very silty clay.	W- 0.09m
			D- 0.82-0.94m
[6.45.4]	Cut of Pit	Ovate pit with moderate inward sloping sides	L- 0.29m
[6424]		and a mid concave base aligned NNe-SSW. Cut	W- 0.09m
		by [5413][6415]. Sealed by (6402)	D- 0.82-0.94m
Natural	Natural Geology	Firm mottled orange and orangey grey brown	0.88+
		silty clay non-calcareous brickearth.	

Trench 65	Dimensions: 25m x 2m Trench alignment: SSW-NNE Ground level at SSW end: 25.22 mOD Ground level at NNE end: 26.31 mOD			
Context	Interpretation	Description	Depth (m)	
(6500)	Topsoil	Soft black brown silt loam with frequent bio inclusions.	0.00-0.32	
(6501)	Subsoil	Moderately compact brownish grey silty clay with moderate chalk pieces and flint inclusions.	0.32-0.56	
(6502)	Upper Fill of Linear [6506]	Greyish brown silty clay with occasional small- medium sub angular flint and chalk piece inclusions.	L- 2m+ W- 1.6m D- 0.56-0.84	
(6503)	Fill of Linear [6506]	Moderately compact light grey brown slightly clayish silt with frequent medium flint and chalk	L- 1m+ W- 1.1m D- 0.84-1.15	

		piece inclusions.	
(6504)	Fill of Linear [6506]	Very firm light grey slightly clayish silt with very frequent small - medium chalk pieces and bio inclusions. Possible slump from 'N'.	L- 1m+ W-0.51m D- 0.75-1.15
(6505)	Basal Fill of Linear [6506]	Moderate to firm light greyish brown silt with frequent flint and chalk and occasional bio inclusions.	L- 2m+ W- 1.6m D- 1.15-1.41
[6506]	Cut of Linear	Rectilinear with very steep inward sloping sides and concave to flat base aligned E-W.	0.56-1.41
(6507)	Fill of Pit [6508]	Moderate to soft brownish grey silty clay with occasional chalk fleck inclusions.	L-1.5m W-1.5m D-0.56-0.77
[6508]	Cut of Pit	Ovate pit with gentle inward sloping sides and an undulating bas aligned N-S.	L-1.5m W-1.5m D-0.56-0.77
Natural	Natural Geology	50% chalk with glacial scarring aligned NNE-SSW in-filled with slightly greyish orange brickearth.	0.56+

Trench 66	Dimensions: 29m x 2.2m Trench alignment: NW-SE Ground level at SE end: 24.88 mOD Ground level at NW end: 24.71 mOD		
Context	Interpretation	Description	Depth (m)
(6600)	Topsoil	Moderately compact dark grey brown silty clay with moderate chalk fleck, occasional small angular flint inclusions.	0.00- 0.28/0.32m
(6601)	Subsoil	Moderately compact mid orange brown silty clay with occasional chalk fleck inclusions.	0.28-0.38 / 0.32-0.54
(6602)	Colluvial Deposit 'A'	Moderately compact light to mid orange brown with mid grey brown patches, clayey silt with occasional chalk fleck and small flint inclusions. Seals all arch in NW of trench [6619],[6638]- [6652]	0.50-0.80
(6603)	Fill of Linear [6604]	Moderately compact dark orange brown silty clay with occasional charcoal, burnt clay and Mn fleck and bio inclusions.	L- 1.6m+ W- 0.86m D- 0.32-0.55
[6604]	Cut of Linear	Rectilinear with steep to moderate inward sloping sides and a slightly concave base aligned ENE-WSW.	L- 1.6m+ W- 0.86m D- 0.32-0.55
(6605)	Fill of terminus [6606]	Moderately compact dark orange brown silty clay with occasional charcoal and burnt clay fleck and bio inclusions. Same as (6613)	L- 3.79m+ W- 0.78m D- 0.60-0.67
[6606]	Cut of terminus	Rectilinear with gentle inward sloping sides and a gentle concave base aligned E-W. Same as [6614]	L- 3.79m+ W- 0.78m D- 0.60-0.67
(6607)	Fill of Linear [6608]	Moderately compact mid grey brown and mid orange brown silty clay with moderate chalk fleck and occasional sun angular flint inclusions.	L- 3.70m+ W- 0.67m D- 0.60-0.69
[6608]	Cut of Linear	Rectilinear with gentle inward sloping sides and a mid concave base aligned SSE-NNW. Cuts [6610] [6612]	L- 3.70m+ W- 0.67m D- 0.60-0.69
(6609)	Fill of Linear [6610]	Moderately compact mottled mid grey brown and light grey and mid orange brown silty clay with occasional small flint, charcoal and chalk fleck inclusions.	L- 2.30m+ W- 1.25m D- 0.66-0.93

	T	T	
100/-1	Cut of Linear	Rectilinear with moderately steep inward	L- 2.30m+
[6610]		sloping sides and a mid concave base aligned	W- 1.25m
	F:!! -f !: [CC42]	NE-SW. Cuts [6612]. Cut by [6608]	D- 0.66-0.93
<i>(CC11)</i>	Fill of Linear [6612]	Moderately compact mid grey brown and light	L- 2.30m+ W- 1.20m
(6611)		grey brown silty clay with occasional chalk fleck and small sub angular flint inclusions.	D-0.66-1.02
	Cut of Linear	Rectilinear with stepped gentle to moderate	L- 2.30m+
[6612]	Cut of Linear	inward sloping sides and a flat base aligned NE-	W- 1.20m
		SW. Cut by [6608] [6610]	D-0.66-1.02
	Fill of Linear [6614]	Moderately compact dark orange brown silty	L- 3.79m+
(6613)		clay with occasional charcoal and Mn fleck and	W- 0.90m
, ,		bio inclusions. Same as (6605)	D- 0.60-0.71m
	Cut of Linear	Rectilinear with steep to moderate inward	L- 3.79m+
[6614]		sloping sides and a gentle concave base. Aligned	W- 0.90m
		E-W. Same as [6606]	D- 0.60-0.71m
	Fill of Linear [6617]	Moderately compact dark orange brown silty	L- 1.2m
(6615)		clay with occasional charcoal and burnt clay	W- 0.58m
		flecks and bio inclusions. Same as (6629)	D- 0.80-0.99
	Fill of Linear [6617]	Hard light orange brown slightly clayey silt.	L- 1.2m+
(6616)		Same as (6630)	W- 0.15m
	Cut of Lincon	Dostilia og vijeb stoop invoged slaving sides og de	D- 0.80-0.99
[6617]	Cut of Linear	Rectilinear with steep inward sloping sides and a	L- 1.2m+ W- 0.72m
[0017]		flat base. Aligned N-S. Same as [6631]	D- 0.80 - 0.99
	Fill of Linear [6619]	Moderate to firm dark orange brown silty clay	L- 1.38m
(6618)	Till of Linear [0015]	with occasional charcoal and burnt clay flecks	W- 0.81m
(0010)		and bio inclusions.	D- 0.90-1.01
	Cut of Linear	Rectilinear with very steep inward sloping sides	L- 1.38m
[6619]		and a flat base. Aligned N-S. Cuts [6652](6653)	W- 0.81m
		sealed by (6602).	D- 0.90-1.01
	Upper Fill of Linear	Moderately compact mottled mid to dark grey	L- 2.30m+
(6620)	[6622]	brown with dark grey silty clay with occasional	W- 1.75m
(0020)		chalk and charcoal flecks and small flint	D- ~0.70-0.88
		inclusions.	
(6624)	Basal Fill of Linear	Moderately compact mottled mid grey brown	L- 2.30m+
(6621)	[6622]	with light grey and orange brown silty clay with	W- 1.75m D~0.88-0.95
	Cut of	occasional chalk flecks and small flint inclusions. Rectilinear/hollow with moderate to steep	D*0.88-0.95
	Linear/hollow	inward sloping sides and a gentle concave to	L- 2.30m+
[6622]	Linearynonow	undulating base with frequent flint exposed in	W- 1.75m
[0022]		natural below feature. Aligned SSW-NNE. Cuts	D- ~0.70-0.95
		[6625][6628]. Possibly same as [6636]	
	Upper Fill of Linear	Moderately compact mid grey brown silty clay	L- 2.30m+
(6622)	[6625]	with occasional small sub angular flint and burnt	W- 0.95-
(6623)		clay and charcoal fleck inclusions. Same as	1.40m
		(6632)	D- ~0.70-0.98
	Basal Fill of Linear	Moderately compact mid orange brown and	L- 2.30m+
(6624)	[6625]	light brownish grey silty clay with occasional	W- 0.95-
. ,		chalk fleck and sub angular flint inclusions. Same	1.40m
	Cut of Linear	as (6633)	D- 0.98-1.08
	Cut of Linear	Rectilinear with moderate inward sloping sides and a gentle concave base. Aligned SW-NE.	L- 2.30m+ W- 0.95-
[6625]		Same as [6634]. Cut by [6622]	1.40m
		Same as [005+]. Cut by [0022]	D- ~0.70-1.08
(6626)	Upper Fill of Linear	Moderately compact mottled mid greyish brown	
	[6628]	with mid and light grey patches, silty clay with	L- 2.30m+
		occasional chalk and charcoal fleck and small	W- 1.00m
		flint inclusions.	D- ~0.70-0.97
	•		

	Pacal Fill of Linear	Moderately compact mottled mid grange brown	1 2 20m i
(6627)	Basal Fill of Linear [6628]	Moderately compact mottled mid orange brown and light to mid grey silty clay with occasional	L- 2.30m+ W- 1.00m
	[0020]	chalk fleck inclusions.	D- 0.95-1.04
	Cut of Linear	Rectilinear with moderate inward sloping sides	L- 2.30m+
[6628]		and a gentle concave base aligned SSW-NNE.	W- 1.00m
		Cut by [6622].	D- ~0.70-1.04
(6629)	Upper FIII of Linear	Moderately compact mottled mif greyish brown	L- 2.60m+
	[6631]	and mid brown silty clay with occasional chalk	W- 0.80m
		fleck inclusions. Same as (6615).	D- ~0.70-0.96
10	Basal Fill of Linear	Moderately compact mottled mid orange brown	L- 2.60m+
(6630)	[6631]	and mid grey brown silty clay with occasional chalk fleck inclusions. Same as (6616).	W- 0.80m D- ~0.94-0.98
	Cut of Linear	Rectilinear with moderately steep inward	L- 2.60m+
[6631]	Cat of Emeai	sloping sides and a flat base aligned N-S. Cuts	W- 0.80m
[]		[6636]. Same as [6617].	D- ~0.70-0.98
	Upper Fill of Linear	Moderately compact mid grey brown silty clay	
(6632)	[6634]	with occasional small sub angular flint and burnt	L- 2.30m+ W-0.95-1.40m
(0032)		clay and charcoal fleck inclusions. Same as	D- ~0.75- 0.97
		(6623).	D- 0.75-0.57
	Basal Fill of Linear	Moderately compact mid orange brown and	L- 2.30m+
(6633)	[6634]	light brownish grey silty clay with occasional	W-0.95-1.40m
		chalk fleck and sub angular flint inclusions. Same	D- ~0.94- 1.03
	Cut of Linear	as (6624). Rectilinear with moderate inward sloping sides	
	Cut of Linear	and a gentle concave base aligned SW-NE. Same	L- 2.30m+
[6634]		as [6625]. Possibly cuts [6636], relationship	W-0.95-1.40m
		unclear.	D- ~0.75- 1.03
	Fill of Linear [6636]	Moderately compact mid grey brown with light	L- 2.30m+
(6635)		to mid orange brown silty clay with occasional	W- 0.60m
		chalk flick inclusions.	D- ~0.75-0.88
	Cut of	Rectilinear/ hollow with moderate inward	L- 2.30m+
[6636]	Linear/Hollow	sloping sides and a flat base aligned SSW-NNE.	W- 0.60m
		Cut by [6631]. Possibly cut by [6634], relationship unclear.	D- ~0.75-0.88
(6637)	Fill of Linear [6638]	relationship unclear.	
(0037)	Cut of Linear	Rectilinear aligned N-S. Relationship with [6640]	
[6638]	Cut of Linear	unclear. Sealed by (6602). Cuts (6653).	
[0000]		Unexcavated.	
(6639)	Fill of Pit [6640]		
	Cut of Pit	Subcircular pit. Relationship with [6638] unclear.	
[6640]		Sealed by (6602). Cuts (6653). Unexcavated.	
(6641)	Fill of Pit [6642]		
	Cut of Pit	Ovate pit heading into NE LOE. No clear	
[6642]		alignment. Sealed by (6602). Cuts (6653).	
		Unexcavated.	
(6643)	Fill of Pit [6644]		
[6644]	Cut of Pit	Sub ovate pit aligned N-S. Sealed by (6602). Cuts	
[00++]	1	(6653). Unexcavated.	
(6645)	Fill of Linear [6646]		
	Cut of Linear	Rectilinear aligned SSW-NNE only seen partially	
[6646]		entering from NW of trench. Sealed by (6602).	
	FILL CRISTOCICS	Cuts [6648](6653). Unexcavated.	
(6647)	Fill of Pit [6648]		
[6648]	Cut of Pit	Possibly ovate pit with no clear alignment.	
		Sealed by (6602), largely truncated by [6646].	
		Interaction with [6650] unclear. Cuts (6653). Unexcavated.	
		Onexcavateu.	

(6649)	Fill of Pit [6650]		
[6650]	Cut of Pit/Linear	Narrow ovate pit/linear aligned N-S. Cuts [6652]. Interaction with [6648] unclear. Sealed by (6602) Cuts (6653). Unexcavated.	
(6651)	Fill of Linear [6652]		
[6652]	Cut of Linear	Rectilinear aligned SW-NE Sealed by (6602). Cut by [6619][6650]. Cuts (6653). Unexcavated.	
(6653)	Colluvial Deposit 'E'	Moderately compact mottled light yellow brown and white grey very slightly clayey silt. Cut by all arch in NW of trench.	0.80+
Natural	Natural Geology	70% chalk with glacial scarring aligned NE-SW infilled with brickearth and soft dark brown clayey silts. Visible in SE half of trench. NW of trench cut onto Colluvial Deposit 'E'.	0.38+

Trench 67	Dimensions: 25m x 2m Trench alignment: SSW-NNE Ground level at SSE end: 24.57 mOD Ground level at NNE end: 25.06 mOD		
Context	Interpretation	Description	Depth (m)
(6700)	Topsoil	Loose dark brown silt loam with moderate chalk fleck and small flint and bio inclusions.	0.00-0.30
(6701)	Subsoil	Moderately compact orangey mid brown clayish silt loam with moderate chalk fleck and flint inclusions.	0.30-0.48
Natural	Natural Geology	60% chalk with glacial scarring aligned NE-SW infilled with soft mid brown silt loam and brickearth.	0.48+



Plate 17 Looking South across the PDA



Plate 18 Looking North East across the PDA



Plate 19 Trench 30, showing the large quarry captured in the trench



Plate 20 Trench 16, an example of the density of archaeological features in trenches along the southern end of the site



Plate 21 Trench 14, example of the density of archaeological features in trenches along the southern end of the site.




Plate 22 Trench 12, an example of the density of archaeological features in trenches along the southern end of the site.



Plate 23 Trench 22 containing the continuation of the Trackway and the three possible SFB's



Plate 24 Inhumation (3208) in Trench 32



Plate 25 Inhumation (3208) in Trench 32




Plate 26 Quarry [3306] [3310] in Trench 33



Plate 27 Pit [2309] in Trench 23



Plate 28 Metaled Trackway [1417] in Trench 14



Plate 29 Section of intercutting linear features [807], [810] and [813] in Trench 8



Plate 30 Plan of intercutting linear features [807], [810] and [813] in Trench 8



Plate 31 Substantial intercutting linears [1215], [1220] and [1226] in Trench 12





Plate 32 SFB [5816]

NOT TO SCALE NOT TO SCALE Cliffsend • ● Canterbury Ashford • **KENT** 1:50000@A4 Figure 1: Site Location Plan 5km 0m















Trench 10





1:150@A4

Figure 6: Trench Plans and Sections

0m


15m








0m


1:150@A4






















1:150@A4










Figure 13: Trench Plans and Sections



























Figure 19. Phase plan of trenches 13,14, 15 16, 22 + 25























Figure 26. Phase plan of trenches 65-67

Appendix 1

A catalogue and summary of the pottery, plus catalogues of daub and tile, recovered during a second stage of archaeological evaluation at Canterbury Road West, Cliffsend, Kent

Site Code: CWC2-EV-21

Analyst: Paul Hart

Last updated: 29.04.2022

For: Swale and Thames Archaeology Survey Company.

Contents

- 1. Summary
- 2. Period-based review
 - 2.1. Early to Middle Neolithic, 3650 to 2700 BC
 - 2.2. Beaker Period to Early Bronze Age, 2450 to 1550 BC
 - 2.3. Early Bronze Age to Mid to Late Bronze Age, 2100 to 1150 BC
 - 2.4. Later Prehistoric, 1550 to 50 BC
 - 2.5. Earliest Iron Age, 1000/900 to 600 BC
 - 2.6. Early to Mid Iron Age, 500 to 350 BC
 - 2.7. Early to Mid to Mid to Late Iron Age, 600 to 50 BC
 - 2.8. Mid to Late Iron Age, 200/125 to 75 BC
 - 2.9. Late and Latest Iron Age to Early Roman, 75 BC to 75 AD
 - 2.10. Early to Mid Roman, 75 to 250 AD
 - 2.11. Early Medieval to Late Medieval, 1150 to 1525/1550 AD
- 3. Comment
- 4. Bibliography

Appendix (PDF version only)

- 5. Quantification and spot-dating of the pottery assemblage
 - 5.1. Methodology
 - 5.2. Period Codes employed
 - 5.3. Abbreviations used in 5.4
 - 5.4. Catalogue: Quantification and spot-dating of the pottery, with notes
- 6. Catalogues of other finds presented
 - 6.1. Period Codes employed
 - 6.2. Catalogue of daub
 - 6.3. Catalogue of tile

1. Summary

A total of 494 sherds of pottery weighing a total of 8946 g were presented and catalogued. All dates given throughout are *circa*. Several specific phases of activity are indicated and the periods represented are listed below. The estimate of the numbers of vessels may give an indication of the relative different degrees of activity that produced these assemblages, with regards to the amount or length of human presence and whether this site was nearer the centre of the activity or perhaps on the periphery of it. It should be noted however that as this pottery was recovered during an evaluation it may represent an incomplete picture of the activity present at this site as a whole.

Ceramic presence	Main focus	
Early to Middle Neolithic	3650 to 2700 BC	4 vessels
Early to Middle Neolithic	3030 to 2700 BC	4 VESSEIS
Beaker Period to Early Bronze Age	2450 to 1550 BC	6 vessels
Foulute Mid Ivon Age	500 to 250 DC	17
Early to Mid Iron Age	500 to 350 BC	17 vessels
Mid to Late Iron Age	200/125 to 75 BC	92/98 vessels
Late and Latest Ivan Age to Foulst Domes	75 DC to 75 AD	10
Late and Latest Iron Age to Early Roman	75 BC to 75 AD	18 vessels
Early to Mid Roman	75 to 250 AD	51/54 vessels
Forder Modioval to Late Modioval	1150 to 1525 /1550 AD	16
Early Medieval to Late Medieval	1150 to 1525/1550 AD	16 vessels

In addition, some less diagnostic material was also present:

Early Bronze Age to Mid to Late Bronze Age	2100 to 1150 BC	1 vessel
Later Prehistoric	1550 to 50 BC	40/42 vessels
Earliest Iron Age	1000/900 to 600 BC	2 vessels
Early to Mid to Mid to Late Iron Age	600 to 50 BC	51/52 vessels
		·

Sources

The great majority of the wares from the periods represented were likely or certainly of local or regional manufacture. For the Prehistoric, most of the wares, particularly those in flint tempered fabrics (which dominate), were probably produced locally or relatively locally. Notably however, the Mid to Late Iron Age assemblage contains sherds from 2 vessels in calcareous glauconitic sandy fabrics that were likely made in the Folkestone area.

In the Roman phase, there is evidence for the use of silty and grog tempered wares of potential local manufacture, along with sandy wares from Canterbury and sandy and silty wares made in the North Kent Thameside area. One piece of mortaria may be in a Kentish fabric and the only certainly non-regional imports identified so far are a small number of sherds of Samian ware made in Central and possibly South Gaulish centres.

The majority of the pottery that occurred in the Medieval phases was likely produced at Canterbury, though 1 sherd potentially of London type ware was also present in the earlier part of this period.

Context-contemporary pottery

On current diagnostic ceramic evidence and without considering any related stratigraphic associations at this time, the pottery that is potentially contemporary with its context occurs in the following periods:

	Focusing between	
Early to Mid Iron Age	500 and 350 BC	1 feature, 15 sherds, 14 vessels
Mid to Late Iron Age	200/125 and 75 BC	16 features, 167 sherds, 78/83 vessels
	·	·
Early to Mid Roman	125 and 250 AD	2 features, 54 sherds, 46/48 vessels
		,
Medieval to Late Medieval	1225/1275 and 1375/1425 AD	1 feature, 5 sherds, 4 vessels
	,	

Subsequent stratigraphic analysis may well be able to add some additional quantities to the material from the above phases, but the main phase of activity currently identified on site occurs within the Mid to Late Iron Age. It is this assemblage alone that contains large form sherds, along with a couple of part and full vessel profiles. The contents of some of the contexts from this period suggest a very specific date, potentially between 125 and 75 BC, this based on the presence of sandy wares, some 'Belgic' style decoration and a near total absence of 'Belgic' style grog tempered fabrics. A few other contexts are only more broadly dated to the period as a whole on their own merits (200 to 50 BC). Future stratigraphic analysis may be able to determine whether all of the activity is focussed within the relatively short period noted, or shows a longer sequential history, with a phase that might pre-date the appearance of the sandy wares here.

The 2 Roman features noted in the table above may also demonstrate a sequential presence, with one context likely dating between 125 and 175 AD, while the focus of the other is more between 175 and 225/250 AD. Much of the Roman pottery is small sized or fragmentary and the few rims that are present, including those of Samian ware, generally show little or nothing of their vessel's profiles. The only rim of any size is one from a mortaria, a precise parallel for which has not been found at present.

The pottery from the Medieval feature is again mostly small sized (2 being rims) and could demonstrate an accumulation over a short time-frame, or perhaps a tighter focus around 1300 AD, if all of the fresher material was contemporary. The nature of the contexts and the relative horizons of recovery for these and all of the sherds in the site assemblage are not known or considered at this stage.

2. Period-based review

The material listed as being contemporary or residual within its context typically has the *potential* to be so based solely upon a consideration of the number, size and condition of sherds present and particularly whether the material is fresh, slightly abraded or significantly worn. The nature of the contexts and their stratigraphic relationships are unknown and unconsidered at this stage. Also, only a brief search for conjoins within or between contexts was conducted at this time. The wares denoted here and in the catalogue (see the Appendix) as flint tempered all showed the addition of grits of crushed burnt flint.

2.1. Early to Middle Neolithic, 3650 to 2700 BC

Relationship	In contexts	Sherds	Vessels
Residual	(1412) [1413] , (2609) [2610] , (6502) [6506] .	3	3
Unclear	(6411) [6413] .	2	1
Total		5	4

None of this material, all flint tempered, is certainly of this date, the identification hindered by the limited quantity, fairly small size and sometimes worn state of the sherds. The potential is notable however, considering also that evidence of activity within these periods is known to occur nearby.

(6502) produced 1 small fragment of a rim that could be from an Early Neolithic Decorated Bowl, dating between 3650 and 3350 BC. Though worn, the rim top probably featured a decoration of incised lines and the gritting was characteristic of some Earlier Neolithic fabrics locally. A plain sherd with a similar fabric was recovered in (1412), though this occurred with a smaller and only slightly fresher looking sherd that would more typically be Iron Age, perhaps Early to Mid to Mid to Late Iron Age, considering site trends. A Later Prehistoric date for the former cannot be excluded, given the presence of the later material and that the former was not significantly more worn. A subsequent review of the fabric types that occur within the Later Prehistoric assemblages on this site, once the maximum amount of material has been collected and established, might be able to indicate whether such Earlier Neolithic type tempering is certainly occurring in the Later Prehistoric wares here.

The only pottery recovered from (6411) were 2 small body sherds, the larger of which showed 2 fingernail impressions in a horizontal single row, the smaller sherd possibly also showing a single shallow impression. More likely of broad Early to Middle Neolithic date, these might also be from an Early Neolithic Decorated bowl, given the somewhat restricted nature of the decoration. Similarly, (2609) produced a small body sherd that showed 1 small crescentic impression that could be from a fingernail. If this is intentional decoration, then an Early to perhaps Middle Neolithic date is again possible, the coarse tempering and oxidised exterior being more typical of the latter period. Middle Neolithic Impressed Wares are typically much more intensively decorated however and so the option is not particularly preferred at present on current evidence.

2.2. Beaker Period to Early Bronze Age, 2450 to 1550 BC

Relationship	In contexts	Sherds	Vessels
Residual	(2203) [2205] , (3711) [3713] , (4813) [4815] , (5804) [5805] .	10	6
Total		10	6

All of this material, mostly in grog tempered fabrics featuring sparse fine flint, was of very small size and either certainly or more likely to be residual. Its presence is of interest however, for though Beaker pottery in graves are not uncommon on Thanet, outside of such features, this and other types of Early Bronze Age ceramics are in general encountered only rarely. This is particularly true for pottery retrieved from a domestic setting. An important question to consider therefore is whether this material has derived from domestic activity, or disturbed burials.

Beaker pottery, 2450 to 1750 BC

(3711) produced 3 small sherds potentially from the same beaker, including 1 plain fragment of base and 1 body sherd decorated with impressed comb tips. The latter would derive from a Maritime/Comb Zone or Long Necked/Late style Beaker and could date throughout the range. One predominantly flint and grog tempered sherd was also present and could be associated. (4813) contained 1 small base sherd which showed 4 fingernail impressions on the exterior. This derives from a Rusticated Beaker, dating between 2200 and 1750 BC.

Early Bronze Age pottery, 2100 to 1550 BC

Two small sherds, from (4813) and (5804), could be from such vessels, the latter a right-angled base.

Beaker or Early Bronze Age pottery, 2450 to 1550 BC

3 small body sherds, no decoration present on their worn surfaces, were recovered from (2203). They could date more widely, but are preferably of this phase, given their fabric and bright oxidised surfaces.

2.3. Early Bronze Age to Mid to Late Bronze Age, 2100 to 1150 BC

Relationship	In contexts	Sherds	Vessels
Residual	(1313) [1315] .	1	1
Total		1	1

This was a very worn small plain sherd from a coarseware that could potentially date within this range.

2.4. Later Prehistoric, 1550 to 50 BC

Relationship	In contexts	Sherds	Vessels
Contemporary	(4813) [4815] .	6	1
Residual	(812) [813] , (1009) [1011] , (1113) [1115] , (1313) [1315] ,	38	26/27
	(1403) [1404] , (1414) [1417] , (1604) [1605] , (1809) [1811] ,		
	(1923), (2003) [2004] , (2104) [2106] , (2308) [2309] , (2403) [2404] ,		
	(2406) [2407] , (2509) [2512] , (3307) [3310] , (3411) [3412] ,		
	(3502) [3505] , (6603) [6604] , (6507) [6508].		
Unclear	(817) [820] , (1113) [1115] , (1316) [1317] , (1416) [1417] ,	35	13/14
	(1506) [1507] , (1711) [1712] , (2203) [2205] , (2510) [2512] ,		
	(5108) [5109] , (5802) [5803] , (5915) [5916] .		
Total		79	40/42

This material generally comprised otherwise undiagnostic body sherds in flint tempered fabrics that had the potential to date widely. Notable were 4 small sherds in mixed flint and grog tempered fabrics from (1009), (1414), (2406) and (6603), which is a minority ware type during most of the Later Prehistoric, with the possible exception of the Mid to Late Bronze Age. The sherd from (1414) is dated more widely, to include the Beaker Period, though the rest are preferably Later Prehistoric, given the dominance and quantity of flint present. In addition is 1 tiny body sherd in a grog and flint tempered fabric from (2104). The size gives a very limited view, though the apparent dominance of grog would perhaps be more common in assemblages of Early Bronze Age, Mid to Late Bronze Age and Middle Iron Age date.

Some sherds gave a slight preference for a date within the Iron Age (1000/900 to 50 BC). All were small sized and most were recovered as single instances from their contexts, specifically (812), (1113), (1506), (1604), (2203), (2308), (2509), (3307) and (5802).

2.5. Earliest Iron Age, 1000/900 to 600 BC

Relationship	In contexts	Sherds	Vessels
Unclear	(1313) [1315] , (2403) [2404] .	2	2
Total		2	2

No sherds are certainly of this date and the low quantity and lack of supporting evidence is an issue.

(1313) contained 1 sherd from a fineware, which showed an incised linear scheme that likely formed a pattern of bands of alternating diagonal lines set within a horizontal line border, the blank areas between the angled lines creating a repeating pattern of upright and inverse triangles. Similar schemes are known to occur on Kentish flint tempered vessels from the Middle Bronze Age to at least the end of the Earliest Iron Age (Couldrey 2007a, 143; Morris 2006, 63 and Figures 3.3b and 3.7g). The scheme has also been noted occurring elsewhere in Southern England during the Early to Mid Iron Age (in Wessex) and possibly the Middle Iron Age (Glastonbury style), often however with cordons (Gibson 2002, 117-124). An Earliest Iron Age date is slightly preferred at present, given the fabric, surface finish and the presence of a sharp body angle on the interior of the sherd (just at the break). A tripartite bowl with this decorative scheme that was dated to the end of the Earliest Iron Age has been recorded in Kent (Morris 2006, Figure 3.7g, TUT/21). Though not typical or particularly common, rectilinear decoration can also occur locally within the Mid to Late Iron Age (Macpherson-Grant 2011a) and the evidence for a notable presence during that time is represented within the site assemblage (see further below). Consideration should be given to any stratigraphic relationships that this context might also provide.

(2403) produced 1 small, thin-walled, body sherd in a profusely finely flint tempered fabric, who's traits are more common in assemblages of Earliest Iron Age date. This possible instance should also be considered alongside any stratigraphic evidence and subsequently can be compared with the fabrics and trends within the assemblages from the other Later Prehistoric periods on site, once the maximum amount of evidence has been established. The main alternative date would be Mid to Late Iron Age, for this period does see a resurgence locally of the production of some fabrics with a very strong flint content, though perhaps not typically as profuse as the example that is included here for now.

2.6. Early to Mid Iron Age, 500 to 350 BC

Relationship	In contexts	Sherds	Vessels
Contemporary	(2304) (2305) (2306) [2309] .	15	14
Residual	(1408) [1411] , (5009), (5210) [5211] .	4	3
Total		19	17

Contemporary

The sherds from [2309] were mostly large and fresh and all were flint tempered. Notables were:

- 1 simple upright rim with no great depth, in (2304).
- 1 slightly everted rim with an 'S' shaped upper body profile, plus 1 body sherd decorated with incised combing, in (2305).
- 2 simple upright rims (1 thickened) with rounded shoulders (1 more sharpy defined), plus 1 wiped/just possibly rusticated body sherd, in (2306).

The most specifically dateable piece is the combed body sherd. This would typically date between 500 and 350 BC and it provides the dating focus for the material. Notably all of the coarsewares and most of the surfaces of the sherds within [2309] were cared-for, being either neatly smoothed or sometimes soft (dull) burnished; only a minority were untreated or simply wiped. One body sherd from (2306) showed a slightly rough exterior, but this is not certainly an example of applied rustication, which is usually a common trait on coarsewares of this period locally. Their distribution is largely focussed in East Kent, where it most commonly dates between 550 and 350/300 BC, with some occasional earlier and later instances possible (see Couldrey 2007a, 118, 121-122; Macpherson-Grant 1991, 41-43).

Residual

This material was variously preferably Early to Mid Iron Age within broader potential ranges. Notable was 1 small oxidised body sherd from (5009) that showed a remnant of deep finger-fluted wiping, the only instance currently noted in the site assemblage.

2.7. Early to Mid to Mid to Late Iron Age, 600 to 50 BC

Relationship	In contexts	Sherds	Vessels
Contemporary	(1209) [1211] , (6620) [6622] , (6623) [6625] .	16	8
Residual	(0203) [0204] , (824) [825] , (1201), (1206) (1207) [1208] ,	20	18
	(1210) [1211] , (1803) [1804] , (3303) [3306] , (4304) [4306] ,		
	(4611) [4612] , (5007) [5008] , (5106) [5107] , (5122) [5125] , (6409).		
Unclear	(902) [903] , (916) [917] , (1016) [1018] , (1102) [1104] ,	34	25/26
	(1202) [1203] , (1403) [1404] , (1412) [1413] , (1418) [1421] ,		
	(1516) [1519] , (1703) [1705] , (1914) [1916] , (2217) (2218) [2221] ,		
	(5304) [5305] , (5812) [5813] , (6202).		
Total		70	51/52

Included here are the sherds, generally flint tempered, that were not specifically diagnostic but are more likely to be associated with one of the two main phases of Later Prehistoric activity recognised in the site assemblage, namely either Early to Mid or Mid to Late Iron Age. One important consideration is that no absolutely certain evidence for Later Prehistoric activity that is significantly earlier than around 600 BC has been recognised in the site assemblage as yet. Once the maximum amount of material from these periods has been established, then the less diagnostic material noted here could be compared to the characteristics of those assemblages, which may allow some further differentiation. A brief comparison was made during the initial dating of this material however, so any future reliable separation on fabric and finishing traits alone may be limited. Most notable, amongst the potentially context-contemporary sherds, was 1 small fragment of base from (6623), while some of the 6 flint tempered sherds from (1209) included some sparse grog temper.

2.8. Mid to Late Iron Age, 200/125 to 75 BC

Relationship	In contexts	Sherds	Vessels
Contemporary	(904) (905) [907] , (1114) [1115] , (1221) (1222) [1226] ,	167	78/83
	(1125) [1127] , (1227) (1227) [1229] , (1310) [1312] , (1351) [1353] ,		
	(1408) (1409) [1411] , (1905) (1906) [1908] , (2007) (2008) [2010] ,		
	(2209) [2210] , (2214) [2215] , (3013) (3014) [3017] , (5310) [5312] ,		
	(6404) [6405] , (6618) [6619] .		
Residual	(828) [831] , (1005) [1006] , (1201), (5116) [5117] .	8	8
Unclear	(1206) [1208] , (2211) [2213] , (2224) [2225] , (5112) [5113] ,	13	6/7
	(5315) [5316] .		
Total		188	92/98

This assemblage is predominantly flint tempered, contains some reconstructable full and part profiles and large body panels, along with a small quantity of decorated sherds. It is defined by the presence of facet-rimmed coarsewares, which specifically date between 200 and 50 BC. The dating is refined by a small number of presumably local sandy wares and some calcareous glauconitic sandy ware imports. The latter potentially originate in the Folkestone area and their presence on Thanet is more common after 150 BC, as are the local sandy wares who's production they inspire. The date-range focus suggested above also takes into account the presence of some 'Belgic' style incised combing. The influence of Belgic wares is more likely/certain to occur here after around 125 BC, while the almost total absence of 'Belgic' style grog tempered fabrics could suggest an end date for this phase by 75 BC.

The stratigraphic relationships of all of the contexts in this phase is unknown and unconsidered at this stage. Such a consideration will be needed, to try to establish whether this is a largely related single phase group who's date could be focussed between 125 and 75 BC, or whether the settlement is more multi-phase and could show some sequential development, with activity prior to this.

'Belgic' grogged fabrics only start to become a major presence locally after around 100 BC and they start to dominate after 75 BC. Only 1 context in this phase, (3014), contained a grog tempered sherd. This was the sole recovery from its layer, though context (3013), which also occurred within feature [3017], produced a sandy ware that formed the basis for the Mid to Late Iron Age date currently applied to all of the 5 small sherds that were recovered from [3017].

Overall, the most useful elements in the assemblage comprise:

- 3 large conjoining everted rims from a facet-rimmed coarseware (rim to upper body profile), 1 medium sized thickened everted rim, many large body sherds and 2 bases (1 full diameter), in (1227).
- 2 similar rims, 1 faceted, plus 1 upper body panel with linear grooved decoration, unusual but not unprecedented, in (1351).
- 1 possible rim to upper body profile from a fineware, 1 potential full profile from a facet-rimmed coarseware showing incised combing, plus 1 complete pedestalled base in a glauconitic sandy fabric showing a glue repair, in (2209).
- 3 small faceted rims, all broken at the neck, 1 of these in a sandy fabric, also 1 pedestaled base from a coarseware and 1 large body sherd from a thin-walled rounded vessel (broken at the neck) showing a narrow tooled dull burnished exterior, horizontal from the neck to just below the return, vertical below that, in (2214).
- 1 broken fragment from an everted facetted rim, in (6618).
- 1 large simple slightly curving basically upright rim, possibly intentionally facetted, in (2226).

Also notable and unusual were 4 small plain sherd-like pieces in a coarse sandy fabric containing medium to large chalk and possibly natural flint grits, that were recovered from (1351). The presence of chalk makes this fabric seem more like a daub, though this is seldom so sandy and the walls appear to be consistent and suggest they derived from a vessel of some sort. These may not be from a household coarseware in the typical sense however and their function might perhaps have been more 'industrial'. Briquetage (salt making vessels) is one possibility perhaps, though they are not thought to be a particular feature of the Mid to Late Iron Age in Kent. Briquetage in general may largely disappear from the county record after the Middle Iron Age (Morris 2006, 106-116), with currently no subsequent evidence of briquetage production in East Kent and possibly the region too until the Latest Iron Age and Early Roman periods, between 25 and 150 AD (Macpherson-Grant *pers. comm.*; Macpherson-Grant and Hart forthcoming).

Included in this phase are a good number of contexts that produced less diagnostic material, typically body sherds, for which there was a preference for a Mid to Late Iron Age date within a broader range. This was often on the basis of a more profusely gritted fabric, or a burnished finished that was akin to material seen in other contexts. Such sherds occur in (1005), (1906), (1125), (1114), (1201) above [1211], (1222), (1310) {1 simple upright thin-walled rim}, [1411], [2010], (2211), (2224), (5310), (5315), (5116) and (6404) {1 small simple upright rim}.

2.9. Late and Latest Iron Age to Early Roman, 75 BC to 75 AD

Relationship	In contexts	Sherds	Vessels
Residual	(633) [636], (802) [804], (817) [820], (1342) [1343], (3805) [3806],	14	8
	(5112) [5113] .		
Unclear	(805) [807] , (1210) [1211] , (1912) [1913] , (2203) [2205] ,	23	10
	(2509) [2512] , (5121) [5125] .		
Total		37	18

75 BC to 75 AD

Small sherds and crumbs of 'Belgic' style grog tempered ware were retrieved from (633), (802), (805), (817), (1342), (1912), (2203) and (2509). The latter contained 5 fragments probably from a single sherd, which notably contained some pale grey and buff grog. This colour is more typical of the Late Roman grogged ware locally, though this sherd is not hard fired and is not certainly Late Roman, noting the absence of any other certain wares of that date in the site assemblage. The sherds in (802), (1342) and (2203) also contained grog of similar colour.

0 to 75 AD

(1210), (5112) and (5121) contained material likely of this more specific date, based on their fabrics. Two grog tempered rims of no great extent (1 possibly from a lid) occurred in the latter, as did a worn grogged body sherd possibly from a red surfaced flagon.

2.10. Early to Mid Roman, 75 to 250 AD

Relationship	In contexts	Sherds	Vessels
Contemporary	(5112) [5113] , (5121) (5122) [5125] .	54	46/48
Residual	(3011) [3012] , (3303) [3306] , (5120) [5125] .	7	5/6
Total		61	51/54

The wares present were thoroughly dominated by local and regional products, as would be expected, with examples of Romanising and Romanised Thanet Silty, Romanising grogged and Native Coarse Ware, Canterbury sandy, North Kent Thameside sandy and fine sandy, North Kent Thameside shell tempered and North Kent Fine. A few rims, bases and decorated body sherds occurred (detailed within the catalogue; see the Appendix), but no full or significant part profiles were present. There was also 1 large rim from a mortaria recovered from (5122). Possibly Kentish, though some other Southern British and also North Gaulish fabrics can appear similar, a precise parallel for its form was not found after a brief search. No certain non-regional imports were identified, while continental imports were confined to 5 mostly small sherds of Samian, dating overall between 120 and 200 AD, recovered from (5122). All were chipped and damaged and from different vessels. One small rim, potentially from a Form 27 cup or 31 bowl (Webster 1996, 38, 35), maybe less likely the latter, might be an East Gaulish La Madeleine product. The rest were in Central Gaulish Standard Lezoux fabrics with no significant amount of limestone, 1 of these a bead rim probably from an upright sided bowl.

75 to 175 AD

All of the residual contexts contained a small quantity of sherds of local or regional manufacture that dated after 100 or 120 AD and up to 175 AD.

(5112) produced only 15 sherds overall, all local or regional wares, but it contained fresh looking material that represented all of the phases from the Mid to Late Iron Age to the early Mid Roman up to around 175 AD. Whether this could be a slowly accruing multi-phase feature that potentially gathered contemporary material at different horizons, or was single phase, in which case it would likely date after 125 AD and include material that could have been freshly disturbed from earlier contexts, will need to be considered. Two small to medium sized rims, in Romanising Thanet Silty and North Kent Thameside sandy wares, were present, but neither preserved a substantial profile.

In (5121) and (5122) the freshest sherds also dated from 125 AD onwards, but most of the material within this feature, [5125], was Mid Roman, with some residual Early Roman. In this instance, the early material could date the start of the context, or alternatively they were curated items that were finally discarded amongst later wares during the Mid Roman. To determine which, the nature of the context and the relative distribution of this material will need to be considered.

150 to 250 AD

(5121) produced generally small sherds, mostly from different vessels, but aside from 1 residual grog tempered ware, the rest were broadly fresh and dated between 150 and 275 AD, with a potential focus around 175 to 225 AD. One small rim and 1 small base were present, but there were no significant profiles. One sherd was decorated with vertical tooled burnishing. All of the wares within (5121) were of local or regional manufacture and there was a notable absence of products that were certainly made in Canterbury, though they did have a minimal presence in (5122) from the same feature. Canterbury sandy wares usually dominate local assemblages up to 175 AD and it could reflect that the contemporary Mid Roman group in (5121) dates after the general demise of the Canterbury coarseware industry around 175 AD. Though some of the fabrics present could technically date within the Late Roman, there were no wares of certain specific Late Roman date.

(5122) contained 41 sherds overall and included 2 Later Prehistoric pieces that were not particularly worn and could potentially have been disturbed from a context nearby by activity in the Mid Roman. The earliest fresher looking Roman material could have been produced around 125 to 150 AD, but this was very much in the minority and there was also a small quantity of Early Roman sherds that likely date prior to 150/175 AD and which were a little more worn, suggesting that some incidentally accrued residual material was present. The majority of the fresher sherds, particularly those of North Kent Thameside sandy and fine sandy wares, indicate that the main focus in this context could be between 175 and 230 AD. Some of these fabrics were scorched, while there were 2 small rolled rim sherds probably from dishes of Monaghan 1987 5C or 5D type (Monaghan 1987, 140-147). One is more certainly of the former and would date 120/150 to 230/250 AD, another potentially shows a squaredoff underside that would more likely date 150/170 to 250 AD. If all of this Thameside material was broadly contemporary it could suggest a focus between 175 and 230 AD. Three fairly fresh sherds of Native Coarse Ware could be associated, while 1 sherd of Canterbury sandy ware was potentially from a late flagon of 150/175 to 200 AD date. Two other sherds in this ware likely dated up to 150 or 175 AD and were more worn. A few sherds of Samian ware dating between 120 and 200 AD were also present.

2.11. Early Medieval to Late Medieval, 1150 to 1525/1550 AD

Relationship	In contexts	Sherds	Vessels
Contemporary	(3008) (3009) [3012] .	5	4
Residual	(3009) [3012] , (3303) [3306] , (3411) [3412] .	3	3
Unclear	(4602) [4606] , (4702) [4704] , (5317) [5318] , (6600), (6601).	9	9
Total		17	16

These were generally small sized sherds in sandy fabrics of local or regional manufacture, most being Canterbury products, with 1 example of a shell tempered sandy ware. A couple of rims were present, but no significant upper body profiles were preserved.

Early Medieval, 1150/1175 to 1200 AD

(5317) contained 1 small but only slightly worn sherd of Canterbury sandy ware. It was relatively thinwalled and potentially wheel-thrown and could date to around this time.

Medieval, 1250/1275 to 1350 AD

[3012] produced sherds of Canterbury sandy and shell tempered sandy (1 short right-angled rim), Canterbury Tyler Hill sandy (1 right-angled overhanging rim) and 1 possible London type sandy ware. The quantities of the latter in East Kent peak around 1270 AD (Macpherson-Grant 2011b) and there may be little evidence of 14th century forms here (Cotter 2006, 182).

The fills of [3012] could show some sequential development, with the sherds in (3008) potentially being contemporary around 1275 to 1300 AD, while those in (3009) could centre around 1300/1325 AD. Alternatively and depending upon the nature of the context, all of this fresher looking material could have been deposited or arrived in the context approximately together around 1300 AD.

(3303) of [3306] contained 1 residual small right-angled rim of Canterbury Tyler Hill sandy ware. It exhibited fine stab holes and likely dates between 1275 and 1350 AD.

Medieval to Late Medieval, 1225 to 1550 AD

(6600) and (6601) produced 5 sherds of Canterbury Tyler Hill sandy ware and 1 sherd of Canterbury Transitional sandy ware, from contexts that, by their numbering, may be overburden deposits. All were small and offered little to aid their dating beyond the characteristics of their fabrics and firing, which nevertheless suggested that some derived from activity that dated up to around 1300 AD, others from activity between 1300 and 1375 or 1425 AD, with 1 potential late Canterbury product that would date between 1475 and 1525/1550 AD.

Late Medieval, 1375 to 1525/1550 AD

Three sherds that were recovered from different features indicated a minor degree of activity at this time. Two Canterbury Tyler Hill sandy wares from (4602) and (4702), neither significantly worn but hard fired, likely dated between 1375 and 1475 AD. (3411) produced 1 Canterbury Tyler Hill Transitional sandy ware of 1475 to 1525/1550 AD date, which though very hard fired was chipped and residual.

3. Comment

As this report concerns material recovered from an evaluation and there is a possibility that further fieldwork might be conducted in the near future, which could lead to the recovery of additional pottery, no formal statement on the relative academic value or recommendations for future analysis or reporting have been given in this stage. Such matters can be concluded if further material is recovered and an assessment report on all of the pottery is written, prior to any final stage of site reporting. Some points are worth considering going forward, however.

The residual material that is of particular note derives from activity within the:

- Early to Middle Neolithic, 3650 to 2700 BC.
- Beaker Period to Early Bronze Age, 2450 to 1550 BC.

The quantities of these are very low, the sherds sizes are small and no significant profiles are present. The prime point of interest lays in the evidence they offer for activity at this time and the potential that other material and perhaps features of this date could be present nearby.

The material that is or has the greatest likelihood of being context-contemporary occurs within the:

- Early to Mid Iron Age, 500 to 350 BC.
- Mid to Late Iron Age, 200/125 to 75 BC.
- Early to Mid Roman, 125 to 250 AD.
- Medieval to Late Medieval, 1225/1275 to 1375/1425 AD.

Of these, it is the Mid to Late Iron Age phase that has produced the greatest quantity of material and it is the only period that contains large sherds, notable groups of sherds from single vessels, usefully sizeable rims, body sherds and bases and significant part and full vessel profiles. The reporting and illustration of securely dated assemblages from this period would always be welcome, for there are not a great number of published examples from Thanet and East Kent. Ideally, the pottery would be supported by associated radiocarbon dates and any future excavation work could bear this in mind, re the identification and recovery of material suitable for such dating, with this aspect factored-in to the budgeting. Any further fieldwork may allow the recovery of additional material from this period that could add to the assemblage's usefulness. If time or budgetary restrictions necessitate strict limits on the excavation or post-excavation resources, it would, from a pottery perspective, be useful to focus resources first upon the Mid to Late Iron Age record.

Once all of the fieldwork has been completed, the maximum amount of material has been collected and processed and all of the period-based groups that can be securely established (by a combination of their own characteristics and stratigraphic associations) have been, then the material from any features that remain only broadly dated to the Later Prehistoric can be compared with the established assemblages, to see if any further groupings can reliably be made.

4. Bibliography

Cotter J. 2006. Part 4: The Pottery, in Parfitt K., Corke B. and Cotter J. *Townwall Street Dover. Excavations 1996.* Canterbury Archaeological Trust Ltd, 121-254.

Couldrey P. 2007a. The Late Bronze Age/Early Iron Age pottery, in Bennett P., Couldrey P. and Macpherson-Grant N. *Highstead Near Chislet, Kent. Excavations* 1975-1977. The Archaeology of Canterbury New Series Volume IV, Canterbury Archaeological Trust Ltd., 101-175.

Couldrey P. 2007b. Flint-tempered pottery from Period 4, in Bennett P., Couldrey P. and Macpherson-Grant N. *Highstead Near Chislet, Kent. Excavations 1975-1977*. The Archaeology of Canterbury New Series Volume IV, Canterbury Archaeological Trust Ltd., 176-189.

Gibson A. Prehistoric Pottery in Britain and Ireland. Tempus.

Hart P.C. forthcoming. *Pottery Fabrics of East Kent*. Trust for Thanet Archaeology.

Hurtrelle J., Monchy E., Roger F., Rossignol P. and Villes A. 1990. Les débuts du second âge du fer dans le Nord de la France, Arras. Les Dossiers de Gauheria no.1.

Macpherson-Grant N. 1991. A Re-appraisal of Prehistoric Pottery from Canterbury, in *Canterbury's Archaeology*, 15th Annual Report, 1990-1991. Canterbury Archaeological Trust Ltd, 38-48.

Macpherson-Grant N. 1995. B. Late Medieval, 1. The Fabrics and 2. The Material, in Part II The Finds - The Pottery – II Post Roman, in Blockley K., Blockley M., Blockley P., Frere S.S. and Stow S. 1995. *Excavations in the Marlowe Car Park and Surrounding Areas*. The Archaeology of Canterbury V. Canterbury Archaeological Trust, 898-908.

Macpherson-Grant N. 2011a. *Earlier and Later Prehistoric Pottery – an introductory guide*. Booklet privately produced to accompany lectures.

Macpherson-Grant N. 2011b. *Historic-Period Pottery 1: Late Iron Age to Medieval – an introductory guide*. Booklet privately produced to accompany lectures.

Macpherson-Grant N. and Hart P.C. forthcoming. *Traits and Dates*. Trust for Thanet Archaeology.

Monaghan J. 1987. Upchurch and Thameside Roman Pottery. BAR British Series 173.

Morris E. L. 2006. Later Prehistoric Pottery, in Barclay A., Booth P., Edwards E., Mepham L. and Morris E.L. *Ceramics from Section 1 of the Channel Tunnel Rail Link, Kent.* CTRL Specialist Report Series. Channel Tunnel Rail Link, London and Continental Railways, Oxford Wessex Archaeology Joint Venture, 34-121.

Thompson I. 1982. Grog-tempered 'Belgic' Pottery of South-eastern England. BAR British Series 108.

Webster P. 1996. *Roman Samian Pottery in Britain*. Practical Handbooks in Archaeology No 13. Council for British Archaeology.

Appendix

5. Quantification and spot-dating of the pottery assemblage

5.1. Methodology

The sherds were examined in good light using a hand lens of x10 magnification and were catalogued on a context, total quantity, bulk weight (calculated to the nearest gram), period, ware type, estimate of the number of vessels per ware, condition and date preference basis. They are listed in date order from the earliest to the latest. No information about the contexts or their stratigraphic relationships was known unless stated. In the notes, the pieces are typically plain or less diagnostic body sherds unless stated otherwise.

All dates given are circa.

It should also be noted that:

- All form and decorative pieces are noted and described in the catalogue and their presence is highlighted by the inclusion of the word 'DRAW' (which does not mean that such pieces necessarily need to be drawn for archive level reporting or for publication).
- The material has been bagged by period and separated into DRAW-ables (which do not necessarily need to be drawn for archive level or final site reports or publication) and body sherds.

5.2. Period Codes employed

Period	Code	Date (circ	a)		
Earlier Prehistoric period	EP	4000	-	1550	ВС
First Neolithic	FN	4000	-	3650	BC
Early Neolithic	EN	3650	-	3350	ВС
Middle Neolithic	MN	3350	-	2700	BC
Beaker Period	ВК	2450	-	1750	ВС
Early Bronze Age	EBA	2100	-	1550	BC
Later Prehistoric period	LP	1550	-	50	BC
Middle Bronze Age	MBA	1550	-	1350	BC
Mid to Late Bronze Age	MBA-LBA	1350	-	1150	BC
Earliest Iron Age	EIA	1000/900	-	600	BC
Early to Mid Iron Age	EMIA	600	-	350	BC
Middle Iron Age	MIA	400	-	200	BC
Mid to Late Iron Age	MLIA	200	-	50	BC
Late Iron Age	LIA	50	-	0	BC
Latest Iron Age	LIA-ER	0	-	50	AD
Early Roman	ER	50	-	150	AD
Mid Roman	MR	150	-	250	AD
Late Roman	LR	250	-	400	AD
Early Medieval	EM	1050	-	1200	AD
Medieval	M	1200	-	1375	AD
Late Medieval	LM	1375	-	1525	AD
Post-Medieval	PM	1525	-	1750	AD
Modern	MOD	1900+			AD

5.3. Abbreviations used in 5.4

Wear

F : Fresh
L : Light
M : Moderate
H : Heavy
C : Chipped

S : Splintered/Shattered (1 or both original surfaces missing)

Dating

> : To/or later

5.4. Catalogue: Quantification and spot-dating of the pottery, with notes

Context			Total s	herds	Total weight (g)
Context:	Information on the na	ture of the context if known.			
Start date:		ent date of the context based on t	he notter	v eviden	ce.
End date:		e context based on the pottery e		, criacii	
Dating:	General implications		· · · · · · · · · · · · · · · · · · ·		
Comments:		, wares and issues of particular no	te		
Quantity	Period	Ware	Vessels	Wear	Date preference
Quarterey	Notes.	, , a c	7 055015	Wear	Duce projerence
	110003.				
(0203) [020	041		1	sherd	12 g
Context:	,				8
Start date:	Nothing certainly be	fore 600 BC.			
End date:		tainly after 50 BC, but a single re	ecovery an	ıd residi	ial to some degree.
Dating:		ut preference for EMIA or MLIA,			
Comments:			B		
Quantity	Period	Ware	Vessels	Wear	Date preference
1	IA/EMIA>MLIA	Flint tempered	1	M	600-50 BC
	Small body.	F	1	I	
(633) [636]			1	sherd	4 g
Context:					3
Start date:	Likely after 75 BC.				
End date:	Unclear, single small	residual sherd only.			
Dating:)	rogged fabric, broadly MLIA>ER	but likely	within 1	ange given.
Comments:	9 9	, ,	Ť		0 0
Quantity	Period	Ware	Vessels	Wear	Date preference
1	MLIA>ER	'Belgic' style grog tempered	1	M	75 BC - 75 AD
	Small body, medium-v	valled.			
(802) [804]			1	sherd	3 g
Context:					
Start date:	Nothing certainly be				
End date:	Unclear, potentially				
Dating:		grog tempered, broadly MLIA>l	ER but mo	st typica	lly within the range given.
Comments:	Shows a little grey gro		1		
Quantity	Period	Ware	Vessels	Wear	Date preference
1	MLIA>ER	'Belgic' style grog tempered	1	M	75 BC - 75 AD
	Very small thick-walle	ed body, soft, some grey grog.	1		
(0.0 %)					
(805) [807]			1	sherd	5 g
Context:					
Start date:	More likely after 75				
End date:		particularly worn, this is a single			
Dating:		could date widely. Likely after uch fabrics can also occur after, t			
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	MLIA>ER	'Belgic' style grog temp. sandy	1	L	75 BC - 75 AD
	Small body, reduced, s				
	<u>, </u>				
			•		

(812) [813]			1	sherd	5 g
Context:					
Start date:	Nothing certainly be	fore 1550 BC and possibly after 1	1000 BC.		
End date:	Unclear, residual.				
Dating:	Likely LP and possib	ly IA.			
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP/?IA	Flint tempered	1	Н	1550/1000-50 BC
	Small fractured worn	body, smooth surface, iron concreti	ions.		
(817) [820]			9	sherds	7 g
Context:					
Start date:		C and depending upon the na			
T 11.		ally after 75 BC, unless the mater			
End date:		er 75 AD, though the latest mate		be resi	dual to some degree.
Dating:		ements, the former appearing fre	esher.		
Comments:	Very small sherds and	-	1 77 1	747	D
Quantity	Period	Ware	Vessels	Wear	Date preference
2	LP	Flint tempered	1/2	L	1550-50 BC
		nents, edges fairly sharp.	21		75 DC 75 AD
7	?MLIA>ER	?'Belgic' style grog tempered	?1	M	75 BC - 75 AD
	very small body fragn	nents and crumbs, some rounded.			
(024) [025]			1	المستام	1 -
(824) [825]			_	sherd	1 g
Context:	Nothing containly ho	form (00 DC			
Start date: End date:	Nothing certainly be Unclear, potentially				
		considering site assemblage trei	ade likoly	EMIA or	a MITA
Dating: Comments:	No specific data, but	considering site assemblage trei	ius likely	EMIA UI	WILIA.
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP/EMIA>MLIA	Flint tempered	1	L	1550/600-50 BC
1	Tiny body sherd.	riiit tempered	1	L	1330/000-30 ВС
	Tilly body sliciu.				
(828) [831]			2	sherds	7 g
Context:				JIICI UJ	, 5
Start date:	Nothing certainly he	fore 600 BC and possibly after 20	00/150 B	٢	
End date:		ual to some degree at least.	30/ 130 B	U	
Dating:		t considering site assemblage tr	ends like	lv EMIA	or MLIA and possibly the
	latter.	· · · · · · · · · · · · · · · · · · ·		-,	position processes
Comments:	Fairly strong fine to m	edium gritting, slight preference fo	r MLIA, lil	cely resid	dual.
Quantity	Period	Ware	Vessels	Wear	Date preference
2	LP/EMIA>MLIA	Flint tempered	2	M	600/200-50 BC
	Small body sherds.	•	•		,
	•				
(902) [903]			1	sherd	11 g
Context:					
Start date:	Nothing certainly be	fore 600 BC.			
End date:	Unclear. Nothing cer	tainly after 50 BC and not signifi	cantly wo	rn, but a	a single recovery only.
Dating:		r MLIA, given current site trends			
Comments:		s in the EMIA and MLIA groups in t		emblage	
Quantity	Period	Ware	Vessels	Wear	Date preference
1	EMIA>MLIA	Flint tempered	1	L	600-50 BC
	Small body sherd.				
	<u> </u>	<u> </u>			

(904) [907]			3	sherds	43 g
Context:					
Start date:	Nothing certainly be	fore 200 BC and probably after 1	50 BC.		
End date:		al could date up to around 100/		t is resid	lual, though noting that all
		e same period, so in spite of the qu			
	also reasonably be s		,		•
Dating:	The flint tempered v	vare could date widely, but the s	sandy wai	re is like	ely to be MLIA post 150 BC
<u> </u>		oted in other MLIA groups in th			
	100/75 BC (see [122			·	
Comments:	All worn.	<u> </u>			
Quantity	Period	Ware	Vessels	Wear	Date preference
1	IA/?MLIA	Flint tempered	1	Н	200-100/75 BC
	Small plain body shere	*			200 100/1020
2	MLIA	Sandy	1	М	200/150-100/75 BC
		ized reduced plain body sherd, flat			
		i occasional slightly larger quartz a			
	grog-like particles.	occasional slightly larger quartz a	na sparsc	Siliali to	medium sized grits, iron and
	grog-like particles.				
(005) [007]			1	sherds	20 ~
(905) [907]			4	snerus	28 g
Context:	37 .1.1	6 000 DG 1 1 1 1 6 4	EO DO		
Start date:		fore 200 BC and probably after 1			
End date:		er $100/75$ BC and most of the she	erds in this	s contex	t are not particularly worn,
	unlike those in (904)				
Dating:		ontain some contemporary and s			
		antity and small in size. See com	ments in	(904) re	the preferred end date for
	the MLIA on this site	_			
Comments:		erds have that coarse looking style a		of grittin	g which can be characteristic
	of the MLIA locally. Th	ese appear fresher than the sandy	ware.		
Quantity	Period	Ware	Vessels	Wear	Date preference
3	MLIA	Flint tempered	2	L>C	200-100/75 BC
	Small plain body sher	ds, reduced with either pale brow	n interior	or exter	ior, thin and medium walled
	with coarse medium s				
1	MLIA	Sandy	1	C>M	200/150-100/75 BC
	Small sherd with shar	p angle, from base? Reduced. Fabri	ic akin to t	hat desc	
		F - 8 - 7			<u> </u>
(916) [917]			3	sherds	14 g
Context:					8
	Nothing containly ho				
SIULI UULE		fore 600 RC			
Start date:		fore 600 BC tainly after 50 BC but small and s	some at le	ast note	ntially residual to a degree
End date:	Unclear. Nothing cer	tainly after 50 BC, but small and s	some at le	ast pote	ntially residual to a degree.
End date: Dating:		tainly after 50 BC, but small and s	some at le	ast pote	ntially residual to a degree.
End date: Dating: Comments:	Unclear. Nothing cer Likely EMIA>MLIA, g	tainly after 50 BC, but small and s iven site trends.		•	
End date: Dating: Comments: Quantity	Unclear. Nothing cer Likely EMIA>MLIA, g	tainly after 50 BC, but small and s iven site trends. Ware	Vessels	Wear	Date preference
End date: Dating: Comments:	Unclear. Nothing cer Likely EMIA>MLIA, g Period EMIA>MLIA	tainly after 50 BC, but small and s iven site trends.		•	
End date: Dating: Comments: Quantity	Unclear. Nothing cer Likely EMIA>MLIA, g	tainly after 50 BC, but small and s iven site trends. Ware	Vessels	Wear	Date preference
End date: Dating: Comments: Quantity 3	Unclear. Nothing cer Likely EMIA>MLIA, g Period EMIA>MLIA Small body.	tainly after 50 BC, but small and s iven site trends. Ware	Vessels 3	Wear L>M	Date preference 600-50 BC
End date: Dating: Comments: Quantity 3 (1005) [100	Unclear. Nothing cer Likely EMIA>MLIA, g Period EMIA>MLIA Small body.	tainly after 50 BC, but small and s iven site trends. Ware	Vessels 3	Wear	Date preference
End date: Dating: Comments: Quantity 3 (1005) [100 Context:	Unclear. Nothing cer Likely EMIA>MLIA, g Period EMIA>MLIA Small body.	tainly after 50 BC, but small and s iven site trends. Ware Flint tempered	Vessels 3	Wear L>M	Date preference 600-50 BC
End date: Dating: Comments: Quantity 3 (1005) [100 Context: Start date:	Unclear. Nothing cer Likely EMIA>MLIA, g Period EMIA>MLIA Small body. 06] Probably after 1550	tainly after 50 BC, but small and s iven site trends. Ware Flint tempered BC, perhaps after 600 BC and po	Vessels 3	Wear L>M	Date preference 600-50 BC
End date: Dating: Comments: Quantity 3 (1005) [100 Context:	Unclear. Nothing cer Likely EMIA>MLIA, g Period EMIA>MLIA Small body. 06] Probably after 1550 Unclear, likely resid	tainly after 50 BC, but small and s iven site trends. Ware Flint tempered BC, perhaps after 600 BC and poual to some degree.	Vessels 3 2 ssibly after	Wear L>M sherds	Date preference 600-50 BC 5 g
End date: Dating: Comments: Quantity 3 (1005) [100 Context: Start date:	Unclear. Nothing cer Likely EMIA>MLIA, g Period EMIA>MLIA Small body. O6] Probably after 1550 Unclear, likely resid No specific data. Lil	tainly after 50 BC, but small and stiven site trends. Ware Flint tempered BC, perhaps after 600 BC and poual to some degree. kely broadly LP, perhaps EMIA	Vessels 3 2 ssibly after	Wear L>M sherds	Date preference 600-50 BC 5 g
End date: Dating: Comments: Quantity 3 (1005) [100 Context: Start date: End date:	Unclear. Nothing cer Likely EMIA>MLIA, g Period EMIA>MLIA Small body. O6] Probably after 1550 Unclear, likely resid No specific data. Lil preference for the M The characters of bot	Ware Flint tempered BC, perhaps after 600 BC and poual to some degree. kely broadly LP, perhaps EMIA LIA. h give a slight preference for the M	Vessels 3 2 ssibly afte	Wear L>M sherds er 200 B	Date preference 600-50 BC 5 g C. trends and with a slight
End date: Dating: Comments: Quantity 3 (1005) [100 Context: Start date: End date: Dating: Comments:	Period EMIA>MLIA, g Period EMIA>MLIA Small body. Probably after 1550 Unclear, likely resid No specific data. Lil preference for the M The characters of bot much at any time through	Ware Flint tempered BC, perhaps after 600 BC and poual to some degree. kely broadly LP, perhaps EMIA LIA. h give a slight preference for the Mughout the LP.	Vessels 3 2 ssibly after >MLIA gi	Wear L>M sherds er 200 B ven site	Date preference 600-50 BC 5 g C. trends and with a slight sily occur earlier and pretty
End date: Dating: Comments: Quantity 3 (1005) [100 Context: Start date: End date: Dating: Comments: Quantity	Period EMIA>MLIA, g Period EMIA>MLIA Small body. Probably after 1550 Unclear, likely resid No specific data. Lii preference for the M The characters of bot much at any time through the second of the many time through the second of the second of the many time through the second of the secon	Ware Flint tempered BC, perhaps after 600 BC and poual to some degree. kely broadly LP, perhaps EMIA LIA. h give a slight preference for the Mughout the LP. Ware	Vessels 3 2 ssibly after >MLIA gi MLIA, but Vessels	Wear L>M sherds er 200 B ven site could ea	Date preference 600-50 BC 5 g C. trends and with a slight sily occur earlier and pretty Date preference
End date: Dating: Comments: Quantity 3 (1005) [100 Context: Start date: End date: Dating: Comments:	Period EMIA>MLIA, g Period EMIA>MLIA Small body. Probably after 1550 Unclear, likely resid No specific data. Lil preference for the M The characters of bot much at any time through the period ?EMIA>MLIA/?MLIA	Ware Flint tempered BC, perhaps after 600 BC and poual to some degree. kely broadly LP, perhaps EMIA LIA. h give a slight preference for the Mughout the LP. Ware Flint tempered	Vessels 3 2 ssibly after >MLIA gi	Wear L>M sherds er 200 B ven site	Date preference 600-50 BC 5 g C. trends and with a slight sily occur earlier and pretty
End date: Dating: Comments: Quantity 3 (1005) [100 Context: Start date: End date: Dating: Comments: Quantity	Period EMIA>MLIA, g Period EMIA>MLIA Small body. Probably after 1550 Unclear, likely resid No specific data. Lii preference for the M The characters of bot much at any time through the second of the many time through the second of the second of the many time through the second of the secon	Ware Flint tempered BC, perhaps after 600 BC and poual to some degree. kely broadly LP, perhaps EMIA LIA. h give a slight preference for the Mughout the LP. Ware Flint tempered	Vessels 3 2 ssibly after >MLIA gi MLIA, but Vessels	Wear L>M sherds er 200 B ven site could ea	Date preference 600-50 BC 5 g C. trends and with a slight sily occur earlier and pretty Date preference

	11]		1	sherd	3 g
Context:	•				
Start date:	Nothing certainly be	fore 1550 BC.			
End date:	Unclear, residual.				
Dating:	•	d date widely. Broadly LP.			
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP	Flint + sparse grog tempered	1	M	1550-50 BC
		intact only, some minor small grog	containing		1000 00 20
	billair bouy) I barrace			111110	
(1016) [102	181		3	sherds	8 g
Context:				<u> </u>	
Start date:	Nothing certainly be	fore 600 BC.			
End date:		fragments only, though not signi	ificantly w	zorn. No	thing certainly after 50 BC.
Dating:		likely EMIA>MLIA, given site tre		01111110	tining containing areas 30 2 as
Comments:	no specific data, suc	inicity Entire Premit, given dice ere	11451		
Quantity	Period	Ware	Vessels	Wear	Date preference
3	EMIA>MLIA	Flint tempered	1/2	L	600-50 BC
		nall splintered fragment.	1 1/4		
	= 5 man body and 1 SH	an opinicioa naginena.			
(1102) [110	041		3	sherds	40 g
Context:	V •]			oner us	10 g
Start date:	Nothing certainly be	fore 600 RC			
End date:	<u> </u>	be residual to some degree, but	nothing c	ortoinly	after 50 RC
Dating:	No specific data. Like		nouning c	ertainiy	alter 50 bc.
Comments:		y. Gritting akin to fabrics of EMIA a	nd MLIA d	lata in ci	to accomblage
	Period	Ware		Wear	
Quantity 3	EMIA>MLIA	Flint tempered	Vessels 3	L>M	Date preference 600-50 BC
3		rinit tempered nedium and 1 thicker-walled, fairly	_		
	Siliali bouy silerus, 2 i	l	Strong Sir		l
(1112) [11	 151		2	charde	4 σ
(1113) [113	15]		2	sherds	4 g
Context:		and parhane after 1000 BC	2	sherds	4 g
Context: Start date:	Likely after 1550 BC	and perhaps after 1000 BC.	2	sherds	4 g
Context: Start date: End date:	Likely after 1550 BC Unclear.				
Context: Start date: End date: Dating:	Likely after 1550 BC Unclear. The only reliable sho	erd is LP/?IA and this is not signi	ficantly w	orn, bu	t is a small piece only.
Context: Start date: End date:	Likely after 1550 BC Unclear. The only reliable sho	erd is LP/?IA and this is not signifree fabric too small to be certainly	ficantly w	orn, but	t is a small piece only. the ware's type. 1 fresher LP
Context: Start date: End date: Dating:	Likely after 1550 BC Unclear. The only reliable sho 1 apparently temper- could date widely, bu	erd is LP/?IA and this is not signi	ficantly w	orn, but	t is a small piece only. the ware's type. 1 fresher LP
Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear. The only reliable sho 1 apparently temper- could date widely, bu included as LP.	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For	ficantly w represent r the <i>Perio</i>	orn, but	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are
Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear. The only reliable sho 1 apparently temper- could date widely, bu included as LP. Period	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware	ficantly we represent the Period Vessels	orn, butative of od-based	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference
Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, bu included as LP. Period -/?LP>ER	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty	ficantly we represent represent represent represent represent representations of the representation of the rep	orn, butative of od-based Wear H	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD
Context: Start date: End date: Dating: Comments: Quantity	Likely after 1550 BC Unclear. The only reliable should apparently temperized to the could date widely, but included as LP. Period -/?LP>ER Small rounded fragments	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so	ficantly we represent represent represent represent represent representations of the representation of the rep	orn, butative of od-based Wear H	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD
Context: Start date: End date: Dating: Comments: Quantity 1	Likely after 1550 BC Unclear. The only reliable should apparently temper-could date widely, but included as LP. Period -/?LP>ER Small rounded fragments be certain if temper with the country of the cou	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not.	ficantly we represent the Period Vessels 1	worn, but tative of od-based Wear H	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to
Context: Start date: End date: Dating: Comments: Quantity	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper-could date widely, but included as LP. Period -/?LP>ER Small rounded fragme be certain if temper will LP/?IA	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so	ficantly we represent represent represent represent represent representations of the representation of the rep	orn, butative of od-based Wear H	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD
Context: Start date: End date: Dating: Comments: Quantity 1	Likely after 1550 BC Unclear. The only reliable should apparently temper-could date widely, but included as LP. Period -/?LP>ER Small rounded fragments be certain if temper with the country of the cou	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not.	ficantly we represent the Period Vessels 1	worn, but tative of od-based Wear H	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to
Context: Start date: End date: Dating: Comments: Quantity 1	Likely after 1550 BC Unclear. The only reliable should apparently temperate could date widely, but included as LP. Period -/?LP>ER Small rounded fragment be certain if temper we LP/?IA Small body.	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not.	ficantly we represent the Period Vessels 1 ome fine gr	worn, but active of od-based Wear H rit, reduce	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 1 (1114) [11:	Likely after 1550 BC Unclear. The only reliable should apparently temperate could date widely, but included as LP. Period -/?LP>ER Small rounded fragment be certain if temper we LP/?IA Small body.	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not.	ficantly we represent the Period Vessels 1 ome fine gr	worn, but tative of od-based Wear H	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to
Context: Start date: End date: Dating: Comments: Quantity 1 1 (1114) [11: Context:	Likely after 1550 BC Unclear. The only reliable should apparently temper-could date widely, but included as LP. Period -/?LP>ER Small rounded fragment be certain if temper well LP/?IA Small body.	erd is LP/?IA and this is not signifree fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not. Flint tempered	represent the Period Vessels 1 1 1 2	Wear Hrit, reduce	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, bu included as LP. Period -/?LP>ER Small rounded fragme be certain if temper w LP/?IA Small body. 15] Likely after 1000 BC	erd is LP/?IA and this is not significe fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not. Flint tempered probably after 600 BC and preference for IA. For wards and the second s	represent the Period Vessels 1 1 1 2	Wear Hrit, reduce	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date: End date:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, but included as LP. Period -/?LP>ER Small rounded fragme be certain if temper w LP/?IA Small body. Likely after 1000 BC Nothing certainly after	erd is LP/?IA and this is not significe fabric too small to be certainly t with slight preference for IA. For ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not. Flint tempered probably after 600 BC and preference for IA. For ware was formerly present or not.	represent repres	wear H cit, reduction L sherds	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date: End date: Dating:	Likely after 1550 BC Unclear. The only reliable should apparently temperate could date widely, but included as LP. Period -/?LP>ER Small rounded fragment be certain if temper well LP/?IA Small body. Likely after 1000 BC Nothing certainly after Little specific data, but included in the specific data.	erd is LP/?IA and this is not significe fabric too small to be certainly twith slight preference for IA. For ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not. Flint tempered probably after 600 BC and preference 50 BC. But more likely EMIA or MLIA, with some significant strength.	ficantly we represent the Period Vessels 1 ome fine graph 1 2 erably after the preference of the prefe	wear H cit, reduction L sherds	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g 3C. the latter.
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date: End date:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, but included as LP. Period -/?LP>ER Small rounded fragme be certain if temper we LP/?IA Small body. Likely after 1000 BC Nothing certainly aft Little specific data, be Thin-walled sparsely	erd is LP/?IA and this is not significe fabric too small to be certainly t with slight preference for IA. For ware Sandy-silty ent, naturally slightly sandy with so ras formerly present or not. Flint tempered probably after 600 BC and preference 50 BC. out more likely EMIA or MLIA, with gritted coarseware. Does share son	ficantly we represent the Period Vessels 1 ome fine graph of the preference similarian	wear Hrit, reduce L sherds er 200 E	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g 3C. the latter. nickness, gritting and surface
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, bu included as LP. Period -/?LP>ER Small rounded fragme be certain if temper w LP/?IA Small body. Likely after 1000 BC Nothing certainly aft Little specific data, b Thin-walled sparsely treatment with some	erd is LP/?IA and this is not significe fabric too small to be certainly t with slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not. Flint tempered probably after 600 BC and preference 50 BC. out more likely EMIA or MLIA, with gritted coarseware. Does share son MLIA material in the site assemblas	represent the Period Vessels 1 ome fine graph after the preference similaringe. Potenti	wear Hrit, reduce Sherds er 200 E ence for ties in the	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g 3C. the latter. nickness, gritting and surface ext-contemporary.
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, bu included as LP. Period -/?LP>ER Small rounded fragme be certain if temper w LP/?IA Small body. Likely after 1000 BC Nothing certainly aft Little specific data, b Thin-walled sparsely treatment with some Period	erd is LP/?IA and this is not significe fabric too small to be certainly twith slight preference for IA. For Ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not. Flint tempered probably after 600 BC and preference 50 BC. Sout more likely EMIA or MLIA, with gritted coarseware. Does share son MLIA material in the site assemblas Ware	represent the Period Vessels 1 2 erably after the preference similaring the preference the pr	Wear Hrit, reduce Experience for ties in the ally contents Wear	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g 3C. the latter. nickness, gritting and surface ext-contemporary. Date preference
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, bu included as LP. Period -/?LP>ER Small rounded fragme be certain if temper w LP/?IA Small body. Likely after 1000 BC Nothing certainly aft Little specific data, b Thin-walled sparsely treatment with some Period EMIA>MLIA/?MLIA	erd is LP/?IA and this is not signifere fabric too small to be certainly t with slight preference for IA. For ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not. Flint tempered probably after 600 BC and preference 50 BC. Sut more likely EMIA or MLIA, with gritted coarseware. Does share som MLIA material in the site assemblage Ware Flint tempered	represent the Period Vessels 1 2 erably after the preference similaring the preference simila	wear Hrit, reduce Experience for ties in the ally cont Wear L Wear	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g 3C. the latter. nickness, gritting and surface ext-contemporary. Date preference 200-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, but included as LP. Period -/?LP>ER Small rounded fragme be certain if temper we LP/?IA Small body. 15] Likely after 1000 BC Nothing certainly aft Little specific data, be Thin-walled sparsely treatment with some Period EMIA>MLIA/?MLIA Large and smaller body	ware Sandy-silty ent, naturally slightly sandy with so for signification of the significant of the sig	represent the Period Vessels 1 2 erably after the preference similaring the preference simila	wear Hrit, reduce Experience for ties in the ally cont Wear L Wear	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g 3C. the latter. nickness, gritting and surface ext-contemporary. Date preference 200-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (1114) [11: Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear. The only reliable she 1 apparently temper- could date widely, but included as LP. Period -/?LP>ER Small rounded fragme be certain if temper we LP/?IA Small body. 15] Likely after 1000 BC Nothing certainly aft Little specific data, be Thin-walled sparsely treatment with some Period EMIA>MLIA/?MLIA Large and smaller body	erd is LP/?IA and this is not signifere fabric too small to be certainly t with slight preference for IA. For ware Sandy-silty ent, naturally slightly sandy with so as formerly present or not. Flint tempered probably after 600 BC and preference 50 BC. Sut more likely EMIA or MLIA, with gritted coarseware. Does share som MLIA material in the site assemblage Ware Flint tempered	represent the Period Vessels 1 2 erably after the preference similaring the preference simila	wear Hrit, reduce Experience for ties in the ally cont Wear L Wear	t is a small piece only. the ware's type. 1 fresher LP review in section 2 both are Date preference 1550 BC - 75 AD ced, not enough preserved to 1550/1000-50 BC 72 g 3C. the latter. nickness, gritting and surface ext-contemporary. Date preference 200-50 BC

(1125) [113	27] Found at same loc	ation	4	sherds	99 g
Context:					
Start date:	Probably after 600 E	BC and possibly after 200 BC.			
End date:	Nothing certainly aft				
Dating:		oting that no certain EIA has been	identifie	d in the	site assemblage as vet and
g.		gnostic LP activity is within the I			
		e neatly smoothed finish to the lo			
		tentially be context-contemporar		,	
Comments:		of the lower part of a single vessel,		ed, with	a nearly straight lower body
		oarseware/sub-fineware. Not wort			
		ds retained in 'DRAW' bag.	J		
Quantity	Period	Ware	Vessels	Wear	Date preference
4	IA/?MLIA	Flint tempered	?1	L>M	600/200-50 BC
		base sherds, possibly same vessel, 1	small and	mediun	
		duced, fairly profuse mostly fine to			
	DRAW.	, , , ,			
(1125) [112	271		3	sherds	38 g
Context:	· <u>,</u>				
Start date:	Likely after 600 BC a	and possibly after 200 BC, noting	other ma	terial fr	om this context.
End date:	Nothing certainly aft		other ma		
Dating:		e fresher material is presumably	related t	o the o	ther sherds from the same
Duting.	context (see above).	e iresher material is presumably	i ciatca t	o the o	mer sherus from the same
Comments:		gment could date widely and is muc	h more wo	rn than	the rest (not worth drawing)
comments.		nce for activity from a different ear			
		to either of the EMIA or MLIA ph			
	assemblage.	to eletter of the Billing of Filling pr	iases wiii	in are th	the current focus of the site
	DRAW: 1.				
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP	Flint tempered	1	Н	1550-50 BC
_ _		nent, coarsely gritted, very abraded	edges.		1000 00 20
	DRAW.	ioni, coursely griceau, very assuaca	cagos.		
2	IA/EMIA>MLIA	Flint tempered	2	I.	600/200-50 BC
		erate mostly medium sized grits or			
	billaii boay, with moa		lilore proi	use mos	
(1201) Fro	m subsoil above fill of	linear (1200) [1211]	2	sherds	44 g
Context:	Subsoil.	miear (1209) [1211]	J .	siici us	
Start date:	Unclear. All residual	in cubcoil			
End date:	Unclear. All residual				
		ht preference for MLIA for the fro	ochoct ma	torial v	with 1 other shard norhans
Dating:		ne condition of the ?MLIA sherds,			
	derived/been distur		it is possi	Die mai	these 2 at least might have
Comments:		ostly fine tempering of the 1 bas	a nragant	(not viv	outh drawing) gives a slight
comments:		JA and another similarly only ligh			
	within it.	and another similarly only light	try worm s	neru co	uld potentially be associated
	DRAW: 1.				
Quantity	Period	Ware	Vessels	Wear	Date preference
<u> </u>	LP/EMIA>MLIA	Flint tempered	1	H	1550/600-50 BC
1	•		1	11	1330/000-30 BC
2	•	mper, oxidised exterior.	2	T	200 F0 BC
	?MLIA	Flint tempered		L um tom	200-50 BC
		oxidised base with fairly profuse fir		uiii tem	per. 1 dark black body snerd
	_	exterior and dull burnished interio	Π.		
	DRAW: 1.				<u></u>

(1202) [120	031		5	sherds	98 g
Context:				<u> </u>	708
Start date:	Nothing certainly be	fore 600 BC			
End date:		rtainly after 50 BC. Some of this	material	is likely	residual while others are
Liid date.	fresher.	tainly after 30 Bc. Some of this	material	is linely	residual, willie others are
Dating:		data. Broadly EMIA>MLIA. 1 wit	h a cliaht	EMIA n	proforonce is also the most
Duting.		residual, but to what extent			
		e former could be residual among			
		ution (if possible) and perhaps			
	important, as well as		i leview i	ııı ııgııt	of context associations, if
Comments:		sherds only, could date widely.			
			Vessels	Wear	Data mustaman sa
Quantity	Period	Ware	Vessels		Date preference
1	EMIA>MLIA/?EMIA	Flint tempered	1 1	M	600-350/50 BC
		rsely tempered, oxidised, more typ			
4	EMIA>MLIA	Flint tempered	3	L>M	600-50 BC
		sherds, untreated or only roughly			sherd with oxidised exterior
	covered by grey-black	surface skin. Some occasional grog	g-like elem	ents.	
(1206) [120	08]		2	sherds	11 g
Context:					
Start date:	Possibly after 200 B				
End date:	Unclear. Nothing cer	tainly after 50 BC, but sherds are	e either sr	nall or v	vorn.
Dating:	1 small fragment in a	a sandy fabric could be MLIA. 1 o	ther sher	d is sign	ificantly worn, but is likely
	EMIA>MLIA, given si	te trends. Consider the nature of	the conte	ext and t	the distribution.
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	EMIA>MLIA	Flint tempered	1	M	600-50 BC
	Small, thick-walled, pa	artially oxidised exterior.	l	I	
1	?MLIA	?Sandy	1	_	200/150-50 BC
		but may be unrepresentative of the	e fabric as	a whole.	
	ing magnione, samay,		145110 45		
(1207) [120	081		2	sherds	63 g
Context:					
Start date:	Likely after 600 BC.				
End date:	Unclear, residual.				
Dating:	•	ely EMIA>MLIA, residual.			
Comments:	No specific data. Like	cry Lima-Milia, residuai.			
Quantity	Period	Ware	Vessels	Wear	Date preference
1	IA/EMIA>MLIA	Flint tempered	1	Н	600-50 BC
1	Large body, oxidised i		1	11	000-30 BC
1	IA/EMIA>MLIA	Flint tempered fine sandy	1	TT	600-50 BC
1	,		1	Н	000-50 BC
	Small body, splintered	Surface		1	
(4000) 540	141			-1 1	407
(1209) [123	11]		6	sherds	125 g
Context:	NY .N I	6 (00 D0 2) (12 - 12 - 12			
Start date:		fore 600 BC. See also (1201).			
End date:	Nothing certainly aft				
Dating:		ould easily be associated with the			
		ge and the fabrics are perhaps s			
		preference at present. Can be r			
		this site in the future, if this o	context is	of part	ticular importance and no
	stratigraphic relatio	nships can be established.			
Comments:		broadly similar looking fabrics, wit	th occasion	nal to mo	oderate mostly fine to small-
		ts, surfaces only roughly wiped at h			
	minor addition.				

Quantity	Period	Ware	Vessels	Wear	Date preference
2 Quantity	EMIA>MLIA	Flint + very sparse grog	1	M	600-50 BC
		m-walled, untreated surfaces, dull	_		
	skin a dull dark grey-l	prown. 1 large piece of grog contain			·
1	EMIA>MLIA	Flint + sparse grog	1	L	600-50 BC
		n-walled, untreated surfaces.			
3	EMIA>MLIA	Flint tempered	3	L	600-50 BC
	Small body, untreated	surfaces, occasional to moderate r	nostly fine	gritting.	
(1210) [12	11]		2	sherds	9 g
Context:					
Start date:	More likely after 25				
End date:		material is a single small sherd of			
Dating:		nd the small sherds give a very r			
		ences for EMIA>MLIA and LIA-ER			
Comments:		dy-silty sherd would most commo			
		the vessel's fabric. The use of span			
		rim in a potentially un-tempered			
		ers. comm.). A LIA-ER>ER date is	preferred	at prese	ent on current evidence and
	•	ssociation with MLIA material.	1 ,	l	
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP/?EMIA>MLIA	Flint tempered	1	Н	1550/600-50 BC
	Small body, oxidised s		<u> </u>	_	
1	?LIA-ER>ER	?Thanet Silty	1	L	25-75 AD
	Small body, reduced, s	smoothed surfaces.	1	ı	T
(4004) [40	261			-1	0
(1221) [122	26] 		1	sherd	9 g
Context:		form (00 PC Con (4222)	1	sherd	9 g
Context: Start date:	Nothing certainly be	fore 600 BC. See (1222).			J
Context: Start date: End date:	Nothing certainly be Unclear, single smal	l sherd only, but not significantly	worn. No	thing ce	ertainly after 50 BC.
Context: Start date:	Nothing certainly be Unclear, single smal No specific data. Cou	l sherd only, but not significantly ıld be related to the EMIA or ML	worn. No	thing ce	ertainly after 50 BC.
Context: Start date: End date: Dating:	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature	l sherd only, but not significantly ald be related to the EMIA or ML of the feature context and the re	worn. No IA activity lationship	thing ce eviden of this	ertainly after 50 BC.
Context: Start date: End date: Dating: Comments:	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in	worn. No IA activity lationship	thing ce eviden of this blage.	ertainly after 50 BC. ced in the site assemblage. fill with (1222).
Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with Period	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware	worn. No IA activity lationship site assem Vessels	thing ce evidence of this blage.	ertainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference
Context: Start date: End date: Dating: Comments:	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with Period EMIA>MLIA	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in	worn. No IA activity lationship	thing ce eviden of this blage.	ertainly after 50 BC. ced in the site assemblage. fill with (1222).
Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with Period	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware	worn. No IA activity lationship site assem Vessels	thing ce evidence of this blage.	ertainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference
Context: Start date: End date: Dating: Comments: Quantity 1	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with Period EMIA>MLIA Small body.	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware	v worn. No IA activity lationship site assem Vessels 1	ething ce r eviden o of this blage. Wear L	ertainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12]	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with Period EMIA>MLIA Small body.	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware	v worn. No IA activity lationship site assem Vessels 1	thing ce evidence of this blage.	ertainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context:	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with Period EMIA>MLIA Small body.	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered	v worn. No IA activity lationship site assem Vessels 1	ething ce r eviden o of this blage. Wear L	ertainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context: Start date:	Nothing certainly be Unclear, single smal No specific data. Cor Consider the nature Some similarities with Period EMIA>MLIA Small body. 26] Likely after 600 BC a	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered and possibly after 200 BC.	v worn. No IA activity lationship site assem Vessels 1	ething ce r eviden o of this blage. Wear L	ertainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context: Start date: End date:	Nothing certainly be Unclear, single smal No specific data. Cor Consider the nature Some similarities with Period EMIA>MLIA Small body. Likely after 600 BC a Nothing certainly after	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered and possibly after 200 BC. ter 50 BC.	worn. No IA activity lationship site assem Vessels 1	othing ce y evidence of this blage. Wear L	ertainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context: Start date: End date: Dating:	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with Period EMIA>MLIA Small body. Likely after 600 BC a Nothing certainly aft Small sherds only, w Likely EMIA>MLIA, w	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered and possibly after 200 BC. ter 50 BC. with some edge rounding, but the with very slight preference for M	v worn. No IA activity lationship site assem Vessels 1 3 ney do not LIA on cur	thing cere evidence of this blage. Wear L sherds	prtainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC 34 g o be significantly residual. semblage trends.
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context: Start date: End date: Dating: Comments:	Nothing certainly be Unclear, single smal No specific data. Cou Consider the nature Some similarities with Period EMIA>MLIA Small body. 26] Likely after 600 BC a Nothing certainly aft Small sherds only, v Likely EMIA>MLIA, v Very slight preference	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered and possibly after 200 BC. ter 50 BC. with some edge rounding, but the with very slight preference for Me for MLIA given the strong gritting	v worn. No IA activity lationship site assem Vessels 1 3 ney do not LIA on cur on some s	thing ceretification of this blage. Wear L sherds t have to rent assembled, but the sherds, but the series of the sherds of the sherds, but the sherds of the sherd of the sherds of the sherd of the sher	prtainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC 34 g o be significantly residual. semblage trends. ut this is no guarantee.
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context: Start date: End date: Dating:	Nothing certainly be Unclear, single smal No specific data. Cor Consider the nature Some similarities with Period EMIA>MLIA Small body. Likely after 600 BC a Nothing certainly aft Small sherds only, v Likely EMIA>MLIA, v Very slight preference	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered Indicate the Flint tempered	worn. No IA activity lationship site assem Vessels 1 3 approximately do not LIA on cur on some s Vessels	t have to rent assherds, but wear	prtainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC 34 g o be significantly residual. semblage trends. ut this is no guarantee. Date preference
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context: Start date: End date: Dating: Comments:	Nothing certainly be Unclear, single smal No specific data. Cor Consider the nature Some similarities with Period EMIA>MLIA Small body. Likely after 600 BC a Nothing certainly aft Small sherds only, v Likely EMIA>MLIA, v Very slight preference Period EMIA>MLIA/?MLIA	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered Independent of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered Independent of the feature context and possibly after 200 BC. Independent of the feature for Mean for MLIA given the strong gritting Ware Flint tempered	worn. No IA activity lationship site assem Vessels 1 3 activity lationship site assem Vessels 1 Vessels vessels Vessels 2/3	t have to rent assherds, but Wear L>M	prtainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC 34 g to be significantly residual. semblage trends. at this is no guarantee. Date preference 600/200-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly be Unclear, single smal No specific data. Cor Consider the nature Some similarities with Period EMIA>MLIA Small body. Likely after 600 BC a Nothing certainly aft Small sherds only, v Likely EMIA>MLIA, v Very slight preference Period EMIA>MLIA/?MLIA	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered Indicate the Flint tempered	worn. No IA activity lationship site assem Vessels 1 3 activity lationship site assem Vessels 1 Vessels vessels Vessels 2/3	t have to rent assherds, but Wear L>M	prtainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC 34 g to be significantly residual. semblage trends. at this is no guarantee. Date preference 600/200-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (1222) [12: Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly be Unclear, single smal No specific data. Cor Consider the nature Some similarities with Period EMIA>MLIA Small body. Likely after 600 BC a Nothing certainly aft Small sherds only, v Likely EMIA>MLIA, v Very slight preference Period EMIA>MLIA/?MLIA	I sherd only, but not significantly ald be related to the EMIA or MLI of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered Independent of the feature context and the real fabrics of EMIA and MLIA date in Ware Flint tempered Independent of the feature context and possibly after 200 BC. Independent of the feature for Mean for MLIA given the strong gritting Ware Flint tempered	worn. No IA activity lationship site assem Vessels 1 3 activity lationship site assem Vessels 1 Vessels vessels Vessels 2/3	t have to rent assherds, but Wear L>M	prtainly after 50 BC. ced in the site assemblage. fill with (1222). Date preference 600-50 BC 34 g to be significantly residual. semblage trends. at this is no guarantee. Date preference 600/200-50 BC

	er fill of linear [1229]		36 sh	erds	1649 g
Context:					
Start date:		fore 200 BC and likely after 150	/125 BC.		
End date:	Potentially before an				
Dating:		sherds are fresh and often large			
	•	lauconitic sandy ware (possibly		-	
		r 150 BC and time needs to be a			
		card abrasion and appear as a re empered MLIA sherds. Consideri			
		A material recovered from [221			
	possible for the disc		.vj, a locus	aroun	d 125-100/75 bc is again
Comments:		ge sized sherds in flint tempered	fabrics most	tly fair	ly fresh with sharp edges 1
		body sherd of glauconitic sandy		-	, ,
		ns, both everted, from coarsewares			
		ken just below the neck; 3 other la			
	a rounded jar with a h	orizontal burnished faceting on the	rim's interio	or (a fa	cet-rimmed coarseware), the
		zontal tooled dull burnish. The surv			
		e rounding body. None of the many			
	_	ng of the fabric of this facet-rimm	ed coarsewa	are, so	no further conjoins may be
	present.	1 1			
0 111		ds retained in same 'DRAW' bag.	T 7 7 7 7	T 4 7	D
Quantity	Period	Ware	1	Wear	Date preference
1	MLIA	Glauconitic sandy (calcareous)	1	M	200/150-100/75 BC
		curving body sherd, chipped and these containing glauconite, possibly			rraces, reduced, with sparse
35	MLIA	Flint tempered	?6	F	200/150-100/75 BC
		nostly reduced plain body sherds of			
		thers (2 conjoining to a large shere			
		large sherds conjoin to most of a b			
		ertically. 1 other large sherd with a			
		in-walled, showing a vertically dull			
		gritting trends and smoothed or d			
		of these (small to medium sized) sh	nowing score	ed vert	ical grit-drag on the exterior.
	these from				
	DRAW: 4.	T	1		
(4000) P. I	C'11 C1: 54.00	201	2.1		404
	nary fill of linear [122	9]	2 sh	erds	184 g
Context: Start date:	Nothing certainly be	form 200 DC			
End date:	Nothing certainly aft				
Dating:		naterial from (1227).			
Comments:		own merits, but likely MLIA given	material in ((1227)	from same context Notable
Comments.		e, perhaps from static exposure (fro			
Quantity	Period	Ware		Wear	Date preference
2	MLIA	Flint tempered	1	L	200-100/75 BC
		n very thick-walled body sherd, ed			
	on exterior.			p 5u	chicalory confided 1000

(1310) [13	12]		2	sherds	58 g
Context:					
Start date:	Likely after 1000/90	00 BC and possibly after 200 BC.			
End date:	Nothing certainly aft	er 50 BC.			
Dating:		LIA, the simple rim not particula	rly typica	l/comn	on in either, though could
J		ore widely. Given the presence of			
		any specifically identified EIA, th			
		nships and perhaps review in lig			
Comments:	Likely related and son	ne potential to be context-contempo	orary. The	thin-wa	lled simple upright rim could
		s thin walls perhaps more typically		LIA (the	form could also occur in the
		fuse gritting of both similar fabrics			
	DRAW: 1. NB. Both re	tained in 'DRAW' bag.			
Quantity	Period	Ware	Vessels	Wear	Date preference
2	EIA/MIA>MLIA	Flint tempered	2	L	900/200-50 BC
	Medium sized, 1 thick	-walled body with oxidised exterior	, 1 fairly th	in-walle	ed simple upright rim slightly
	turned-over internally	y, oxidised surfaces. Both fairly pro	fusely tem	ipered w	rith fine to medium grits, the
	thicker body sherd co	arser also with some larger grits, ox	xidisation	similarly	darkish orange.
	DRAW: 1.				
(1313) [13	15]		3	sherds	30 g
Context:					
Start date:	-	and possibly after 1000/900 BC.			
End date:		rd appears relatively fresh and			
		e example it may more likely be	e residual	or per	haps redeposited. Nothing
	certainly after 600 B				
Dating:		lual, 1 grog tempered just pos			
		oadly MBA>EIA, with a slight pref			
		though the sherd is broken short			
		orizon or a single phase context,			
	_	al sherds. Consider the nature	of the co	ntext a	nd the distribution of the
	material, if possible.				
Comments:		residual. 1 fresher piece from a fin			
		nds of alternating diagonal lines set			
		ines creating a repeating pattern of			
		o occur on Kentish flint tempered			
		143; Morris 2006, 63 and Figures 3			
		n Southern England during the EMI			
		s (Gibson 2002, 117-124). An EIA of presence of a sharp body angle on			
		· · · · · · · · · · · · · · · · · · ·	the miteric	or the	-
	uns decorative schen	ia that was dated to the end of the	FIA has h	naan rac	orded in Kent (Morris 2006
	Figure 3.7g THT/21)		EIA has b	een rec	orded in Kent (Morris 2006,
	Figure 3.7g, TUT/21).				
Quantity	DRAW: 1. NB. All sher	ds retained in 'DRAW' bag, for pote	ntial futur	e review	
Quantity 1	DRAW: 1. NB. All sher Period	ds retained in 'DRAW' bag, for pote <i>Ware</i>		e review Wear	Date preference
Quantity 1	DRAW: 1. NB. All sher Period EBA>MBA-LBA/LP	ds retained in 'DRAW' bag, for pote <i>Ware</i> Grog + flint tempered	ntial futur Vessels 1	e review <i>Wear</i> H	Date preference 2100-1150/50 BC
1	DRAW: 1. NB. All sher Period EBA>MBA-LBA/LP Small plain sherd from	ds retained in 'DRAW' bag, for pote <i>Ware</i> Grog + flint tempered coarseware, oxidised exterior, mo	ntial futur Vessels 1	e review <i>Wear</i> H mall gro	Date preference 2100-1150/50 BC g and sparse fine flint.
Quantity 1	DRAW: 1. NB. All sher Period EBA>MBA-LBA/LP Small plain sherd from LP	ds retained in 'DRAW' bag, for pote Ware Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered	ntial futur Vessels 1	e review <i>Wear</i> H	Date preference 2100-1150/50 BC
1	DRAW: 1. NB. All sher Period EBA>MBA-LBA/LP Small plain sherd from LP Small plain thick-wall	ds retained in 'DRAW' bag, for pote <i>Ware</i> Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered ed sherd from coarseware.	ntial futur Vessels 1 stly buff s	e review Wear H mall gro H	Date preference 2100-1150/50 BC g and sparse fine flint. 1550-50 BC
1	Period EBA>MBA-LBA/LP Small plain sherd from LP Small plain thick-wall MBA>EIA/?EIA	ds retained in 'DRAW' bag, for pote Ware Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered ed sherd from coarseware. Flint tempered	ntial futur Vessels 1 stly buff s 1	e review Wear H mall gro H	Date preference 2100-1150/50 BC g and sparse fine flint. 1550-50 BC
1	Period EBA>MBA-LBA/LP Small plain sherd from LP Small plain thick-wall MBA>EIA/?EIA Small, fairly thin-wal	ds retained in 'DRAW' bag, for pote Ware Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered ed sherd from coarseware. Flint tempered led, fairly frequent fine temper, descriptions	ntial futur Vessels 1 estly buff s 1 dull burnis	e review Wear H mall gro H L shed sur	Date preference 2100-1150/50 BC g and sparse fine flint. 1550-50 BC 1550/900-600 BC faces, exterior shows small
1	Period EBA>MBA-LBA/LP Small plain sherd from LP Small plain thick-wall MBA>EIA/?EIA Small, fairly thin-wal portion of incised line	ds retained in 'DRAW' bag, for pote Ware Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered ed sherd from coarseware. Flint tempered led, fairly frequent fine temper, dar deco of single horizontal line wi	ntial futur Vessels 1 estly buff s 1 full burnis th a band	e review Wear H mall gro H L shed sur	Date preference 2100-1150/50 BC g and sparse fine flint. 1550-50 BC 1550/900-600 BC ffaces, exterior shows small hal lines below and the trace
1	DRAW: 1. NB. All sher Period EBA>MBA-LBA/LP Small plain sherd from LP Small plain thick-wall MBA>EIA/?EIA Small, fairly thin-wal portion of incised line of another adjacent at	ds retained in 'DRAW' bag, for pote Ware Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered ed sherd from coarseware. Flint tempered led, fairly frequent fine temper, of ar deco of single horizontal line with a different angle. The exterior is sl	ntial futur Vessels 1 ostly buff s 1 dull burnis th a band ightly con-	e review Wear H mall gro H L shed sur of diago:	Date preference 2100-1150/50 BC g and sparse fine flint. 1550-50 BC 1550/900-600 BC faces, exterior shows small hal lines below and the trace interior shows the remnant
1	DRAW: 1. NB. All sher Period EBA>MBA-LBA/LP Small plain sherd from LP Small plain thick-wall MBA>EIA/?EIA Small, fairly thin-wal portion of incised line of another adjacent at of a sharp angled out	ds retained in 'DRAW' bag, for pote Ware Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered ed sherd from coarseware. Flint tempered led, fairly frequent fine temper, of ar deco of single horizontal line with a different angle. The exterior is sl-turn within the area of the decore	ntial futur Vessels 1 ostly buff s 1 dull burnis th a band ightly con-	e review Wear H mall gro H L shed sur of diago:	Date preference 2100-1150/50 BC g and sparse fine flint. 1550-50 BC 1550/900-600 BC faces, exterior shows small hal lines below and the trace interior shows the remnant
1	DRAW: 1. NB. All sher Period EBA>MBA-LBA/LP Small plain sherd from LP Small plain thick-wall MBA>EIA/?EIA Small, fairly thin-wal portion of incised line of another adjacent at of a sharp angled out surface loss, but edges	ds retained in 'DRAW' bag, for pote Ware Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered ed sherd from coarseware. Flint tempered led, fairly frequent fine temper, of ar deco of single horizontal line with a different angle. The exterior is sl-turn within the area of the decore	ntial futur Vessels 1 ostly buff s 1 dull burnis th a band ightly con-	e review Wear H mall gro H L shed sur of diago:	Date preference 2100-1150/50 BC g and sparse fine flint. 1550-50 BC 1550/900-600 BC faces, exterior shows small hal lines below and the trace interior shows the remnant
1	DRAW: 1. NB. All sher Period EBA>MBA-LBA/LP Small plain sherd from LP Small plain thick-wall MBA>EIA/?EIA Small, fairly thin-wal portion of incised line of another adjacent at of a sharp angled out	ds retained in 'DRAW' bag, for pote Ware Grog + flint tempered coarseware, oxidised exterior, mo Flint tempered ed sherd from coarseware. Flint tempered led, fairly frequent fine temper, of ar deco of single horizontal line with a different angle. The exterior is sl-turn within the area of the decore	ntial futur Vessels 1 ostly buff s 1 dull burnis th a band ightly con-	e review Wear H mall gro H L shed sur of diago:	Date preference 2100-1150/50 BC g and sparse fine flint. 1550-50 BC 1550/900-600 BC faces, exterior shows small hal lines below and the trace interior shows the remnant

(1316) [13	171		9	sherds	14 g
Context:				oner as	
Start date:	Likely after 1550 BC				
End date:	Unclear, 1 element a				
Dating:		red fragments perhaps from 2 sh	erds only	broadly	v I.P.
Comments:				, DI GUIUI,	,
Quantity	Period	Ware	Vessels	Wear	Date preference
9	LP	Flint tempered	?2	L>M	1550-50 BC
	2 small body sherds, 2	with worn edges, rest tiny fragme	ents.	I.	
	·				
(1318) [13	19]		1	sherd	1 g
Context:					
Start date:	Likely after 1550 BC	•			
End date:	Unclear, potentially	residual.			
Dating:	No specific data. Bro	adly LP.			
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP	Flint tempered	1	M	1550-50 BC
	Tiny body.				
(1342) [134	43]		1	sherd	1 g
Context:					
Start date:	Likely after 75 BC.				
End date:	Unclear, residual.				
Dating:	Likely a 'Belgic' style	e grogged fabric, broadly MLIA>E	ER but wit	hin the	range given.
Comments:	-			I	-
Quantity	Period	Ware	Vessels	Wear	Date preference
1	?MLIA>ER	'Belgic' style grog tempered	1	Н	75 BC - 75 AD
	Tiny fragment, some g	grey grog. T			I
(1351) [13	<u> </u>		10	sherds	184 g
Context:	აა <u>ე</u>		10	SHELUS	104 g
Start date:	Likely after 200 RC a	and possibly after 150 BC.			
End date:	Nothing certainly af				
Dating:	<u> </u>	nts are MLIA. Some sherds appea	ar somow	hat chin	ned or worn others with a
Duting.		rface, perhaps from exposure. Th			
		ties in their fabrics, so most if			
		text, if only in a likely same peri			
		on. The presence of a coarse fal			
		e. It is not a typical MLIA sandy f			
	with the appearance	of such wares in the local area f	for now.		
		erds retained in 'DRAW' bag.			
Comments:		d rims, 1 facetted. 1 large conjoining			
		near grooved decoration, not comn			
		3 elements are notably profusely t			
		ar quite coarse. Notable also are			
	<u> </u>	large chalk and ?natural flint grits		_	•
		seldom so sandy and the walls app			
	L SOFT. These may not b	e iroin nousenoia coarseware vess			ense and one wonders if their
			ring)	la ara	at thought to be a marticular
	function may be mor	e 'industrial'. Briquetage (salt mak			
	function may be mor feature of the MLIA in	e 'industrial'. Briquetage (salt mak Kent and briquetage in general ma	y largely d	isappear	from the county record after
	function may be mor feature of the MLIA in the Middle Iron Age	e 'industrial'. Briquetage (salt mak Kent and briquetage in general ma (Morris 2006, 106-116), with cu	y largely d rrently no	isappear subseq	from the county record after uent evidence of briquetage
	function may be mor feature of the MLIA in the Middle Iron Age production in East Ke	e 'industrial'. Briquetage (salt mak Kent and briquetage in general ma (Morris 2006, 106-116), with cu nt and possibly the region too unti	y largely d rrently no il the Lates	isappear subseq t Iron A	from the county record after uent evidence of briquetage ge and Early Roman periods,
	function may be mor feature of the MLIA in the Middle Iron Age production in East Ke	e 'industrial'. Briquetage (salt mak Kent and briquetage in general ma (Morris 2006, 106-116), with cu	y largely d rrently no il the Lates	isappear subseq t Iron A	from the county record after uent evidence of briquetage ge and Early Roman periods,

Quantity	Period	Ware	Vessels	Wear	Date preference
<u> </u>	EMIA>MLIA	Flint tempered	1	M>H	600/200-50 BC
	Small thick-walled boo		1	141/11	000/200-30 ВС
5	MLIA	Flint tempered	4	L>M	200-50 BC
5		r rims but different vessels, both th			
ļ		as on neck, 1 with orangey-buff or			
		ody sherd, medium-walled, with			
ļ		e neck with lower part defined by			
ļ		ting well spaced diagonal grooves,			
ļ		red significant extreme surface los			
	concreted, from anoth		3. 1 tillillic	wancu	medium body sherd, heavily
	DRAW: 3.	er vesser.			
4	MLIA	Sandy with chalk + grits	2	M	200/150-50 BC
T		rofusely sandy with occasional to n			
ļ		rse shell, 1 also with small fossil?f			
ļ		s. 2 thinnish-walled, orangey, the			
		nerd with an irregular surface. 2 n			
	mostly clear or grey.	icia with an irregular surface. 2 ii	ilcululli-wa	ilicu, bu	ii, the sand grains appearing
	mostry cicar or grey.				
(1403) [140	፲ በ 4 1		2	sherds	23 g
Context:	 			3HC1 U3	
Start date:	Likely after 600 BC.				
End date:		rtainly after 50 BC, but the pote	ontially co	ntoyt c	antamparary material is a
Ena aate:	single broadly datea		entially co	mtext-c	ontemporary material is a
Datina		v	EMIA on N	II I A a at	ivity uppossing distant the site
Dating:		kely associated with either the	EMIA OF M	ilia act	ivity recognised in the site
C	assemblage.	l-thl t- FMIA I MI IA		4l:4	
Comments:		her, latter akin to EMIA and MLIA r	1		
Quantity	Period	Ware	Vessels	Wear	Date preference
				Н	1550-50 BC
1	LP	Flint tempered	1	11	1000 00 20
1	Small thick fragment.	•	1	11	
1	Small thick fragment. EMIA>MLIA	Flint tempered	1 1	L	600-50 BC
	Small thick fragment.	Flint tempered	1		
1	Small thick fragment. EMIA>MLIA Medium body, thinnis	Flint tempered	1	L	
	Small thick fragment. EMIA>MLIA Medium body, thinnis	Flint tempered	1		600-50 BC
1	Small thick fragment. EMIA>MLIA Medium body, thinnis	Flint tempered	1	L	
1 (1408) [142	Small thick fragment. EMIA>MLIA Medium body, thinnis 11]	Flint tempered	1	L	600-50 BC
1 (1408) [14: Context:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11]	Flint tempered h, and just possibly after 200 BC.	1	L	600-50 BC
1 (1408) [142 Context: Start date:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly after	Flint tempered h, and just possibly after 200 BC.	1 4	L sherds	600-50 BC
1 (1408) [14: Context: Start date: End date:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mos	Flint tempered h, and just possibly after 200 BC. er 50 BC.	1 4 ely either	L sherds EMIA or	600-50 BC 122 g r MLIA, given site trends. 1
1 (1408) [14: Context: Start date: End date:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mos sherd has a slight pr	Flint tempered h, and just possibly after 200 BC. eer 50 BC. st could date widely, though like	1 4 ely either is more we	L sherds EMIA or	600-50 BC 122 g r MLIA, given site trends. 1 n the others. 1 of the latter
1 (1408) [14: Context: Start date: End date:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mos sherd has a slight pr just might be MLIA, t	Flint tempered h, and just possibly after 200 BC. eer 50 BC. st could date widely, though like	1 4 ely either is more we not certain	L sherds EMIA or orn than	m MLIA, given site trends. 1 in the others. 1 of the latter mostic of such. All might be
1 (1408) [14: Context: Start date: End date:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mosherd has a slight prijust might be MLIA, t EMIA, or the worn slight	Flint tempered h, and just possibly after 200 BC. eer 50 BC. st could date widely, though like reference for the EMIA and this is	ely either is more we not certain a MLIA con	EMIA or orn than haly diagntext, pontage	T MLIA, given site trends. 1 in the others. 1 of the latter mostic of such. All might be articularly if features from
1 (1408) [14: Context: Start date: End date:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mos sherd has a slight pr just might be MLIA, t EMIA, or the worn sl such periods are occ	Flint tempered h, and just possibly after 200 BC. ser 50 BC. set could date widely, though like reference for the EMIA and this is though the sherd is broken and sherd could be EMIA residual in a	ely either is more we not certain a MLIA con y on this s	EMIA or orn than ally diagntext, posite. The	m MLIA, given site trends. 1 in the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly
1 (1408) [14: Context: Start date: End date:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mos sherd has a slight pr just might be MLIA, t EMIA, or the worn sl such periods are occ	Flint tempered h, and just possibly after 200 BC. er 50 BC. st could date widely, though like reference for the EMIA and this in though the sherd is broken and in herd could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, consideri	ely either is more we not certain a MLIA con y on this s	EMIA or orn than ally diagntext, posite. The	m MLIA, given site trends. 1 in the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly
1 (1408) [14: Context: Start date: End date:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mosherd has a slight pr just might be MLIA, t EMIA, or the worn sl such periods are occupreferred on current context and the distr	Flint tempered h, and just possibly after 200 BC. er 50 BC. st could date widely, though like reference for the EMIA and this in though the sherd is broken and in herd could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, consideri	ely either is more we not certain a MLIA con y on this sing also (1)	EMIA or orn than ally diag ntext, parties. The	r MLIA, given site trends. 1 n the others. 1 of the latter mostic of such. All might be articularly if features from e latter scenario is slightly Consider the nature of the
(1408) [14: Context: Start date: End date: Dating:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mos sherd has a slight pr just might be MLIA, t EMIA, or the worn sl such periods are oc preferred on current context and the distr Body sherds only. 1 t	Flint tempered h, and just possibly after 200 BC. ser 50 BC. set could date widely, though like reference for the EMIA and this is chough the sherd is broken and in the could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, considerication, if possible.	ely either is more we not certain MLIA copy on this sing also (2)	EMIA or orn than he orn than he orn than he or the orn than he or than h	122 g T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly. Consider the nature of the land is much more worn. The
(1408) [14: Context: Start date: End date: Dating:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mos sherd has a slight pr just might be MLIA, t EMIA, or the worn sl such periods are oc preferred on current context and the distr Body sherds only. 1 t others could date wid	Flint tempered h, and just possibly after 200 BC. ser 50 BC. st could date widely, though like reference for the EMIA and this is chough the sherd is broken and is herd could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, considering it, minimal, evidence, considering itibution, if possible. hick-walled piece has a slight pre	ely either is more we not certain a MLIA con this sing also (2) ference for 1 of these	EMIA or than the site. The 1409). (122 g T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from the latter scenario is slightly Consider the nature of the and is much more worn. The to broken at the neck, but it is
(1408) [14: Context: Start date: End date: Dating:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mossherd has a slight prijust might be MLIA, temia, or the worn slouch periods are occupreferred on currencent and the distribution. Body sherds only. 1 to thers could date wid possible that what's medium of the short	Flint tempered h, and just possibly after 200 BC. ser 50 BC. st could date widely, though like reference for the EMIA and this is chough the sherd is broken and is herd could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, considering it, minimal, evidence, considering ithick-walled piece has a slight pre ely, likely within the EMIA>MLIA.	ely either is more we not certain a MLIA con y on this sing also (2) ference for 1 of these alld suggest	EMIA or orn than hily diagntext, posite. The lags is a sherds is an MLIA	122 g T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from the latter scenario is slightly Consider the nature of the and is much more worn. The to broken at the neck, but it is to date for this and the fresher
(1408) [14: Context: Start date: End date: Dating:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mossherd has a slight prijust might be MLIA, temia, or the worn slouch periods are occupreferred on currencontext and the distribution of the sould date wid possible that what's material. Said sherd is	Flint tempered h, and just possibly after 200 BC. er 50 BC. st could date widely, though like reference for the EMIA and this is chough the sherd is broken and is herd could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, considering the county of the county of the county of the county at the county of the	ely either is more we not certain a MLIA copy on this sing also (2) ference for 1 of these alld suggest and any face	EMIA or orn than hily diagntext, pointe. The latest is an MLIA at the latest an MLIA at the latest in grant can be shown to the latest in the	122 g T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from the latter scenario is slightly Consider the nature of the and is much more worn. The to broken at the neck, but it is to date for this and the fresher
(1408) [14: Context: Start date: End date: Dating: Comments:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mossherd has a slight prijust might be MLIA, temia, or the worn slouch periods are occupreferred on currencontext and the distribution of the sould date wid possible that what's material. Said sherd is	Flint tempered h, and just possibly after 200 BC. eer 50 BC. st could date widely, though like reference for the EMIA and this is chough the sherd is broken and is herd could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, considering the could be the considering in the could be the county of	ely either is more we not certain a MLIA copy on this sing also (2) ference for 1 of these alld suggest and any face	EMIA or orn than hily diagntext, pointe. The latest is an MLIA at the latest an MLIA at the latest in grant can be shown to the latest in the	T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from the latter scenario is slightly Consider the nature of the and is much more worn. The the broken at the neck, but it is a date for this and the fresher anot be diagnosed at this time.
(1408) [14: Context: Start date: End date: Dating:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mosherd has a slight prince of the morn should be such periods are occupreferred on current context and the distribution of the sould date wide possible that what's material. Said sherd is NB. All retained and be period	Flint tempered h, and just possibly after 200 BC. ser 50 BC. st could date widely, though like reference for the EMIA and this is though the sherd is broken and a curring in fairly close proximity at, minimal, evidence, considerition, if possible. hick-walled piece has a slight preely, likely within the EMIA>MLIA. hissing is an everted rim, which couheavily concreted on the interior a lagged with (1409) 'DRAW', in case Ware	ely either is more we not certain a MLIA con y on this sing also (1) ference for 1 of these alld suggest nd any face of review.	EMIA or than the thick the	122 g T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly Consider the nature of the and is much more worn. The s broken at the neck, but it is date for this and the fresher mot be diagnosed at this time. Date preference
(1408) [14: Context: Start date: End date: Dating: Comments:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mosherd has a slight prince of the priods are occupred on current context and the distribution of the sould date wide possible that what's material. Said sherd is NB. All retained and be a period EMIA>MLIA/?EMIA	Flint tempered h, and just possibly after 200 BC. ser 50 BC. st could date widely, though like reference for the EMIA and this is though the sherd is broken and a curring in fairly close proximity at, minimal, evidence, considerition, if possible. hick-walled piece has a slight preely, likely within the EMIA>MLIA. aissing is an everted rim, which couheavily concreted on the interior a lagged with (1409) 'DRAW', in case Ware Flint tempered	ely either is more we not certain a MLIA con y on this sing also (2) ference for 1 of these ald suggest nd any face of review. Vessels 1	EMIA or orn than all y diagntext, posite. The state is an MLIA eting can wear M>H	122 g T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly. Consider the nature of the latter scenario is slightly and is much more worn. The schoken at the neck, but it is a date for this and the fresher mot be diagnosed at this time. Date preference
(1408) [142 Context: Start date: End date: Dating: Comments:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mossherd has a slight prijust might be MLIA, temia, or the worn slight periods are occupreferred on currence context and the distribution between the context and the c	Flint tempered h, and just possibly after 200 BC. ser 50 BC. st could date widely, though like reference for the EMIA and this is chough the sherd is broken and is herd could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, consideri- ribution, if possible. hick-walled piece has a slight pre ely, likely within the EMIA>MLIA. hissing is an everted rim, which cou- heavily concreted on the interior a agged with (1409) 'DRAW', in case Ware Flint tempered body, moderate medium gritting, s	ely either is more we not certain a MLIA con y on this sing also (2) ference for 1 of these ald suggest and any face of review. Vessels 1 light prefe	EMIA or orn than hily diagntext, posite. The 1409). (Consider the EMIA as sherds is an MLIA eting can wear M>H rence for	122 g T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly Consider the nature of the latter scenario is slightly considered in the latter scenario is slightly considered
(1408) [14: Context: Start date: End date: Dating: Comments:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mossherd has a slight prijust might be MLIA, temia, or the worn slouch periods are occupreferred on currencontext and the distribution of the such period date wide possible that what's material. Said sherd is NB. All retained and be period EMIA>MLIA/?EMIA Medium thick-walled EMIA>MLIA	Flint tempered h, Ind just possibly after 200 BC. For 50 BC. In the could date widely, though like though the sherd is broken and the could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, considering the could be the considering the could be the considering the consider	ely either is more we not certain a MLIA con y on this sing also (2) ference for 1 of these ald suggest nd any face of review. Vessels 1 light prefe	EMIA or orn than hely diagnitext, posite. The last is an MLIA eting can wear M>H rence for L>M	T MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly Consider the nature of the and is much more worn. The as broken at the neck, but it is a date for this and the fresher mot be diagnosed at this time. Date preference 600-350/50 BC T EMIA. 600/?200-50 BC
(1408) [142 Context: Start date: End date: Dating: Comments:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mossherd has a slight prijust might be MLIA, temia, or the worn slow such periods are occupreferred on currencontext and the distribution of the sould date wide possible that what's material. Said sherd is NB. All retained and be period EMIA>MLIA/?EMIA Medium thick-walled EMIA>MLIA Small to medium body	Flint tempered h, Ind just possibly after 200 BC. For 50 BC. It could date widely, though like reference for the EMIA and this is though the sherd is broken and in the could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, considering the interior, if possible. hick-walled piece has a slight preely, likely within the EMIA>MLIA. It issing is an everted rim, which could heavily concreted on the interior a lagged with (1409) 'DRAW', in case ware Flint tempered body, moderate medium gritting, so Flint tempered y, 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled. 2 medium, 1 oxiditing the could be supported by 1 thin-walled.	dely either is more we not certain a MLIA copy on this sing also (1) ference for 1 of these ald suggest and any face of review. Vessels 1 light preference 3 seed, 1 with	EMIA or orn than haly diagntext, posite. The latest is an MLIA or orn than half eting can wear M>H rence for L>M in neatly	r MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly Consider the nature of the and is much more worn. The abstract broken at the neck, but it is a date for this and the fresher mot be diagnosed at this time. Date preference 600-350/50 BC r EMIA. 600/?200-50 BC smoothed exterior broken at
(1408) [142 Context: Start date: End date: Dating: Comments:	Small thick fragment. EMIA>MLIA Medium body, thinnis 11] Likely after 600 BC a Nothing certainly aft No specific data. Mossherd has a slight prijust might be MLIA, temia, or the worn slow such periods are occupreferred on currencontext and the distribution of the sould date wide possible that what's material. Said sherd is NB. All retained and be period EMIA>MLIA/?EMIA Medium thick-walled EMIA>MLIA Small to medium body	Flint tempered h, Ind just possibly after 200 BC. For 50 BC. In the could date widely, though like though the sherd is broken and the could be EMIA residual in a curring in fairly close proximity at, minimal, evidence, considering the could be the considering the could be the considering the consider	dely either is more we not certain a MLIA copy on this sing also (1) ference for 1 of these ald suggest and any face of review. Vessels 1 light preference 3 seed, 1 with	EMIA or orn than haly diagntext, posite. The latest is an MLIA or orn than half eting can wear M>H rence for L>M in neatly	r MLIA, given site trends. 1 In the others. 1 of the latter mostic of such. All might be articularly if features from a latter scenario is slightly Consider the nature of the and is much more worn. The abstract broken at the neck, but it is a date for this and the fresher mot be diagnosed at this time. Date preference

(1409) [141	[1]		4	sherds	75 g
Context:			•		
Start date:	Likely after 600 BC a	nd just possibly after 200 BC.			
End date:	Nothing certainly aft				
Dating:	No specific data and burnished surface, v	l could date widely, EMIA>MLIA which would be less typically sec ssible that this material and the	en on the	lower b	oody of coarsewares in the
Comments:	Small to medium size Moderately tempered	ed body sherds and 1 small fragn			
Quantity	Period	Ware	Vessels	Wear	Date preference
4	EMIA>MLIA	Flint tempered	3	L>M	600/?200-50 BC
		t with neatly soft burnished surfatted medium to thicker-walled (1 c			
(4.440) [4.44	101		2	-1 1 -	22.
(1412) [141	ısı		2	sherds	32 g
Context:					
Start date:	Likely after 600 BC.				
End date: Dating:		a single small slightly worn sher n these small plain body sherds,			
	presence of the other present and due to the EN and EMIA>MLIA latter. This can be re	er, which also considering site to be the importance of not dismissing to the importance of not dismissing to dates are currently preferred, be wiewed subsequently and compa assemblage, for similarities or other	rends wo potential ut noting red with t	uld be r evidenc that the	nore likely EMIA>MLIA. At e of EN activity, differential former could relate to the
Comments:	Gritting trends only. 1 coarsely tempered fal	more likely EMIA>MLIA. Other is soric akin to some that are characte may however more likely relate to	slightly mo ristic of th	e Earliei	Neolithic locally, such as an
Quantity	Period	Ware	Vessels	Wear	Date preference
1	?FN>EN	Flint tempered	1	М	4000/3650-3350 BC
_		body, dispersed medium to coa	rse grits		,
1	?EMIA>MLIA	Flint tempered	1	L>M	600-50 BC
	Small thick-walled bo	dy, black.			
(1414) [141	171		5	sherds	10 g
Context:				<u> </u>	108
Start date:	Likely after 1550 BC				
End date:	Unclear, residual.	•			
		nts. Consider the nature of the c	antaut an	d thain a	listribution if necessary
Dating:			ontext and	u their t	istribution, if necessary.
Comments:	Small fractured or wo		T		
Quantity	Period	Ware	Vessels	Wear	Date preference
1	BK>LP	Flint + grog tempered	1	Н	2450-50 BC
	Small body sherd.		,		
4	LP	Flint tempered	?2	M>H	1550-50 BC
	Small body sherds and	d fragments.			
	<u>-</u>				
(1416) [141	[7]		9	sherds	4 g
Context:					- 8
Start date:	Nothing certainly be	fore 1550 RC			
End date:		only and potentially residual.			
Dating:	No specific data, but		ad 15	l. a 1'	
Comments:		umbs, 1 with a remnant of impress ds retained in 'DRAW' bag.	sea iinear o	iecoratio	on, not worth arawing.

	D / 1	747	1 ,	7.17	D
Quantity	Period	Ware	Vessels	Wear	Date preference
9	?LP	Flint tempered	?2	<u> </u>	1550-50 BC
	, ,	and crumbs. 1 shows 2 short adjace	ent linear ii	mpression	ons (end on end).
	DRAW: 1.	T			T
(1.10) 51.10			-		
(1418) [142	21]		3	sherds	11 g
Context:					
Start date:		ist possibly after 600 BC.			
End date:	Unclear, a single sma				
Dating:	Broadly LP, with slig	tht preference for EMIA>MLIA, th	ough cou	ld techn	ically be earlier.
Comments:					-
Quantity	Period	Ware	Vessels	Wear	Date preference
3	LP/?EMIA>MLIA	Flint tempered	1	L	1550/600-50 BC
	Conjoin to a small boo	ly, edges fairly sharp.	Г		
(1506) [150)7]		1	sherd	1 g
Context:					
Start date:		and possibly after 1000 BC.			
End date:		antly worn, though a tiny fragme			
Dating:	No specific data. Like	ely LP, with very slight preferenc	e for IA, b	ut could	d date widely.
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP/?IA	Flint tempered	1	-	1550/1000-50 BC
	Tiny body fragment, e	edges fairly sharp.			
(1516) [151	[9]		2	sherds	7 g
Context:					
Start date:	Nothing certainly be	fore 600 BC.			
End date:	Unclear. Nothing cer	tainly after 50 BC, but 1 at least	residual to	o some (degree.
Dating:	No specific data, but	more likely EMIA>MLIA, given s	ite trends.		_
Comments:	Only 1 small sherd is	relatively fresh.			
	D' J	Ware	Vessels	Wear	Date preference
Quantity	Period	,, a,		L>M	(00 F0 DC
Quantity 2	?EMIA>MLIA	Flint tempered	2	T-141	600-50 BC
		Flint tempered	2	L/1VI	000-50 BC
	?EMIA>MLIA	Flint tempered	2	II>1v1	600-50 BC
	?EMIA>MLIA Small body, larger mo	Flint tempered		sherds	
2	?EMIA>MLIA Small body, larger mo	Flint tempered			21 g
2 (1604) [160	?EMIA>MLIA Small body, larger mo	Flint tempered			
2 (1604) [160 Context: Start date:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC.	Flint tempered re worn.	4		
2 (1604) [160 Context:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual	Flint tempered	C.	sherds	21 g
(1604) [160 Context: Start date: End date:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual	Flint tempered re worn. , but nothing certainly after 50 B n their own merits. Consider the	C.	sherds	21 g
(1604) [160 Context: Start date: End date: Dating:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA on	Flint tempered re worn. , but nothing certainly after 50 B n their own merits. Consider the	C.	sherds	21 g
(1604) [160 Context: Start date: End date: Dating: Comments:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we	Flint tempered re worn. but nothing certainly after 50 But heir own merits. Consider the orn and residual.	C. nature of	sherds the con	21 g text and their distribution.
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP	Flint tempered re worn. but nothing certainly after 50 B their own merits. Consider the orn and residual. Ware	C. nature of Vessels 2	sherds the con	text and their distribution. Date preference
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP	Flint tempered re worn. but nothing certainly after 50 B their own merits. Consider the orn and residual. Ware Flint tempered	C. nature of Vessels 2	sherds the con	text and their distribution. Date preference
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP Small body, coarse, 1	Flint tempered re worn. but nothing certainly after 50 But heir own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxider flint tempered	C. nature of Vessels 2 lised surfa	the con Wear H	text and their distribution. Date preference 1550-50 BC
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP Small body, coarse, 1 IA	Flint tempered re worn. but nothing certainly after 50 But heir own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxider flint tempered	C. nature of Vessels 2 lised surfa	the con Wear H	text and their distribution. Date preference 1550-50 BC
2 (1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish-	Flint tempered re worn. but nothing certainly after 50 But heir own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxider flint tempered	C. nature of Vessels 2 lised surfa	sherds the con Wear H ce. M	text and their distribution. Date preference 1550-50 BC
2 (1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2 2 (1703) [170	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish-	Flint tempered re worn. but nothing certainly after 50 But heir own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxider flint tempered	C. nature of Vessels 2 lised surfa	the con Wear H	text and their distribution. Date preference 1550-50 BC
2 (1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2 2 (1703) [170 Context:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish-	Flint tempered re worn. , but nothing certainly after 50 B n their own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxid Flint tempered walled, 1 oxidised.	C. nature of Vessels 2 lised surfa	sherds the con Wear H ce. M	text and their distribution. Date preference 1550-50 BC
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2 2 (1703) [170 Context: Start date:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish-value D5] Nothing certainly be	Flint tempered re worn. but nothing certainly after 50 B their own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxid Flint tempered walled, 1 oxidised.	C. nature of Vessels 2 lised surfa 2	the continued where the continued with the continue	text and their distribution. Date preference 1550-50 BC 1000/900-50 BC
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2 2 (1703) [170 Context: Start date: End date:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA or All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish- D5] Nothing certainly be Unclear. Nothing cer	Flint tempered The worn. The but nothing certainly after 50 B to their own merits. Consider the orn and residual. Ware Flint tempered Both surfaces oxidised, other 1 oxid Flint tempered Walled, 1 oxidised. Flore 600 BC. Tainly after 50 BC, but 2 small sh	C. nature of Vessels 2 lised surfa 2	the continued where the continued with the continue	text and their distribution. Date preference 1550-50 BC 1000/900-50 BC
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2 2 (1703) [170 Context: Start date: End date: Dating:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA or All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish- D5] Nothing certainly be Unclear. Nothing cer	Flint tempered re worn. but nothing certainly after 50 B their own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxid Flint tempered walled, 1 oxidised.	C. nature of Vessels 2 lised surfa 2	the continued where the continued with the continue	text and their distribution. Date preference 1550-50 BC 1000/900-50 BC
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2 (1703) [170 Context: Start date: End date: Dating: Comments: Comments:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA or All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish- D5] Nothing certainly be Unclear. Nothing certainly be	Flint tempered ne worn. but nothing certainly after 50 B natheir own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxider Flint tempered walled, 1 oxidised. fore 600 BC. rtainly after 50 BC, but 2 small shamore likely EMIA>MLIA.	C. nature of Vessels 2 lised surfa 2 erds from	the continued Hands Mear Manager Manag	21 g text and their distribution. Date preference 1550-50 BC 1000/900-50 BC 12 g ne vessel only.
2 (1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2 2 (1703) [170 Context: Start date: End date: Dating: Comments: Quantity	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA or All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish- D5] Nothing certainly be Unclear. Nothing certainly be Vnclear. Nothing certainly be Period	Flint tempered re worn. but nothing certainly after 50 B their own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxider flint tempered walled, 1 oxidised. Flore 600 BC. retainly after 50 BC, but 2 small shemore likely EMIA>MLIA. Ware	C. nature of Vessels 2 lised surfa 2 erds from	the continued th	21 g text and their distribution. Date preference 1550-50 BC 1000/900-50 BC 12 g ne vessel only.
(1604) [160 Context: Start date: End date: Dating: Comments: Quantity 2 (1703) [170 Context: Start date: End date: Dating: Comments: Comments:	?EMIA>MLIA Small body, larger mo D5] Likely after 900 BC. Unclear, all residual Broadly LP and IA of All small, variously we Period LP Small body, coarse, 1 IA Small body, thinnish-value No specific data, but Period LP/?EMIA>MLIA	Flint tempered ne worn. but nothing certainly after 50 B natheir own merits. Consider the orn and residual. Ware Flint tempered both surfaces oxidised, other 1 oxider Flint tempered walled, 1 oxidised. fore 600 BC. rtainly after 50 BC, but 2 small shamore likely EMIA>MLIA.	C. nature of Vessels 2 lised surfa 2 erds from Vessels 1	sherds Wear H ce. M sherds the san	21 g text and their distribution. Date preference 1550-50 BC 1000/900-50 BC 12 g ne vessel only. Date preference 600-50 BC

(1711) [17	12]		2	sherds	7 g
Context:					
Start date:	Nothing certainly be				
End date:	Unclear, small fragm	ents only.			
Dating:		out likely LP and though fragme with 1 of the main foci of LP activi			
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
2	LP	Flint tempered	1	L	1550-50 BC
	Small thick-walled bo	dy fragments, coarse.			
(1803) [180	04]		3	sherds	5 g
Context:	7 11 1 6 4 H H O D O	1 11 6 600 00			
Start date:		and possibly after 600 BC.			
End date:	Unclear, likely resid				
Dating:	Broadly LP, probably	y IA and possibly EMIA>MLIA.			
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
3	LP/?EMIA>MLIA	Flint tempered	?2	M	1550/600-50 BC
	1 small body and 2 tir	y fragments, smoothed surfaces.		•	
(1809) [18	11]		1	sherd	4 g
Context:					
Start date:	Likely after 1550 BC				
End date:	Unclear, residual.				
Dating:	Broadly LP.				
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP	Flint tempered	1	Н	1550-50 BC
	Very small body.	T			
(1905) [19	 		0	sherds	129 g
Context:	00j 		9	Silei us	127 g
Start date:	Nothing cortainly he	fore 600 BC and just possibly aft	or 200/15	in RC	
End date:	Nothing certainly af		CI 200/ IC	<i>J D</i>	
Dating:		it considering site assemblage	trends lil	zelv FM	IA or MLIA with a slight
Ducing.	preference for the la		ti chus in	icly Divi	m or men, with a single
Comments:	-	ontemporary. Slight preference for	r MLIA giv	zen som	e strong gritting and neatly
	smoothed or soft burn	1 3 0 1			
Quantity	Period	Ware	Vessels	Wear	Date preference
9	IA/EMIA>MLIA	Flint tempered	?8	F>L	600/200-50 BC
					,
	Small to medium size	d body sherds, all reduced, some wi	th neat so	ft burnis	nea surfaces.
	Small to medium size	d body sherds, all reduced, some wi	th neat so	ft burnis	ned surfaces.
(1906) [19		d body sherds, all reduced, some wi		ft burnis sherds	ned surfaces.
(1906) [190 Context:		d body sherds, all reduced, some wi			
	08] Nothing certainly be	fore 600 BC and just possibly aft	3	sherds	
Context:	08]	fore 600 BC and just possibly aft	3	sherds	
Context: Start date:	08] Nothing certainly be Nothing certainly af	fore 600 BC and just possibly aft	3 er 200/15	sherds 50 BC.	19 g
Context: Start date: End date: Dating: Comments:	Nothing certainly be Nothing certainly aff No specific data, but preference for MLIA Small, but fairly frest (1905).	fore 600 BC and just possibly after 50 BC. considering site assemblage treming the material from (1905). and potentially context-contemp	er 200/15 nds likely orary and	sherds 50 BC. EMIA or thus as	MLIA and noting the slight sociated with the sherds in
Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly be Nothing certainly aff No specific data, but preference for MLIA Small, but fairly frest (1905). Period	fore 600 BC and just possibly after 50 BC. considering site assemblage treming the material from (1905). and potentially context-contemporary	3 er 200/15 nds likely	sherds 50 BC. EMIA or thus as	MLIA and noting the slight esociated with the sherds in Date preference
Context: Start date: End date: Dating: Comments:	Nothing certainly be Nothing certainly aff No specific data, but preference for MLIA Small, but fairly frest (1905). Period LP/EMIA>MLIA	fore 600 BC and just possibly after 50 BC. considering site assemblage treming the material from (1905). and potentially context-contemp	er 200/15 nds likely orary and	sherds 50 BC. EMIA or thus as	MLIA and noting the slight sociated with the sherds in
Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly be Nothing certainly aff No specific data, but preference for MLIA Small, but fairly frest (1905). Period	fore 600 BC and just possibly after 50 BC. considering site assemblage treming the material from (1905). and potentially context-contemporary	er 200/15 ands likely borary and Vessels	sherds 50 BC. EMIA or thus as	MLIA and noting the slight esociated with the sherds in Date preference

End date: 1 Dating: 1 Comments: 1 Quantity 10	Probably after 75 BC Unclear, could be the More likely a 'Belgic'	e remains of a single small shero	d.	sherds	6 g
Start date: I End date: I Dating: I Comments: I Quantity 10 I	Unclear, could be the More likely a 'Belgic'	e remains of a single small shero			
End date: 1 Dating: 1 Comments: 1 Quantity 10	Unclear, could be the More likely a 'Belgic'	e remains of a single small shero			
Dating: 1 Comments: 1 Quantity 10	More likely a 'Belgic'				
Comments: 1 Quantity 10			TA DD		
Quantity 10	Highly tragmontages by				
10		its of a reduced grog tempered fab			
	Period	Ware	Vessels	Wear	Date preference
	MLIA>ER	'Belgic' style grog tempered	1	-	75 BC - 75 AD
	3 very small body she	rds with both surfaces intact, rest	tiny fragme	ents, redu	ıced.
(1914) [1916	<u> </u>		1	sherd	6 g
Context:					
		fore 1550 BC and possibly after			
		d only, though not significantly v	worn. Noth	ing cert	ainly after 50 BC.
Dating: 1	Broadly LP, but perh	naps more likely EMIA>MLIA.			
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1 l	LP/?EMIA>MLIA	Flint tempered	1	L	600-50 BC
:	Small thick-walled bo	dy.			
(1923) Local	lised colluvium		11	sherds	13 g
Context:			•		
Start date: 1	Likely after 1550 BC				
	Unclear, residual.				
	Fragments only, bro	adly LP.			
	Could date widely on				
Quantity	Period	Ware	Vessels	Wear	Date preference
	LP	Flint tempered	1/2	M	1550-50 BC
		dy sherds and tiny fragments.			1000 00 20
	oman nagmentary box				
(2003) [2004	4] <i>CWC-EV-21</i>		1	sherd	2 g
Context:	1,0000 27 21		_	Silciu	~ 5
	Nothing certainly be	fore 1550 RC			
	Unclear, residual.	101C 1330 BG.			
	Tiny fragment, broad	dly I D			
		A, but could date widely on own m	acrite		
Quantity	Period	Ware	Vessels	Wear	Date preference
	LP	Flint tempered	vesseis 1	M	1550-50 BC
	Tiny body.	i mit tempereu	1 1	141	1330-30 BC
	imy bouy.	<u></u>			
(2007) [2010	01		1	sherds	20 ~
(2007) [2010	, j		4	silerus	30 g
Context:	Nothing containly be	fore 600 PC and just possible of	ton 200 DC		
		fore 600 BC and just possibly af	ter zou BC	•	
	Nothing certainly aft		J12 - 1 - 1	C-	as for latter County
	No specific data, b separately from but	ut likely EMIA>MLIA and wit see also (2008).	n slight p	referen	ce for latter. Considered
	Small sherds only, son	ne more worn than others, but mo			
Comments: S		this group of coarsewares giving si	light breier	ence ioi	MLIA.
Comments: S	prevalence of this on t				
Comments: S Quantity	prevalence of this on t Period	Ware	Vessels	Wear	Date preference
Comments: S Quantity 4	prevalence of this on t	Ware Flint tempered			

(2008) [203	10]		4	sherds	30 g
Context:					
Start date:	Nothing certainly be	fore 600 BC and just possibly after	er 200 BC		
End date:	Nothing certainly aft	er 50 BC.			
Dating:		likely EMIA>MLIA, with slight pr y worn and with some potential			
Comments:		s, with slight preference for MLIA or			-
Quantity	Period	Ware	Vessels	Wear	Date preference
4	EMIA>MLIA	Flint tempered	1/2	L	600/200-50 BC
	Small body sherds, 2 c	onjoining, neatly smoothed surface	es, fairly fi	ne grittir	ig.
			_		
(2104) [210	06]		2	sherds	3 g
Context:					
Start date:	Likely after 1550 BC				
End date:	Unclear, residual.				
Dating:	·	lata, though both are more likely	to be LP.		
Comments:		The apparent dominance of the gros		xed tem	oer fabric might suggest EBA,
		even MIA, while this doesn't seen			
	data to be usefully spe	ecific.			
Quantity	Period	Ware	Vessels	Wear	Date preference
1	?LP	Flint tempered	1	Н	1550-50 BC
	Tiny fragment.	•			
		C d:	1	M	1550-50 BC
1	EBA>LP/?LP	Grog + Hint tempered	1	141	1330-30 DC
1	EBA>LP/?LP Tiny body, sandy, quit	Grog + flint tempered re compact, oxidised margins and so	_		1330-30 DC
1		e compact, oxidised margins and so	_		1330-30 BC
	Tiny body, sandy, quit		ome orang		
(2203) [22) Context:	Tiny body, sandy, quit		ome orang	ey grog.	9 g
(2203) [220	Tiny body, sandy, quit 05] Depends upon the	e compact, oxidised margins and so	ome orang 6 eir distri	ey grog. sherds bution,	9 g but likely after 1000 BC,
(2203) [220 Context:	Tiny body, sandy, quit 05] Depends upon the probably after 600	nature and the context and the BC and perhaps after 75 BC	ome orang 6 eir distri , unless	ey grog. sherds bution,	9 g but likely after 1000 BC,
(2203) [220 Context: Start date:	Tiny body, sandy, quit 05] Depends upon the probably after 600 accumulation between	nature and the context and th BC and perhaps after 75 BC en the ?IA and ?MLIA>ER elemen	eir distri	ey grog. sherds bution, there i	9 g but likely after 1000 BC, s a degree of sequential
(2203) [220 Context:	Tiny body, sandy, quit 05] Depends upon the probably after 600 accumulation betwee Nothing certainly after	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER elementer 75 AD, but the latest element	eir distri , unless its.	ey grog. sherds bution, there i	9 g but likely after 1000 BC, s a degree of sequential
(2203) [220 Context: Start date:	Tiny body, sandy, quit 05] Depends upon the probably after 600 accumulation betwee Nothing certainly after Elements of possible	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date,	eir distri , unless its. could be r	ey grog. sherds bution, there i residual est very	9 g but likely after 1000 BC, s a degree of sequential . worn and residual, the ?IA
(2203) [220 Context: Start date: End date:	Depends upon the probably after 600 accumulation betwee Nothing certainly aft Elements of possible freshest and the late	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA	eir distri , unless ts. could be I the earlie	ey grog. sherds bution, there i residual est very late to o	but likely after 1000 BC, s a degree of sequential . worn and residual, the ?IA
(2203) [220 Context: Start date: End date: Dating:	Depends upon the probably after 600 accumulation betwee Nothing certainly after Elements of possible freshest and the later activity evidenced on	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER elementer 75 AD, but the latest elementer BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and site	eir distri , unless .ts. could be I the earlie might rel	ey grog. sherds bution, there i residual est very late to o	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA ne of the 2 main foci of LP
(2203) [220 Context: Start date: End date:	Depends upon the probably after 600 accumulation betwee Nothing certainly aft Elements of possible freshest and the late activity evidenced or Very small sherds and	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element en T5 AD, but the latest element en BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA me strength only.	eir distri , unless its. could be i the earlie might rel and MLIA.	ey grog. sherds bution, there i residual est very late to o and flin	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA ne of the 2 main foci of LP t tempered could date more
(2203) [220 Context: Start date: End date: Dating:	Tiny body, sandy, quit 05] Depends upon the probably after 600 accumulation betwee Nothing certainly aft Elements of possible freshest and the late activity evidenced or Very small sherds and widely, though its brig	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA is site, which are currently EMIA and fragments only. The ?BK>EBA ment only. The ?BK>E	eir distri , unless its. could be r the earlie might rel and MLIA ixed grog inated fab	ey grog. sherds bution, there i residual est very late to o and flin ric woul	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA ne of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its
(2203) [220 Context: Start date: End date: Dating:	Depends upon the probably after 600 accumulation betwee Nothing certainly aft Elements of possible freshest and the late activity evidenced or Very small sherds and widely, though its brig condition relative to	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er 8K>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA me after oxidised surfaces and grog dom the flint tempered LP/?IA might be	eir distri , unless its. could be r the earlie might rel and MLIA ixed grog inated fab	ey grog. sherds bution, there i residual est very late to o and flin ric woul	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA ne of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its
Context: Start date: End date: Dating: Comments:	Depends upon the probably after 600 accumulation between Nothing certainly after Elements of possible freshest and the later activity evidenced on Very small sherds and widely, though its brig condition relative to context and their distribute.	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA might oxidised surfaces and grog dom the flint tempered LP/?IA might bribution.	eir distri , unless its. could be r the earlie might rel and MLIA. ixed grog inated fab be relevant	bution, there i residual est very late to o and flin ric woul t, depen	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA one of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its ding upon the nature of the
Context: Start date: End date: Dating: Comments:	Depends upon the probably after 600 accumulation between Nothing certainly after Elements of possible freshest and the later activity evidenced on Very small sherds and widely, though its brig condition relative to context and their distributed.	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA ment of the perhaps and grog domestic the flint tempered LP/?IA might be ribution. Ware	eir distri , unless ts. could be i the earlie might rel and MLIA ixed grog inated fab be relevan	bution, there i residual est very late to o and flin ric woul t, depen	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA me of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its ding upon the nature of the Date preference
Context: Start date: End date: Dating: Comments:	Depends upon the probably after 600 accumulation betwee Nothing certainly after Elements of possible freshest and the lateractivity evidenced on Very small sherds and widely, though its bright condition relative to context and their distributed in the second state of the second shape o	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element en 75 AD, but the latest element en BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA is site, which are currently EMIA and fragments only. The ?BK>EBA me the shift oxidised surfaces and grog dome the flint tempered LP/?IA might be ribution. Ware Grog + sparse flint tempered	eir distri , unless tts. could be i the earlie might rel and MLIA ixed grog inated fab be relevan	bution, there i residual est very late to o and flin ric woul t, depen Wear H	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA ne of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its ding upon the nature of the Date preference 2450-1550 BC
Context: Start date: End date: Dating: Comments: Quantity 3	Depends upon the probably after 600 accumulation betwee Nothing certainly after Elements of possible freshest and the later activity evidenced on Very small sherds and widely, though its brigge condition relative to context and their distribution of the period Period Period Small fragments, bright	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element en T5 AD, but the latest element en BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA ment only in the flint tempered LP/?IA might be ribution. Ware Grog + sparse flint tempered in buff surfaces and black core, most	eir distri , unless ts. could be r the earlie might rel and MLIA ixed grog inated fab be relevant Vessels 1 ttly fine to	bution, there i residual est very late to o and flin ric woul t, depen Wear H medium	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA ne of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its ding upon the nature of the Date preference 2450-1550 BC sized flint, sandy.
Context: Start date: End date: Dating: Comments:	Depends upon the probably after 600 accumulation betwee Nothing certainly after Elements of possible freshest and the later activity evidenced on Very small sherds and widely, though its bright condition relative to context and their distribution of Period Period Period Small fragments, bright LP/?IA	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA me ght oxidised surfaces and grog dome the flint tempered LP/?IA might be ribution. Ware Grog + sparse flint tempered in buff surfaces and black core, most Flint tempered	eir distri , unless tts. could be i the earlie might rel and MLIA ixed grog inated fab be relevan	bution, there i residual est very late to o and flin ric woul t, depen Wear H	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA ne of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its ding upon the nature of the Date preference 2450-1550 BC
Context: Start date: End date: Dating: Comments: Quantity 3	Depends upon the probably after 600 accumulation between Nothing certainly after Elements of possible freshest and the lateractivity evidenced on Very small sherds and widely, though its brig condition relative to context and their distribution of the context and the context and their distribution of the context and th	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA might oxidised surfaces and grog dome the flint tempered LP/?IA might be ribution. Ware Grog + sparse flint tempered in buff surfaces and black core, most Flint tempered surfaces.	eir distri , unless ts. could be r the earlie might rel and MLIA ixed grog inated fab be relevant Vessels 1 ttly fine to	bution, there i residual est very late to o and flin ric woul t, depen Wear H medium	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA me of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its ding upon the nature of the Date preference 2450-1550 BC sized flint, sandy. 1550/1000-50 BC
Context: Start date: End date: Dating: Comments: Quantity 3	Depends upon the probably after 600 accumulation between Nothing certainly after Elements of possible freshest and the lateractivity evidenced on Very small sherds and widely, though its bright condition relative to context and their distribution of the context and the context	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA ment only. The ?BK>E	eir distri , unless ts. could be r the earlie might rel and MLIA ixed grog inated fab be relevant Vessels 1 ttly fine to	bution, there i residual est very late to o and flin ric woul t, depen Wear H medium	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA me of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its ding upon the nature of the Date preference 2450-1550 BC sized flint, sandy.
Context: Start date: End date: Dating: Comments: Quantity 3	Depends upon the probably after 600 accumulation between Nothing certainly after Elements of possible freshest and the lateractivity evidenced on Very small sherds and widely, though its bright condition relative to context and their distribution of the context and the context	nature and the context and the BC and perhaps after 75 BC en the ?IA and ?MLIA>ER element er 75 AD, but the latest element er BK>EBA, IA and MLIA>ER date, est a tiny fragment only. The ?IA in site, which are currently EMIA and fragments only. The ?BK>EBA might oxidised surfaces and grog dome the flint tempered LP/?IA might be ribution. Ware Grog + sparse flint tempered in buff surfaces and black core, most Flint tempered surfaces.	eir distri , unless its. could be r the earlie might rel and MLIA. ixed grog inated fab be relevant Vessels 1 ttly fine to	bution, there i residual est very late to o and flin ric woul t, depen Wear H medium	but likely after 1000 BC, s a degree of sequential worn and residual, the ?IA one of the 2 main foci of LP t tempered could date more d be less typical in the LP. Its ding upon the nature of the Date preference 2450-1550 BC sized flint, sandy. 1550/1000-50 BC

(2209) [223	10]		27 s	herds	1174 g
Context:					
Start date:	Likely after 150/125	AD.			
End date:	Possibly by 100/75 I	BC.			
Dating:	150 BC, while the proportion of the proportion o	t-contemporary. The sandy ware esence of combed decoration on may first start to appear in K e in cross-channel contact follow ntal influence seen on Kentish paron Age (Couldrey 2007b, 181 cyle fabric more certainly appear on the become common until after the interest of the context and the other Belgic' style bead rims) could incite is broadly related and ends passence of 'Belgic' style fabrics co	1/2 vesse ent after ving a fallo ottery style). The grear in East 100 BC and MLIA groudicate that prior to 75	ls sugge around w period les that og tem Kent and are in ips in the this gr	ests an influence of 'Belgic' l 150/125 BC, potentially od, that is suggested by the tappears to have occurred pered wares that are the assemblages from 125 BC not dominant until after 50 he site assemblage (noting oup and the MLIA phase of the influence of 'Belgic style
Comments:		and very large sherds (mostly red	uced), with	2 well	made finewares and the rest
	imported sandy fabric all everted (1 from a g though the upper bod facetted-rim coarsewa the profile is incomple style wares.	e former is a complete pedestalled, possibly from the Folkestone area. good quality fineware), mostly of very of the fineware might be estimated that shows shallow vertical complete. The end date of 100/75 BC is suggested.	7 rims from ery limited e-able, whi abing from	n differe depth (ile rim l the necl	ent vessels, all flint tempered, just below the neck at best), pase and body sherds from a k to the base are present, but
Quantity	Period	Ware	Vessels	Wear	Date preference
5	MLIA	Glauconitic sandy (calcareous)	1	L	200/150-100/75 BC
	with a very neat dull b	estalled base, with associated bod burnished finish, a break surface or on 'glue'. Fabric shows sparse mos ded quartz.	the base a	nd 1 of	the sherds shows a repair of
22	MLIA	Flint tempered	10	F	200/125-100/75 BC
	6 medium to largeish swell made fineware, wneat tooled burnish. U 2 small-medium body Small to large sherds fountreated' (1 oxidised Rims from 7 vessels potentially related to rimmed coarseware) vessels of similar from vertical combing from	sherds, 4 body and 2 rims (1 largeis with an everted rim and dark black pper body profile possible. sherds from 2 sub-finewares with rom 7 coarsewares, 5 with neatly start of these a very large sherd with overall (1 oxidised), all everted the very large sherd noted. 2 rim of similar form but different rim and and finish, these having basically the neck down, with 2 body sherd ther sherd conjoins to it), suggesting the neck down, with 2 body sherd ther sherd conjoins to it), suggesting the neck down, with 2 body sherd the neck down.	h), none eashiny surfa neat exteri- moothed su a coarse fli , the simp m sherds w nd wall thio smoothed ls showing	or burn or faces, nt temp lest, th vith face cknesse surface this fini	ish (1 oxidised). 2 other sherds from 2 vessels per and grit-dragged surfaces. ickest and least out-turned et-burnished interior (facets could derive from separate es showing shallow very fine sh and it also occurring on 1
(2211) [222	13]		1	sherd	10 g
Context:					
Start date:	Nothing certainly be				
End date:	Unclear. Nothing cer				
Dating:		lationship of this splintered frag			
Comments:	Splintered fragment fr	om surface of a fineware, same fini	ish seen on	MLIA s	herd in (2209).

Quantity	Period	Ware	Vessels	Wear	Date preference
1	?MLIA	Flint tempered	1	-	200-50 BC
	Medium sized fragme	nt of fineware, outer surface only, s	howing ne	at toole	d burnish.
(2214) [22]	15]		10	sherds	260 g
Context:					
Start date:	Nothing certainly be	fore 200 BC and more likely afte	r 150 BC.		
End date:		er 50 BC and potentially before '			
Dating:		me chipping and abrasion, th			
	in the site assembla which such fabrics assemblages.	group. The absence of grog temp ge (eg. [1229] and [2210]), could would typically be expected t	l suggest a to provid	a date p e a sig	rior to at least 75 BC, after nificant presence in local
Comments:		th a small pedestal (EMIA> after 50	-		
	BC.	nificant upper body profiles, 1 of tl ds retained in 'DRAW' bag.	hese a san	dy ware	
Quantity	Period	Ware	Vessels	Wear	Date preference
1	MLIA	Sandy	1	C>L	200/150-50 BC
	Small-medium everted DRAW.	d rim, curving neck, broken at shou	lder, sligh	t facetin	g on interior.
1	MLIA	Flint tempered sandy	1	C>L	200-50 BC
	Medium sized thick-v chipped. DRAW.	valled base from coarseware wit	h small pe	edestal.	Edges fairly sharp but very
8	MLIA	Flint tempered ately tempered coarseware with pa	6	C>L	200-50 BC
	burnished with interior	ak and overlapping surface. 1 small or faceting, possibly same vessel as ying body sherd showing horizonta e at neck, sub-fineware/?fineware.	s 2 small b	ody shei	ds. 2 thinnish-walled sherds
	DRAW: Z.				
1					
(2217) [22	<u> </u> 		1	chord	20 g
(2217) [22:	 21] 		1	sherd	30 g
Context:	1	and nothing certainly before 60		sherd	30 g
Context: Start date:	Likely after 1550 BC	and nothing certainly before 60	0 BC.		
Context: Start date: End date:	Likely after 1550 BC Unclear, single shere	l only, though not significantly w	0 BC.	othing	
Context: Start date: End date: Dating:	Likely after 1550 BC Unclear, single shere		0 BC.	othing	
Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear, single shere No specific data. LP a	l only, though not significantly wand more likely EMIA>MLIA, give	0 BC. orn and n	othing nds.	after 50 BC.
Context: Start date: End date: Dating:	Likely after 1550 BC Unclear, single shere No specific data. LP a	l only, though not significantly w	0 BC.	othing	
Context: Start date: End date: Dating: Comments: Quantity	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA	l only, though not significantly wand more likely EMIA>MLIA, give Ware	O BC. vorn and ren site tree	othing ands. Wear L	after 50 BC. Date preference
Context: Start date: End date: Dating: Comments: Quantity	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA	l only, though not significantly wand more likely EMIA>MLIA, give Ware Floint tempered	O BC. vorn and ren site tree	othing ands. Wear L	after 50 BC. Date preference
Context: Start date: End date: Dating: Comments: Quantity	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base	l only, though not significantly wand more likely EMIA>MLIA, give Ware Floint tempered	O BC. orn and ren site tree Vessels 1 es fairly sh	othing ands. Wear L	after 50 BC. Date preference
Context: Start date: End date: Dating: Comments: Quantity 1	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base	l only, though not significantly wand more likely EMIA>MLIA, give Ware Floint tempered	O BC. orn and ren site tree Vessels 1 es fairly sh	wear L arp.	Date preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (2218) [22:	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base	l only, though not significantly wand more likely EMIA>MLIA, give Ware Floint tempered	O BC. Vorn and ren site tree Vessels 1 es fairly sh	wear L arp.	Date preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (2218) [22: Context:	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base 21] Likely after 1550 BC	Nare Floint tempered fragment, coarsely tempered, edge	O BC. Vorn and ren site tree Vessels 1 es fairly sh 3 0 BC.	Wear L arp.	Date preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (2218) [22: Context: Start date:	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base 21] Likely after 1550 BC Unclear. Fragmentar	Ware Floint tempered fragment, coarsely tempered, edge	O BC. vorn and ren site tree Vessels 1 es fairly sh 3 O BC. n and not	Wear L arp. sherds	Date preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (2218) [22: Context: Start date: End date:	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base 21] Likely after 1550 BC Unclear. Fragmentar No specific data. LP a Could potentially be fire	Ware Floint tempered fragment, coarsely tempered, edge and nothing certainly before 60 ry only, but not significantly work and more likely EMIA>MLIA, give rom same vessel as sherd in (2217)	O BC. Vessels 1 es fairly sh 3 0 BC. n and not	Wear L arp. sherds	Date preference 600-50 BC 13 g
Context: Start date: End date: Dating: Comments: Quantity 1 (2218) [22: Context: Start date: End date: Dating:	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base 21] Likely after 1550 BC Unclear. Fragmentar No specific data. LP a Could potentially be fragmentar Period	Ware Floint tempered fragment, coarsely tempered, edge and nothing certainly before 60 ry only, but not significantly work and more likely EMIA>MLIA, give rom same vessel as sherd in (2217) Ware	O BC. Vessels 1 es fairly sh 3 O BC. n and nother site tree	Wear L arp. sherds	Date preference 600-50 BC 13 g Part of the preference by the preference of the pre
Context: Start date: End date: Dating: Comments: Quantity 1 (2218) [22: Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base 21] Likely after 1550 BC Unclear. Fragmentar No specific data. LP a Could potentially be fragmentar Period LP/EMIA>MLIA	Ware Floint tempered fragment, coarsely tempered, edge and nothing certainly before 60 y only, but not significantly work and more likely EMIA>MLIA, give from same vessel as sherd in (2217) Ware Flint tempered	Vessels 1 es fairly sh 0 BC. 1 es fairly sh 1 vessels 1 vessels	Wear L arp. sherds Mear L L L L L L L L L L L L L L L L L L L	Date preference 600-50 BC 13 g Pate preference 600-50 BC
Context: Start date: End date: Dating: Comments: Quantity 1 (2218) [22: Context: Start date: End date: Dating: Comments: Quantity	Likely after 1550 BC Unclear, single shere No specific data. LP a Period LP/?EMIA>MLIA Small very thick ?base 21] Likely after 1550 BC Unclear. Fragmentar No specific data. LP a Could potentially be fragmentar Period LP/EMIA>MLIA	Ware Floint tempered fragment, coarsely tempered, edge only, but not significantly work of same vessel as sherd in (2217) Ware Flint tempered Fragments likely same vessel and	Vessels 1 es fairly sh 0 BC. 1 es fairly sh 1 vessels 1 vessels	Wear L arp. sherds Mear L L L L L L L L L L L L L L L L L L L	Date preference 600-50 BC 13 g Pate preference 600-50 BC

ertainly afte
for the latte
for the latte
eference
eference
00/200-50 B
tempered wit
67
ngle recover
onally facette
reference
200-50 B
xterior mostl ot highly worr
67
67
reference
600-350 B
aces. 1 slightl
216
2
e.
le rim with 'S
le rim with 'S reference
reference 500-350 B
le rim with 'S reference
rej

(2306) [230	09]		9	sherds	494 g
Context:					
Start date:		considering all in [2309].			
End date:	Likely before 350 BO	C, considering all in [2309].			
Dating:	Context-contempora	ry and specific dating based on l	ikely rela	ted mat	erial in (2305).
Comments:		d sherds from medium to thick-wa			
		pright (1 thickened) with rounded			
		nerd shows a slightly rough exterior			
		ich generally have neatly smoothe			
		of applied rustication, which is a c			
		largely focussed in East Kent, who			
		ominant 500-400 BC, with some occ		rlier and	l later instances possible (see
		121-122; Macpherson-Grant 1991,	•		
		dered body sherd and the ?rusticate			
Quantity	Period	Ware	Vessels	Wear	Date preference
9	EMIA	Flint tempered	8	F>L	600/550-350 BC
		zed body sherds, most medium or			
		or soft burnished, 1 large oxidised			
		d untreated/roughly wiped or ju			
		l, neatly smoothed, shows a fairly s			
		-walled. 2 conjoin to a large rim sl			
	0 0	and rounded shoulder, dull orange			<u> </u>
		ed rim of broadly similar profile, b			
		e upright slightly thicker than the			
		he shoulder rounded but sharper a	ngiea (mo	re aenne	ed, the other slack J.
	DRAW: 2/4.	T			_
(2200) [22	001			-11	4
(2308) [230	∪9 <u>]</u> ∣			sherd	1 g
Context:	Lil	d this ft 1000 BC			
Start date:		and possibly after 1000 BC.			
End date:	Unclear, residual.	a data hastiilaala I D and in at an an			
Dating:	Fragment, no specifi	c data, but likely LP and just pos	SIDIY IA.		
Comments:	Davis d	TA7	171-	147	D t
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP/?IA	Flint tempered	1	Н	1550/1000-900 BC
	Small fragment, 1 smo	oothed surface, sandy fabric.			Г
(2402) [24	0.41		2	-11	F.
(2403) [240	U4] 		Z	sherds	5 g
Context:	T11 -1 - 0 - 4000 /0/	NO DC			
Start date:	Likely after 1000/90		11	حالا جالحا	aloua da d
End date:		l is not significantly worn, but is			
Dating:		potential EIA. Note however tha		•	_
		n the site assemblage as yet and			
		ikely/typically date to that time, he site assemblage, cannot be r			
		rk, considering stratigraphy, any		-	•
		ric with the known fabrics of M			
	established.	The with the known labries of h	ilin uatt	OII SIU	c once that group is fully
Comments:	Both small.				
Quantity	Period	Ware	Vessels	Wear	Date preference
Quantity 1	LP	Flint tempered	1	Н	1550-50 BC
1	Very small body fragn		<u> </u>	11	1330-30 BC
1	?EIA/MLIA	Flint tempered	1	L>M	1000/900-600/50 BC
1	,	y with profuse fine flint.	1 1	TI~ IAI	1000/ 700-000/ 30 BC
	Jilian umi-wancu bou	y with profuse fine finit.			
	İ	1			

(2406) [24	07]		1	sherd	33 g
Context:					
Start date:	Likely after 1550 BO				
End date:	Unclear. Nothing ce	rtainly after 50 BC, but a single s	sherd poter	ntially re	esidual to some degree.
Dating:		mpered sherd uncommon in th			
Ö		EMIA or MLIA groups seen so fa			
		occur as a minority ware in aln			
Comments:	·		* 1		
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP	Flint + grog tempered	1	М	1550-50 BC
	Small, very thick sher	d, 1 oxidised surface, some of the	grog (mostl	v reduce	
				,	r i i i i i i i i i i i i i i i i i i i
(2509) [25	121		6	sherds	17 g
Context:					8
Start date:	After 75 BC.				
End date:		ent is a single fragmentary sma	ll sherd onl	v	
Dating:		tely broadly IA and 1 fresher lo			ted niece could be 'Relgic'
Duting.		with the presence of the form			
		g in the latter is , notably, more t			
		l at present, given this is a singl			
		of any other certain LR wares i			
	are ultimately recov		ii tile site as	SCIIIDIA	ge. I et haps review il some
Comments:		d sherd notably contains some pal	le grey and b	nuff grog	which is more typical of the
comments:		ally, though this sherd is not hard a			
	DRAW: 1.	my, though this shert is not hard a	illu llot cel ta	allily Liv.	not worth drawing.
Quantity	Period	Ware	Vessels	Wear	Date preference
1	?IA	Flint tempered	1	Н	1000/900-50 BC
	Small body, moderate	e small grits in sandy fabric.		ı	,
5	?LIA>ER/?LR	Grog tempered	1	L	50 BC - 75 AD
		nick-walled sherd with possible fra	actured cord	don, edge	es fractured, remainder tiny
		, soft, tempered with mix of mid a			
	DRAW.	•	1 0 1		
(2510) [25	12]		2	sherds	1 g
143101143					8
Context:	_	1.			
Context: Start date:	Likely after 1550 BC				
Context: Start date: End date:	Likely after 1550 BC Unclear, potentially	residual.		main foo	i of LP activity on site, but
Context: Start date: End date:	Likely after 1550 BC Unclear, potentially Tiny fragments, like	residual. ely LP and perhaps related to or		main fo	ci of LP activity on site, but
Context: Start date: End date: Dating:	Likely after 1550 BC Unclear, potentially Tiny fragments, like	residual.		main fo	ci of LP activity on site, but
Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da	residual. ely LP and perhaps related to on te almost anywhere.	ne of the 2 1		
Context: Start date: End date: Dating: Comments: Quantity	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da	residual. ely LP and perhaps related to onte almost anywhere. Ware	ne of the 2 1	main foo	Date preference
Context: Start date: End date: Dating: Comments:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP	residual. Ply LP and perhaps related to on the almost anywhere. Ware Flint tempered	ne of the 2 1		
Context: Start date: End date: Dating: Comments: Quantity	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da	residual. Ply LP and perhaps related to on the almost anywhere. Ware Flint tempered	ne of the 2 1		Date preference
Context: Start date: End date: Dating: Comments: Quantity 2	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments.	residual. Ply LP and perhaps related to on the almost anywhere. Ware Flint tempered	Vessels	Wear -	Date preference 1550-50 BC
Context: Start date: End date: Dating: Comments: Quantity 2 [2609] [26	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments.	residual. Ply LP and perhaps related to on the almost anywhere. Ware Flint tempered	Vessels		Date preference
Context: Start date: End date: Dating: Comments: Quantity 2 (2609) [26 Context:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments.	residual. Ply LP and perhaps related to on the almost anywhere. Ware Flint tempered	Vessels ?1	Wear - - Sherd	Date preference 1550-50 BC
Context: Start date: End date: Dating: Comments: Quantity 2 (2609) [26 Context: Start date:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments. 10] Unclear. Likely after	residual. Ply LP and perhaps related to onte almost anywhere. Ware Flint tempered r around 3500 BC and possibly a	Vessels ?1	Wear - sherd BC.	Date preference 1550-50 BC
Context: Start date: End date: Dating: Comments: Quantity 2 (2609) [26 Context: Start date: End date:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments. 10] Unclear. Likely after Unclear, single sher	residual. Ply LP and perhaps related to onte almost anywhere. Ware Flint tempered r around 3500 BC and possibly a d only and potentially residual	Vessels ?1	Wear - sherd BC. gree.	Date preference 1550-50 BC
Context: Start date: End date: Dating: Comments: Quantity 2	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments. 10] Unclear. Likely after Unclear, single sher Could technically be	residual. Ply LP and perhaps related to onte almost anywhere. Ware Flint tempered r around 3500 BC and possibly and only and potentially residual and many and many and possibly and possibly and possibly and potentially residual and many	Vessels ?1 after 1550 It to some degable option	Wear - sherd BC. gree. , but is	Date preference 1550-50 BC 16 g not especially preferred at
Context: Start date: End date: Dating: Comments: Quantity 2 (2609) [26 Context: Start date: End date:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments. 10] Unclear. Likely after Unclear, single sher Could technically be present, given a la	residual. Ware Flint tempered r around 3500 BC and possibly and only and potentially residual and the MN or LP. The former is a notice of intensive certainly intensive certainly intensive certainly intensive.	Vessels ?1 after 1550 It to some degable option itional deco	Wear - sherd 3C. gree. , but is oration.	Date preference 1550-50 BC 16 g not especially preferred at LP is more likely, unless
Context: Start date: End date: Dating: Comments: Quantity 2 (2609) [26 Context: Start date: End date:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments. 10] Unclear. Likely after Unclear, single sher Could technically be present, given a la perhaps there is a	residual. Ply LP and perhaps related to onte almost anywhere. Ware Flint tempered r around 3500 BC and possibly and only and potentially residual and many and many and possibly and possibly and possibly and potentially residual and many	Vessels ?1 after 1550 It to some degable option itional deco	Wear - sherd 3C. gree. , but is oration.	Date preference 1550-50 BC 16 g not especially preferred at LP is more likely, unless
Context: Start date: End date: Dating: Comments: Quantity 2 (2609) [26 Context: Start date: End date: Dating:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments. 10] Unclear. Likely after Unclear, single sher Could technically be present, given a la perhaps there is a additional info.	residual. Ply LP and perhaps related to onte almost anywhere. Ware Flint tempered r around 3500 BC and possibly and only and potentially residual to the MN or LP. The former is a note of intensive certainly intennoted MN presence in the vicin	Vessels ?1 after 1550 It to some degable option attional deconity. Perha	Wear	Date preference 1550-50 BC 16 g not especially preferred at LP is more likely, unless we subsequently with any
Context: Start date: End date: Dating: Comments: Quantity 2 (2609) [26 Context: Start date: End date:	Likely after 1550 BC Unclear, potentially Tiny fragments, like technically could da Period LP Tiny body fragments. 10] Unclear. Likely after Unclear, single sher Could technically be present, given a la perhaps there is a additional info.	residual. Ware Flint tempered r around 3500 BC and possibly and only and potentially residual and the MN or LP. The former is a notice of intensive certainly intensive certainly intensive certainly intensive.	Vessels ?1 after 1550 It to some degable option attional deconity. Perha	Wear	Date preference 1550-50 BC 16 g not especially preferred at LP is more likely, unless we subsequently with any

Quantity	Period	Ware	Vessels	Wear	Data profesence
Quantity 1	MN/LP	Flint tempered	1	M	Date preference 3500-2700/1550-50 BC
1		ody, coarse temper, oxidised exte			,
		al fingernail, but though there is sp			
	DRAW.	ai inigernan, but though there is sp	ace for other	ers there	e are none near by.
	DIMIVV.				
(2000) [20	 12]		2	sherds	12 a
(3008) [30) Context:	12]		3	siieius	13 g
Start date:	Likely after 1275 AD				
End date:		o. Iter 1375 AD and if the material	ic conton	n o no nr	with each other and their
Ena aate:		low quantity and small size of the			
Dating:	Kent peak around 1	rd likely dates after 1275 AD an 270 (Macpherson-Grant 2011b),	with perh	aps litt	le evidence of 14th century
		2006, 182). Both could be conten			
		, though the evidence comprises	a couple o	f small	sized sherds only.
Comments:	Small oxidised body s	herds, neither significantly worn.			
Quantity	Period	Ware	Vessels	Wear	Date preference
1	M	?London type	1	L	1225-1300/1350 AD
	Small body sherd, ora	nge throughout, minor remnant of	pale green	ish glaze	e.
2	M	Canterbury Tyler Hill sandy	1	F	1275-1375 AD
	Conjoin to small plain	body sherd, orange throughout.			
(3009) [30	12]		3	sherds	38 g
Context:					
	Likely after 1225 AD	and possibly after 1300 AD if th	e rest are	contem	poraries.
Context: Start date: End date:		and possibly after 1300 AD if the need date after 1375 AD.	e rest are	contem	poraries.
Start date:	Nothing certainly or The earliest sherd is from 2 phases of a	need date after 1375 AD. worn and residual, with fresh locativity that pre and post-date	oking mate s 1275/1	erial tha	nt either potentially derives o, or could centre around
Start date: End date:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later	need date after 1375 AD. worn and residual, with fresh lo	oking mate s 1275/1 e and disca wing for u	erial tha 300 AD orded to ose-life	nt either potentially derives b, or could centre around ogether (the earlier of the 2 before discard alongside a
Start date: End date:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly late possible. Small to medium size fresh, but differences	need date after 1375 AD. worn and residual, with fresh locativity that pre and post-date th the fresher sherds were in use he late end of its range and allo	oking mates 1275/1 e and discawing for uniture of the	erial tha 300 AD arded to ase-life e conte	nt either potentially derives of or could centre around ogether (the earlier of the 2 before discard alongside a axt and their distribution, if
Start date: End date: Dating: Comments:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly late possible. Small to medium size fresh, but differences DRAW: 2.	rneed date after 1375 AD. worn and residual, with fresh locactivity that pre and post-date th the fresher sherds were in use he late end of its range and allow manufacture). Consider the nated, 2 rims. Earliest sherd is heavily in their firing would suggest they residuals.	oking mate es 1275/1 e and disca wing for u ature of th y worn and night not b	erial tha 300 AD arded to ase-life e conte	at either potentially derives by, or could centre around ogether (the earlier of the 2 before discard alongside a ext and their distribution, if al. The others are both fairly temporary manufacture.
Start date: End date: Dating: Comments: Quantity	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly late possible. Small to medium size fresh, but differences DRAW: 2. Period	rneed date after 1375 AD. worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow manufacture). Consider the nated, 2 rims. Earliest sherd is heavily in their firing would suggest they remains the state of the suggestion of the state of the suggestion of the su	oking mates 1275/1 e and discawing for unture of the y worn and might not b	erial tha 300 AD arded to ase-life e contest l residua e of contest Wear	at either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference
Start date: End date: Dating: Comments:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly late possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M	rneed date after 1375 AD. worn and residual, with fresh locactivity that pre and post-date th the fresher sherds were in use he late end of its range and allow manufacture). Consider the nated, 2 rims. Earliest sherd is heavily in their firing would suggest they residuals.	oking mate es 1275/1 e and disca wing for u ature of th y worn and night not b	erial tha 300 AD arded to ase-life e conte	at either potentially derives by, or could centre around ogether (the earlier of the 2 before discard alongside a ext and their distribution, if al. The others are both fairly temporary manufacture.
Start date: End date: Dating: Comments: Quantity 1	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly late possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang	rneed date after 1375 AD. worn and residual, with fresh locativity that pre and post-date th the fresher sherds were in use the late end of its range and allower manufacture). Consider the nated, 2 rims. Earliest sherd is heavily in their firing would suggest they reconstruct the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be a suggest they are constructed with the manufacture would be also as a suggest the world would be a suggest the world would be a suggest they are constructed with the manufacture would be a suggest the world would be also as a suggest the world would be also as a suggest the world would be a suggest	oking mates 1275/1 e and discawing for unture of the y worn and might not b	erial tha 300 AD arded to ase-life e contest l residua e of contest Wear	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD
Start date: End date: Dating: Comments: Quantity	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly late possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M	rneed date after 1375 AD. worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allower manufacture). Consider the nated, 2 rims. Earliest sherd is heavily in their firing would suggest they recommended and the control of the control	oking mates 1275/1 e and discawing for unture of the worn and might not b	erial tha 300 AD arded to ase-life e conte l residua e of conte Wear H	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD
Start date: End date: Dating: Comments: Quantity 1	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang dribble of yellowish g	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow manufacture). Consider the name of the late is less than their firing would suggest they remain the sandy shaded rim, orange surfaces. Canterbury Tyler Hill sandy ght angled overhanging with concaptation on rim top.	oking mates 1275/1 e and discawing for unture of the worn and might not b	erial tha 300 AD arded to ase-life e conte l residua e of conte Wear H	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces
Start date: End date: Dating: Comments: Quantity 1	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly late possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Medium sized rim, right-ang DRAW. M	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow range and allow range and allow range. Consider the name of the late is shered in the presence of the late is shered in the presence of the late of the late of the late end of its range and allow range and allow range and allow range from the late of the late	oking mates 1275/1 e and discawing for unture of the yworn and might not b Vessels 1 1 1 ave neck, n	erial tha 300 AD arded to ase-life e contex I residua e of contex H F nedium-	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD
Start date: End date: Dating: Comments: Quantity 1	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly late possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Medium sized rim, right-ang DRAW. M	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow manufacture). Consider the name of the late is less than their firing would suggest they remain the sandy shaded rim, orange surfaces. Canterbury Tyler Hill sandy ght angled overhanging with concaptation on rim top.	oking mates 1275/1 e and discawing for unture of the yworn and might not b Vessels 1 1 1 ave neck, n	erial tha 300 AD arded to ase-life e contex I residua e of contex H F nedium-	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces
Start date: End date: Dating: Comments: Quantity 1 1	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain b	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow range and allow range and allow range. Consider the name of the late is shered in the presence of the late is shered in the presence of the late of the late of the late end of its range and allow range and allow range and allow range from the late of the late	oking mate is 1275/1 e and disca wing for unture of the y worn and might not b Vessels 1 1 ave neck, nec	erial tha 300 AD arded to ase-life e conte l residua e of conte H F nedium-	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces,
Start date: End date: Dating: Comments: Quantity 1 1 (3011) [30	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain b	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow range and allow range and allow range. Consider the name of the late is shered in the presence of the late is shered in the presence of the late of the late of the late end of its range and allow range and allow range and allow range from the late of the late	oking mate is 1275/1 e and disca wing for unture of the y worn and might not b Vessels 1 1 ave neck, nec	erial tha 300 AD arded to ase-life e contex I residua e of contex H F nedium-	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces
Start date: End date: Dating: Comments: Quantity 1 1 (3011) [30 Context:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain b 12]	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Ware Canterbury shell temp. sandy the late of the late end of its range and allow manufacture). Canterbury Tyler Hill sandy manufacture in the late end of its range and allow manufacture). Canterbury Tyler Hill sandy manufacture in the late end of its range with concate the late end of its range and allow manufacture). Canterbury Tyler Hill sandy manufacture in the late end of its range and allow manufacture). Canterbury Tyler Hill sandy manufacture in the late end of its range and allow manufacture).	oking mate is 1275/1 e and disca wing for unture of the y worn and might not b Vessels 1 1 ave neck, nec	erial tha 300 AD arded to ase-life e conte l residua e of conte H F nedium-	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces,
Start date: End date: Dating: Comments: Quantity 1 1 (3011) [30 Context: Start date:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain b 12] Likely after 120/156	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Ware Canterbury shell temp. sandy gled rim, orange surfaces. Canterbury Tyler Hill sandy gled overhanging with concallaze on rim top. Canterbury Tyler Hill sandy prody sherd, orange with darker concallate.	oking mate is 1275/1 e and disca wing for unture of the y worn and might not b Vessels 1 1 ave neck, nec	erial tha 300 AD arded to ase-life e conte l residua e of conte H F nedium-	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces,
Start date: End date: Dating: Comments: Quantity 1 1 (3011) [30 Context: Start date: End date:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain b 12]	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Ware Canterbury shell temp. sandy gled rim, orange surfaces. Canterbury Tyler Hill sandy gled overhanging with concallaze on rim top. Canterbury Tyler Hill sandy prody sherd, orange with darker concallate.	oking mate is 1275/1 e and disca wing for unture of the y worn and might not b Vessels 1 1 ave neck, nec	erial tha 300 AD arded to ase-life e conte l residua e of conte H F nedium-	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces,
Start date: End date: Dating: Comments: Quantity 1 1 (3011) [30 Context: Start date: End date: Dating:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, rightly dribble of yellowish gone DRAW. M Small-medium plain by Likely after 120/156 Unclear; all could be	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allower manufacture). Consider the nate of the late end of its range and allower manufacture). Consider the nate of the late end of its range and allower manufacture). Consider the nate of the late end of its range and allower manufacture). Consider the nate of the late of the	oking mate is 1275/1 e and disca wing for unture of the y worn and might not b Vessels 1 1 ave neck, nec	erial tha 300 AD arded to ase-life e conte l residua e of conte H F nedium-	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces,
Comments: Quantity 1 1 (3011) [30 Context: Start date: End date: Dating: Comments:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain be 12] Likely after 120/156 Unclear; all could be Small fragmentary sh	rneed date after 1375 AD. worn and residual, with fresh locativity that pre and post-date the the fresher sherds were in use the late end of its range and allocar manufacture). Consider the name of the consideration of t	oking mate is 1275/1 and disca wing for uniture of the year worn and might not be well a we neck, in a we neck, in a le, harder file.	erial tha 300 AD arded to ase-life e contex l residua e of contex H F nedium- F red.	t either potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD walled, dull orange surfaces 1275/1300-1375/1425 AD
Comments: Quantity 1 (3011) [30 Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain be a small-medium plain be a small fragmentary she period	worn and residual, with fresh locativity that pre and post-date th the fresher sherds were in use the late end of its range and allow manufacture). Consider the named and allow manufacture would suggest they receive a suggest the	vessels Vessels Vessels Vessels Vessels Vessels Vessels Vessels	erial tha 300 AD arded to ase-life e content l residua e of content H F nedium- F red. sherds Wear	teither potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD walled, dull orange surfaces, 1275/1300-1375/1425 AD 11 g
Comments: Quantity 1 1 (3011) [30 Context: Start date: End date: Dating: Comments:	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain he 12] Likely after 120/156 Unclear; all could be Small fragmentary she Period ?ER>MR	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Ware Canterbury Shell temp. sandy ghat angled overhanging with concallaze on rim top. Canterbury Tyler Hill sandy manufacture on range with darker concallaze on range with darker concallaze only. Ware ?NK. Thameside fine sandy	oking mates 1275/1 e and discaving for uniture of the vertical ver	erial tha 300 AD arded to ase-life e context l residua e of conf H F medium- F red. Sherds Wear L>M	teither potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces, 1275/1300-1375/1425 AD 11 g Date preference 120-175 AD
Comments: Quantity 1 (3011) [30 Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain he 12] Likely after 120/156 Unclear; all could be Small fragmentary she Period ?ER>MR	worn and residual, with fresh locativity that pre and post-date th the fresher sherds were in use the late end of its range and allow manufacture). Consider the named and allow manufacture would suggest they receive a suggest the	oking mates 1275/1 e and discaving for uniture of the vertical ver	erial tha 300 AD arded to ase-life e context l residua e of conf H F medium- F red. Sherds Wear L>M	teither potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces, 1275/1300-1375/1425 AD 11 g Date preference 120-175 AD
Comments: Quantity 1 (3011) [30 Context: Start date: End date: Dating: Comments: Quantity	Nothing certainly or The earliest sherd is from 2 phases of a 1300/1325 AD if bo perhaps dating at the piece of slightly later possible. Small to medium size fresh, but differences DRAW: 2. Period EM>M Small, short right-ang DRAW. M Medium sized rim, right-ang DRAW. M Small-medium plain he 12] Likely after 120/156 Unclear; all could be Small fragmentary she Period ?ER>MR	worn and residual, with fresh locativity that pre and post-date the fresher sherds were in use the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Consider the name of the late end of its range and allow manufacture). Ware Canterbury Shell temp. sandy ghat angled overhanging with concallaze on rim top. Canterbury Tyler Hill sandy manufacture on range with darker concallaze on range with darker concallaze only. Ware ?NK. Thameside fine sandy	oking mates 1275/1 e and discaving for uniture of the vertical ver	erial tha 300 AD arded to ase-life e context l residua e of conf H F medium- F red. Sherds Wear L>M	teither potentially derives b, or could centre around gether (the earlier of the 2 before discard alongside a xt and their distribution, if al. The others are both fairly temporary manufacture. Date preference 1175-1250 AD 1200/1225-1275 AD walled, dull orange surfaces, 1275/1300-1375/1425 AD 11 g Date preference 120-175 AD

.7]		4	sherds	29 g
<u>'1</u>				= - 8
Likely after 150 BC.	but see also (3014).			
		ıslv residi	ıal. Notl	ning certainly after 50 BC.
	-			
Period	Ware	Vessels	Wear	Date preference
MLIA	Flint tempered	?1	L>M	200-50 BC
	gments and 1 small thick-walled ba	se.		
			_	
		_		200/150-50 BC
Small tnick-walled bo	dy snerd fragment, some black grai	ns possibly	y giauco:	nite? Edges fairy snarp.
71			-11	10 :
/]		J	snera	19 g
Noting the meterial	in (2012) with which this sould	ho occopia	tad tha	n nossibly often 100 DC
				ii possibly after 100 BC.
				neidoring the current focus
				•
		, ,		, ·
		1		Date preference
		1	L	125/100-50 BC
		y hard clic	htly san	
Small-medium thick-v	valled body, oxidised exterior, fairl	v naru, sng		ay fabric.
Small-medium thick-v	valled body, oxidised exterior, fairl	y maru, siig	Jirciy Saii	dy fabric.
6 CWC-EV-21	valled body, oxidised exterior, fairi		sherds	
	valled body, oxidised exterior, fairi			34 g
6] <i>CWC-EV-21</i>	nature of the context and their d	4	sherds	34 g
6] <i>CWC-EV-21</i>	nature of the context and their d	4	sherds	34 g
Depending upon the the presence of PM>	nature of the context and their d	4	sherds	34 g
Depending upon the the presence of PM>Unclear.	nature of the context and their d MOD cbm. ly of EMIA>MLI, ER and M date.	4 listributio	sherds	34 g
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re	nature of the context and their d	4 listributio	sherds	34 g
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1.	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM>	distribution MOD cbm.	sherds on, poter	34 g ntially after 1550 AD, given
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware	4 distribution MOD cbm. Vessels	sherds on, poter	34 g ntially after 1550 AD, given Date preference
Depending upon the the presence of PM>Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered	distribution MOD cbm.	sherds on, poter	34 g ntially after 1550 AD, given
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, h	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered heavily concreted.	MOD cbm. Vessels	sherds on, poten Wear H	Date preference 600-50 BC
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, h ER>MR	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered neavily concreted. NK Thameside fine sandy	4 distribution MOD cbm. Vessels	sherds on, poter	34 g ntially after 1550 AD, given Date preference
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, h	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered heavily concreted. NK Thameside fine sandy shed surfaces, soft.	MOD cbm. Vessels	sherds on, poten Wear H	Date preference 600-50 BC
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, be ER>MR Small body, dull burning M Small right angled rim	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered neavily concreted. NK Thameside fine sandy	MOD cbm. Vessels ?2	wear H	Date preference 600-50 BC 120-150/175 AD
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, h ER>MR Small body, dull burni	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered heavily concreted. NK Thameside fine sandy shed surfaces, soft. Canterbury Tyler Hill sandy	MOD cbm. Vessels ?2	wear H	Date preference 600-50 BC 120-150/175 AD
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, I ER>MR Small body, dull burni M Small right angled rim DRAW.	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered heavily concreted. NK Thameside fine sandy shed surfaces, soft. Canterbury Tyler Hill sandy	MOD cbm. Vessels ?2 1 1 prange surf	Wear H M H faces, ha	### Table 1550 AD, given Date preference
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, be ER>MR Small body, dull burning M Small right angled rim	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered heavily concreted. NK Thameside fine sandy shed surfaces, soft. Canterbury Tyler Hill sandy	MOD cbm. Vessels ?2 1 1 prange surf	wear H	Date preference 600-50 BC 120-150/175 AD
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, RER>MR Small body, dull burnin M Small right angled rim DRAW. DI CWC-EV-21	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered heavily concreted. NK Thameside fine sandy shed surfaces, soft. Canterbury Tyler Hill sandy with some fine stab holes, bright of the sandy shed surfaces.	MOD cbm. Vessels ?2 1 1 prange surf	Wear H M H faces, ha	### Table 1550 AD, given Date preference
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, PER>MR Small body, dull burni M Small right angled rim DRAW. O] CWC-EV-21 Nothing certainly be	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered heavily concreted. NK Thameside fine sandy shed surfaces, soft. Canterbury Tyler Hill sandy with some fine stab holes, bright of the sandy shed surfaces.	MOD cbm. Vessels ?2 1 1 prange surf	Wear H M H faces, ha	### Table 1550 AD, given Date preference
Depending upon the the presence of PM> Unclear. Residual sherds like All small, worn and re DRAW: 1. Period ?EMIA>MLIA Small rounded body, RER>MR Small body, dull burnin M Small right angled rim DRAW. DI CWC-EV-21	nature of the context and their of MOD cbm. ly of EMIA>MLI, ER and M date. sidual. NB. Also 1 fragment of PM> Ware Flint tempered neavily concreted. NK Thameside fine sandy shed surfaces, soft. Canterbury Tyler Hill sandy with some fine stab holes, bright of the context	MOD cbm. Vessels ?2 1 1 prange surf	Wear H M H faces, ha	### Table 1550 AD, given Date preference
	Unclear. Small quant Date for both fabrics Small fragmentary she DRAW: 1. NB. All sher Period MLIA 2 small splintered frag DRAW. MLIA Small thick-walled boo 7 Noting the material is Noting also the mate Presumably associat of LP activity in the s ware, while outside of to some MIA assemb from around 500 BC tempered fabrics in I influence on Kentis reduction in cross-olocally after around Smallish thick-walled oxidised, latter trait no Period MLIA	Small fragmentary sherds, though the edges are not signift DRAW: 1. NB. All sherds retained in 'DRAW' bag. Period Ware MLIA Flint tempered 2 small splintered fragments and 1 small thick-walled bat DRAW. MLIA Sandy Small thick-walled body sherd fragment, some black grain black	Unclear. Small quantity only, though none are obviously residuate for both fabrics based on the presence of the sandy ware, Small fragmentary sherds, though the edges are not significantly wo DRAW: 1. NB. All sherds retained in 'DRAW' bag. Period Ware Vessels MLIA Flint tempered ?1 2 small splintered fragments and 1 small thick-walled base. DRAW. MLIA Sandy 1 Small thick-walled body sherd fragment, some black grains possibly 1 Noting the material in (3013), with which this could be associal Noting also the material in (3013), nothing certainly after 50 Because Presumably associated with the sherds in (3013), then likely Mof LP activity in the site assemblage as a whole, grogged fabrics ware, while outside of Thanet they can also make a more notabet to some MIA assemblages (Hart forthcoming). On the continent from around 500 BC onwards (Hurtrelle et al 1990), but until the tempered fabrics in East Kent around 150/125 BC, there may have influence on Kentish pottery styles (Couldrey 2007b, 181) reduction in cross-channel contacts. Grogged fabrics only stocally after around 100 BC. Smallish thick-walled fairly hard body sherd with simply smoothe oxidised, latter trait not typical for 'Belgic' grogged and this not cere Period Ware Vessels	Unclear. Small quantity only, though none are obviously residual. Note that for both fabrics based on the presence of the sandy ware, so likel Small fragmentary sherds, though the edges are not significantly worn. 1 bas DRAW: 1. NB. All sherds retained in 'DRAW' bag. Period Ware Vessels Wear MLIA Flint tempered ?1 L>M 2 small splintered fragments and 1 small thick-walled base. DRAW. MLIA Sandy 1 L Small thick-walled body sherd fragment, some black grains possibly glaucory as sherd fragment, some black grains possibly glaucory as sherd. Noting the material in (3013), with which this could be associated, the Noting also the material in (3013), nothing certainly after 50 BC. Presumably associated with the sherds in (3013), then likely MLIA. Con of LP activity in the site assemblage as a whole, grogged fabrics do occur ware, while outside of Thanet they can also make a more notable, though the same blages (Hart forthcoming). On the continent, the fall from around 500 BC onwards (Hurtrelle et al 1990), but until the appertempered fabrics in East Kent around 150/125 BC, there may have been influence on Kentish pottery styles (Couldrey 2007b, 181), perha reduction in cross-channel contacts. Grogged fabrics only start to locally after around 100 BC. Smallish thick-walled fairly hard body sherd with simply smoothed surface oxidised, latter trait not typical for 'Belgic' grogged and this not certainly a larger oxidised, latter trait not typical for 'Belgic' grogged and this not certainly a larger oxidised, latter trait not typical for 'Belgic' grogged and this not certainly a larger oxidised, latter trait not typical for 'Belgic' grogged and this not certainly a larger oxidised, latter trait not typical for 'Belgic' grogged and this not certainly a larger oxidised, latter trait of typical for 'Belgic' grogged and this not certainly a larger oxidised, latter trait not typical for 'Belgic' grogged and this not certainly a larger oxidised, latter trait not typical for 'Belgic' grogged and this not certainly a large

		_	_		
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP/?IA	Flint tempered	1	M	1550/1000-50 BC
	Small body, heavily co	ncreted.			
(3411) [341	12] Sample section 2		1	sherd	6 g
Context:					
Start date:	Likely after 1500 AD	, noting other material from this	context (see belo	ow).
End date:	Unclear.				
Dating:	Broadly LP on own n	nerits. Consider its distribution a	ind the na	ture of	the context.
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP	Flint tempered	1	Н	1550-50 BC
	Small irregular fragme	ent.			
(3411) [341	12]		1	sherd	25 g
Context:					
Start date:	Likely after 1500 AD				
End date:	Unclear, residual.				
Dating:	A late Canterbury pr	oduct.			
Comments:	Most edges fairly shar	p, but the fabric is very hard, with s	some signi	ficant ch	ipping, likely residual.
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LM	Canterbury TH transitional	1	C>M	1475-1525/1550 AD
	Medium sized body, or	xidised, with grey-black exterior sli	ip, very ha	rd, fused	ĺ.
(3502) [350	051		1	sherd	13 g
Context:					
Start date:	Nothing certainly be	fore 1550 BC.			
End date:	Unclear, residual.				
Dating:		vessel, but flint tempered, so like	elv LP.		
Comments:	,	, , , , , , , , , , , , , ,	- 5		
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LP	Flint tempered	1	Н	1550-50 BC
		e oxidised lump, 1 concave surface	.1		
		,			
(3711) [371	131		4	sherds	15 g
Context:					_~ B
COHEXI.					
	•				
Start date:	After 2450 BC.	ual to some degree.			
Start date: End date:	After 2450 BC. Unclear, likely reside			sel.	
Start date: End date: Dating:	After 2450 BC. Unclear, likely reside 3/?4 small sherds of	BK, 3 from perhaps 1 comb deco	orated ves		nh Zone or Late type, 1 small
Start date: End date:	After 2450 BC. Unclear, likely reside 3/?4 small sherds of 1 small sherd of comb	BK, 3 from perhaps 1 comb decor decorated Beaker, which could be	orated ves e of Mariti	me/Con	~ •
Start date: End date: Dating:	After 2450 BC. Unclear, likely reside 3/?4 small sherds of 1 small sherd of combundecorated base she	FBK, 3 from perhaps 1 comb decor o decorated Beaker, which could be ord (and 1 tiny sherd fragment) cou	orated ves e of Mariti ıld be asso	me/Com	vith this. 1 sherd with coarse
Start date: End date: Dating:	After 2450 BC. Unclear, likely reside 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant	BK, 3 from perhaps 1 comb decor decorated Beaker, which could be	orated ves e of Mariti ıld be asso	me/Com	vith this. 1 sherd with coarse
Start date: End date: Dating:	After 2450 BC. Unclear, likely reside 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominan worth drawing.	BK, 3 from perhaps 1 comb decorption decorpt	orated ves e of Mariti ıld be asso	me/Com	ith this. 1 sherd with coarse
Start date: End date: Dating: Comments:	After 2450 BC. Unclear, likely reside 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominan worth drawing.	FBK, 3 from perhaps 1 comb decor o decorated Beaker, which could be ord (and 1 tiny sherd fragment) cou	orated ves e of Mariti ald be asso erior comm	me/Com	with this. 1 sherd with coarse en on BK vessels. Not really
Start date: End date: Dating:	After 2450 BC. Unclear, likely reside 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period	BK, 3 from perhaps 1 comb decorded decorated Beaker, which could be red (and 1 tiny sherd fragment) cout, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware	orated ves e of Mariti ıld be asso	me/Com ciated w nonly se	oith this. 1 sherd with coarse en on BK vessels. Not really Date preference
Start date: End date: Dating: Comments: Quantity	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period BK	BK, 3 from perhaps 1 comb decorporated Beaker, which could be ord (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered	orated vese of Maritiald be assorted commercial vessels	me/Com ociated w nonly se Wear M	pith this. 1 sherd with coarse en on BK vessels. Not really Date preference 2450-1750 BC
Start date: End date: Dating: Comments: Quantity	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period BK 1 small body with buff	BK, 3 from perhaps 1 comb decorporated Beaker, which could be ord (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered fexterior showing impressed comb	orated vese of Maritical decoration was also associated as a second communication with the contraction of th	me/Comeciated we nonly see Wear Mear, with a	pith this. 1 sherd with coarse en on BK vessels. Not really Date preference 2450-1750 BC short blank one above 3 lines
Start date: End date: Dating: Comments: Quantity	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All sherts Period BK 1 small body with buff which lay directly about 1 small body.	BK, 3 from perhaps 1 comb decorporated Beaker, which could be ord (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered fexterior showing impressed combove remnants of other comb impressed.	orated vese of Maritical decoration community with the second communit	me/Comeciated we nonly see Wear Mean, with a nangle	Date preference 2450-1750 BC short blank one above 3 lines, broken and abraded at this
Start date: End date: Dating: Comments: Quantity	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period BK 1 small body with buff which lay directly about point, with sparse fine.	BK, 3 from perhaps 1 comb decorporated Beaker, which could be ord (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered fexterior showing impressed combove remnants of other comb imprese flint. 1 small base sherd, buff extends	vessels decoration essions at a	me/Come ociated we nonly see wear Mear, with a an angle t vertical	Date preference 2450-1750 BC short blank one above 3 lines, broken and abraded at this base plinth before the body
Start date: End date: Dating: Comments: Quantity	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period BK 1 small body with buff which lay directly about point, with sparse fine spreads out at an armonic street.	BK, 3 from perhaps 1 comb decorporated Beaker, which could be perd (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered frexterior showing impressed comb over remnants of other comb imprese flint. 1 small base sherd, buff extended, undecorated, sparse fine to	vessels decoration essions at a	me/Come ociated we nonly see wear Mear, with a an angle t vertical	Date preference 2450-1750 BC short blank one above 3 lines, broken and abraded at this lase plinth before the body
Start date: End date: Dating: Comments: Quantity	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period BK 1 small body with buff which lay directly about point, with sparse fine.	BK, 3 from perhaps 1 comb decorporated Beaker, which could be perd (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered frexterior showing impressed comb over remnants of other comb imprese flint. 1 small base sherd, buff extended, undecorated, sparse fine to	vessels decoration essions at a	me/Come ociated we nonly see wear Mear, with a an angle t vertical	Date preference 2450-1750 BC short blank one above 3 lines, broken and abraded at this base plinth before the body
Start date: End date: Dating: Comments: Quantity	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period BK 1 small body with buff which lay directly about point, with sparse fine spreads out at an arpotentially same fabric	BK, 3 from perhaps 1 comb decorporated Beaker, which could be perd (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered frexterior showing impressed comb over remnants of other comb imprese flint. 1 small base sherd, buff extended, undecorated, sparse fine to	vessels decoration essions at a	me/Come ociated we nonly see wear Mear, with a an angle t vertical	Date preference 2450-1750 BC short blank one above 3 lines, broken and abraded at this base plinth before the body me vessel? 1 tiny fragment
Start date: End date: Dating: Comments: Quantity 3	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period BK 1 small body with buff which lay directly abording point, with sparse fine spreads out at an arrotentially same fabrid DRAW: 2. ?BK	BK, 3 from perhaps 1 comb decorporated Beaker, which could be ord (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered fexterior showing impressed combove remnants of other comb imprese flint. 1 small base sherd, buff extende, undecorated, sparse fine to coversel.	vessels Praction community Vessels Praction community Vessels Praction community Response at a community Praction community Response at a	me/Come ociated we nonly see wear Mear angle to vertical flint, san	Date preference 2450-1750 BC short blank one above 3 lines, broken and abraded at this base plinth before the body me vessel? 1 tiny fragment ?2450-1750 BC
Start date: End date: Dating: Comments: Quantity 3	After 2450 BC. Unclear, likely residum 3/?4 small sherds of 1 small sherd of combundecorated base she flint temper dominant worth drawing. DRAW: 2. NB. All shere Period BK 1 small body with buff which lay directly abording, with sparse fine spreads out at an arpotentially same fabrid DRAW: 2. ?BK Small body sherd, more	BK, 3 from perhaps 1 comb decorporated Beaker, which could be ord (and 1 tiny sherd fragment) count, but a dark reddish-orangey extends retained in 'DRAW' bag. Ware Grog + sparse flint tempered fexterior showing impressed combove remnants of other comb imprese flint. 1 small base sherd, buff extends, undecorated, sparse fine to ce/vessel.	vessels cerior community Vessels cerior at a cerior, short medium 1 t grits and	me/Composited wear Mear Mean angle to vertical flint, san Mean angle to vertical flint, san	Date preference 2450-1750 BC short blank one above 3 lines, broken and abraded at this base plinth before the body me vessel? 1 tiny fragment ?2450-1750 BC

(3805) [38	06]		1	sherd	6 g
Context:					
Start date:	Likely after 50 BC.				
End date:	Unclear, residual.				
Dating:	Likely LIA>LIA-ER.				
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
1	LIA>LIA-ER	'Belgic' style sandy	1	Н	50 BC - 50 AD
	Small thick-walled bo concreted.	dy with incised combing on exterio	or. Slightly	sandy v	with sparse fine grits, heavily
(4304) [43	 		2	sherds	10 g
Context:	 			3HCI U3	10 g
Start date:	Likoly after 1550 BC	and possibly after 600 BC.			
End date:	Unclear, residual.	and possibly after 600 BC.			
Dating:		nt be EMIA>MLIA, given site tren	de		
Comments:	Di bauly Li anu migi	it be EMIA-MEIA, given site ti en	us.		
Quantity	Period	Ware	Vessels	Wear	Date preference
<u>Quantity</u> 2	LP	Flint tempered	1	Н	1550/600-50 BC
		ck-walled body, exterior concreted,	_		1330/000-30 BC
	Conjoin to a sman tine			Aluiseu.	
(4602) [46	06] Top fill Feat TP1		1	sherd	11 g
Context:				JIICIU	115
Start date:	Nothing certainly be	fore 1375 AD			
End date:		rd only, though not significantly	worn No	thing co	rtainly after 1475 AD
Dating:	Likely LM.	ru omy, though not significantly	WOI II. NO	tilling cc	rtainly after 1473 AD.
Comments:		y worn, though the fabric is hard.			
Quantity	Period	Ware	Vessels	Wear	Date preference
<u> </u>	LM	Canterbury Tyler Hill sandy	1	L	1375-1475 AD
1	I .	range, thinnish-walled, hard. Edges	_	_	1373 1173 112
	Mediam sized body, o	wanea, nara. Bages			
(4611) [46	121		1	sherd	10 g
Context:				JIICIU	105
Start date:	Nothing certainly be	fore 600 BC			
End date:		sherd only and potentially resid	dual to so	me dear	
Dating:		likely EMIA>MLIA, given site tre		ne degi	
Comments:	no specific data) but	interference in the second of the	11401		
Quantity	Period	Ware	Vessels	Wear	Date preference
1	EMIA>MLIA	Flint tempered	1	M	600-50 BC
1	Small body, buff exter			1 1.1	
(4702) [47	041		1	sherd	7 g
Context:					, , ,
Start date:	Nothing certainly be	fore 1375 AD.			
End date:		sherd only, but not significantly	worn. No	thing co	ertainly after 1475 AD.
Dating:	LM.	one we have significantly		Jillig C	
Comments:	Not significantly worr	though hard fired			
Quantity	Period	Ware	Vessels	Wear	Date preference
Quantity 1	LM	Canterbury Tyler Hill sandy	1	I	1375-1475 AD
1		ey exterior, hard, concreted edges a	_	r Notabi	
	Jilian, ullii-walleu, gi	Jy Caterior, maru, concreteu euges a	1110 1110	i. ivutabl	ly contains chark magnitudes.

(4813) [483	15]		8:	sherds	95 g
Context:					
Start date:	After 1550 BC.				
End date:	Nothing certainly aft	er 50 BC.			
Dating:	could well relate to o (EMIA and MLIA), ar be reviewed subseq	l BK and EBA, plus potentially colone of the (currently) 2 main phase earlier date cannot be discount uently in light of the phasing of t context is of particular importan	ses of LP a ed at pres the site as	ctivity : sent on	seen in the site assemblage current evidence. This can
Comments:	Notable small very wo material is thick-walle	orn sherds of Rusticated BK and under a sherds of Rusticated BK and under a sher a she	typically d		
Quantity	Period	Ware	Vessels	Wear	Date preference
1	ВК	Grog + sparse fine flint	1	Н	2200-1750 BC
	likely fingernail impre DRAW.	se, patchy oxidised exteriors and resisions, possibly a rusticated Beake	r. Not wor	th draw	ng.
1	EBA	Grog + very sparse fine flint	1	Н	2100-1550 BC
	·	some orange plus black grog.	1		
6	LP	Flint tempered	1	L>M	1550-50 BC
		x-walled body, fragmented, but mos irly strong fine to medium gritting. 	st edges fai	iry sharp	o, 1 more rounded.
(5007) [500	 		1	sherd	8 g
Context:	00 <u>]</u>		1	Sileru	<u>og</u>
	Nothing containly ho	fore 600 DC			
Start date:	Nothing certainly be	iore oud BC.			
End date: Dating:	Unclear, residual. No specific data, but	likely EMIA>MLIA.			
Comments:	,				
Quantity	Period	Ware	Vessels	Wear	Date preference
1	EMIA>MLIA	Flint tempered	1	M	600-50 BC
	Small body.	,			
	Januar Souy:				
(5009)			1	sherd	13 g
Context:			_	- DITCT CL	108
Start date:	Nothing certainly be	fore 600 RC			
End date:	Unclear, residual to				
		como dograo			
Datina					
Dating: Comments:	Little specific data, be Small body sherd, oxiquite worn.	out preference for EMIA. dised, sparsely gritted, thick-walle			
Comments: Quantity	Little specific data, b Small body sherd, oxi quite worn. Period	ut preference for EMIA. dised, sparsely gritted, thick-walle Ware	ed, with re	Wear	Date preference
Comments:	Little specific data, b Small body sherd, oxi quite worn. Period EMIA	ut preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered	Vessels 1	Wear M	Date preference 600-350 BC
Comments: Quantity	Little specific data, b Small body sherd, oxi quite worn. Period EMIA	ut preference for EMIA. dised, sparsely gritted, thick-walle Ware	Vessels 1	Wear M	Date preference 600-350 BC
Comments: Quantity	Small body sherd, oxiquite worn. Period EMIA Small body, oxidised, oxidis	ut preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered	Vessels 1 ant 2 close	Wear M	Date preference 600-350 BC
Comments: Quantity 1	Small body sherd, oxiquite worn. Period EMIA Small body, oxidised, oxidis	ut preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered	Vessels 1 ant 2 close	Wear M set dee	Date preference 600-350 BC p finger-fluted wiping marks.
Comments: Quantity 1 (5106) [510] Context:	Small body sherd, oxiquite worn. Period EMIA Small body, oxidised, oxidis	wit preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered occasional small to large grits, remn	Vessels 1 ant 2 close	Wear M set dee	Date preference 600-350 BC p finger-fluted wiping marks.
Comments: Quantity 1 (5106) [510] Context: Start date:	Little specific data, h Small body sherd, oxi quite worn. Period EMIA Small body, oxidised, oxid	wit preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered occasional small to large grits, remn fore 600 BC.	Vessels 1 ant 2 close	Wear M set dee	Date preference 600-350 BC p finger-fluted wiping marks.
Comments: Quantity 1 (5106) [510] Context:	Little specific data, h Small body sherd, oxi quite worn. Period EMIA Small body, oxidised, oxi	wit preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered occasional small to large grits, remn fore 600 BC. I sherd potentially residual to a dond considering site trends. Could	Vessels 1 ant 2 close 1	Wear M set dee	Date preference 600-350 BC p finger-fluted wiping marks. 12 g
Comments: Quantity 1 (5106) [510] Context: Start date: End date:	Small body sherd, oxiquite worn. Period EMIA Small body, oxidised, oxidis	wit preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered occasional small to large grits, remn fore 600 BC. I sherd potentially residual to a dond considering site trends. Could	Vessels 1 ant 2 close 1	Wear M set dee	Date preference 600-350 BC p finger-fluted wiping marks. 12 g
Comments: Quantity 1 (5106) [510] Context: Start date: End date: Dating:	Small body sherd, oxiquite worn. Period EMIA Small body, oxidised, oxidis	wit preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered occasional small to large grits, remn fore 600 BC. I sherd potentially residual to a dond considering site trends. Could	Vessels 1 ant 2 close 1	Wear M set dee	Date preference 600-350 BC p finger-fluted wiping marks. 12 g
Comments: Quantity 1 (5106) [510] Context: Start date: End date: Dating: Comments:	Little specific data, be Small body sherd, oxiquite worn. Period EMIA Small body, oxidised, o	wit preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered occasional small to large grits, remn fore 600 BC. I sherd potentially residual to a dond considering site trends. Could site assemblage.	Vessels 1 ant 2 close 1 legree. be relate	Wear Me-set dee	Date preference 600-350 BC p finger-fluted wiping marks. 12 g ivity from either of those 2
Comments: Quantity 1 (5106) [510] Context: Start date: End date: Dating: Comments: Quantity	Little specific data, be Small body sherd, oxiquite worn. Period EMIA Small body, oxidised, o	wat preference for EMIA. dised, sparsely gritted, thick-walle Ware Flint tempered occasional small to large grits, remn fore 600 BC. I sherd potentially residual to a dand considering site trends. Could site assemblage. Ware Flint tempered	Vessels 1 ant 2 close 1 legree. be relate Vessels	Wear Me-set dee sherd dto act	Date preference 600-350 BC p finger-fluted wiping marks. 12 g ivity from either of those 2 Date preference

(5108) [51	09]		4:	sherds	2 g
Context:					
Start date:	Likely after 1550 BC				
End date:	Unclear.				
Dating:	No specific data. Like	ely LP.			
Comments:	•	•			
Quantity	Period	Ware	Vessels	Wear	Date preference
4	LP	Flint tempered	?1	-	1550-50 BC
	Tiny body sherd fragn	nents and crumbs.	•		
(5112) [51	13]		15	sherds	744 g
Context:					
Start date:	Consider the nature accruing, multi-phase	fore 200 BC, with fresh sherds of e of the context and the distribute se feature potentially gathering content e feature that would likely date	ution if p ontempor	ossible; ary mat	ie. is this a large, slowly terial at different horizons,
End date:	Nothing certainly aft	er 175 AD. erably MLIA date (see comments			
Comments:	been disturbed from sherds mostly show appears fresher), as 125-175 AD, are not are generally small discarded straight in period of surface exincluded earlier ER in Somewhat ambiguous profiles present), with thick-walled heavily go and that some very la 2006, 104). Secondly sparse grog, mostly we flint tempered vessel is unclear at present. Most would more types in the show the	sing. If not contemporary with it its former context nearby by some wear and could be resid could the earliest dated of the El significantly worn, though most and represent individual vessels to this context after breakage/faposure, or were first discarded material). It collection, most plain body sherded a 2-3 periods of activity possible. Faritted flint tempered vessel, which referred, noting that wares certainly arge, thick-walled, closed form, stoware 1 grog tempered sherd and 2 saworn, which could be LIA-ER>ER are could be related to this material, be The remaining sherds are broadly ically date after around 125 AD are would more likely date up to 125 A	activity we wall to soon R materia are chippeds. As such irst discard within a second years of this day of this day of this day of the day wares and focused being a cura of ER, dating and these personal to the second soon as the second soon	rithin the me degral. The lated or date, they are rubbished are lare known that also 25-50//ted and it giverious.	tee ER>MR. The LIA-ER>ER ree (though 1 small sherd test dated sherds, ER>MR, maged to some degree and re less likely to have been read perhaps seeing a short in heap (which might have in Roman, with no significant rege fresh sherds from a very ter MBA>MBA-LBA or MLIA. The sent in the site assemblage with from this period (Morris to contain some occasional or 75 AD perhaps. Whether the long-used sturdy storage jar, sly between 75 and 175 AD.
Quantity	Period	Ware	Vessels	Wear	Date preference
Quantity 7	Period		Vessels	<i>Wear</i> F	Date preference 200-50 BC
	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred.	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p	?1 ly barrel-s is a little	F haped co more pr	200-50 BC parseware, heavily tempered rofuse than is typical for the cm.
	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred LIA-ER>ER	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog	?1 ly barrel-s is a little ossibly ard	F haped co more pr	200-50 BC parseware, heavily tempered rofuse than is typical for the
1	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferre LIA-ER>ER Medium sized reduced	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog d body, thickish-walled, hand-made	?1 ly barrel-s is a little ossibly ard	F haped co more pr ound 40 M	200-50 BC parseware, heavily tempered rofuse than is typical for the cm. 0/25-50/75 AD
7	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred LIA-ER>ER Medium sized reduced LIA-ER>ER	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog d body, thickish-walled, hand-made Grog tempered sandy	?1 lly barrel-s is a little cossibly are 1	F haped co more pr ound 40	200-50 BC parseware, heavily tempered rofuse than is typical for the cm.
1 1	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred LIA-ER>ER Medium sized reduced LIA-ER>ER Small reduced body, to	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog d body, thickish-walled, hand-made Grog tempered sandy hinnish-walled, occasional grog, ha	?1 lly barrel-s is a little cossibly are 1	F haped co more pr bund 40 M L	200-50 BC parseware, heavily tempered rofuse than is typical for the cm. 0/25-50/75 AD 0/25-50/75 AD
1	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred LIA-ER>ER Medium sized reduced LIA-ER>ER Small reduced body, to LIA-ER>ER	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog d body, thickish-walled, hand-made Grog tempered sandy hinnish-walled, occasional grog, ha 'Belgic' style grog tempered	?1 lly barrel-s is a little cossibly are 1 e. 1 nd-made.	F haped co more pr ound 40 M L	200-50 BC parseware, heavily tempered rofuse than is typical for the cm. 0/25-50/75 AD 0/25-75/100 AD
1 1	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred LIA-ER>ER Medium sized reduced LIA-ER>ER Small reduced body, to LIA-ER>ER Medium sized thick-wedium sized sized thick-wedium sized size	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog d body, thickish-walled, hand-made Grog tempered sandy hinnish-walled, occasional grog, ha 'Belgic' style grog tempered valled sherd, near flat with a return	?1 lly barrel-s is a little lossibly are 1 c. 1 nd-made. 1 n, possibly	F haped co more pr ound 40 M L M base, no	200-50 BC parseware, heavily tempered rofuse than is typical for the cm. 0/25-50/75 AD 0/25-75/100 AD eatly smoothed black-brown
1 1 1	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred LIA-ER>ER Medium sized reduced LIA-ER>ER Small reduced body, to LIA-ER>ER Medium sized thick-versurfaces, scraped and	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog d body, thickish-walled, hand-made Grog tempered sandy hinnish-walled, occasional grog, has 'Belgic' style grog tempered valled sherd, near flat with a return scarred, fairly hard, grog small and	?1 lly barrel-s is a little lossibly are 1 c. 1 nd-made. 1 n, possibly	F haped comore pround 40 M L M base, no	200-50 BC parseware, heavily tempered rofuse than is typical for the cm. 0/25-50/75 AD 0/25-50/75 AD 0/25-75/100 AD eatly smoothed black-brown sibly early despite hardness?
1 1	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred LIA-ER>ER Medium sized reduced LIA-ER>ER Small reduced body, the LIA-ER>ER Medium sized thick-ways surfaces, scraped and ER Small rim, everted with the surfaces with the su	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog d body, thickish-walled, hand-made Grog tempered sandy hinnish-walled, occasional grog, ha 'Belgic' style grog tempered valled sherd, near flat with a return	?1 lly barrel-s is a little lossibly are 1 c. 1 nd-made. 1 n, possibly often ange	F haped comore pround 40 M L M base, no	200-50 BC coarseware, heavily tempered rofuse than is typical for the cm. 0/25-50/75 AD 0/25-75/100 AD eatly smoothed black-brown sibly early despite hardness? 75-125/150 AD
1 1 1	Period LP/?MLIA Small to very large showith coarse grits, MB former; latter preferred LIA-ER>ER Medium sized reduced LIA-ER>ER Small reduced body, to LIA-ER>ER Medium sized thick-waysurfaces, scraped and ER	Flint tempered erds from a very thick-walled slight A>MBA-LBA or MLIA. The gritting ed at present. Maximum diameter p Sandy + sparse grog d body, thickish-walled, hand-made Grog tempered sandy hinnish-walled, occasional grog, had 'Belgic' style grog tempered valled sherd, near flat with a return scarred, fairly hard, grog small and Romanising Thanet silty	?1 lly barrel-s is a little lossibly are 1 c. 1 nd-made. 1 n, possibly often ange	F haped comore pround 40 M L M base, no	200-50 BC coarseware, heavily tempered rofuse than is typical for the cm. 0/25-50/75 AD 0/25-75/100 AD eatly smoothed black-brown sibly early despite hardness? 75-125/150 AD

2	ER>MR	North Kent Thameside sandy	2	F>L	120-150/175 AD
		upright, simply rounded over, with			
		rd, black, wheel-thrown, neatly smo			
1	ER>MR	NK. Thameside fine sandy	1	C>L	120-175 AD
	Medium sized thin-wa	alled wheel-thrown grey body.			
(5116) [511	17]		2	sherds	39 g
Context:					
Start date:		efore 600 BC and just possibly afte			
End date:		rtainly after 50 BC, but could be re			<u> </u>
Dating:		ikely related to the activity of very slight preference for MLIA, b			
Comments:	Plain sherds, edges so			•	
Quantity	Period	Ware	Vessels	Wear	Date preference
2	EMIA>MLIA	Flint tempered	2	M	600/200-50 BC
		dium-walled sherd possibly from			
	splintered sherd fragi	ment. Both fairly strongly tempered	, former fi	nely, oth	er coarsely.
(5120) [512	25]		3	sherds	81 g
Context:					
Start date:	Likely after 75/100	AD.			
End date:	Unclear. Nothing cer	rtainly after 150 AD, but all are re	sidual to	a degre	e.
Dating:	All could have been	in contemporary circulation arou	ınd 100-1	25 AD.	
Comments:	Small and medium siz DRAW: 1.	e, all worn.			
Quantity	Period	Ware	Vessels	Wear	Date preference
1	ER	North Kent Fine	1	M	70-125/150 AD
	Medium curving body				
1	ER	Romanising 'Belgic' style grog	1	M	75-150 AD
		alled body, oxidised, exterior shows grooves. Contains some sparse flint			
1	ER	Romanising 'Belgic' style grog	1	М	75/100-150 AD
		ck surfaces over orangey-brown with	th black co	• •	/3/100-130 ND
	Siliali body slicia, bia	tk surfaces over orangey brown wit	l black co	71 0, 3016.	
(5121) [512			15	sherds	211 g
(5121) [512 Context:	25]		15	sherds	211 g
	_		15	sherds	211 g
Context:	Likely after 175 AD.		15	sherds	211 g
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD	and probably by 250 AD.			
Context: Start date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres		t some LIA	A-ER act	ivity between at least 0-75
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all	and probably by 250 AD. Ther looking sherds could suggest orn sherd of 75-125/150 AD is also are broadly related they could s	t some LIA so presen suggest an	A-ER act t. A seco	rivity between at least 0-75 and group of fresher sherds focus of activity in the MR
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all a between around 150	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could so 1/175-225/275 AD. 1 small rim properties.	t some LIA so presen suggest an	A-ER act t. A seco nother f	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late,
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all a between around 150 but no larger part-	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could sold 175-225/275 AD. 1 small rim propositions of specifically dateable for the profiles of the profiles of specifically dateable for the profiles of the	t some LIA so presen suggest ar resent is t	A-ER act t. A seconother fundikely e preser	civity between at least 0-75 ond group of fresher sherds focus of activity in the MR to date after 225, if as late, nt. Notable however is the
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD at A few worn and fres AD, while another ware later and if all a between around 150 but no larger partabsence of any certa	and probably by 250 AD. Ther looking sherds could suggest orn sherd of 75-125/150 AD is also are broadly related they could so all of 175-225/275 AD. 1 small rim proprofiles of specifically dateable fain Canterbury products in this co	t some LIA so presen suggest as resent is t forms are ntext, tho	A-ER act t. A seconother funlikely e presen	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late, at. Notable however is the re is a minimal presence in
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all a between around 150 but no larger part- absence of any certa (5122). These usua	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could so 0/175-225/275 AD. 1 small rim profiles of specifically dateable for Canterbury products in this coully dominate local assemblages	t some LIA so presen suggest as resent is t forms are ntext, tho	A-ER act t. A seconother funlikely e presenough the 75 AD a	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late, at. Notable however is the re is a minimal presence in and could reflect that the
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all a between around 150 but no larger part- absence of any certa (5122). These usua contemporary Mid	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could supprofiles of specifically dateable for Canterbury products in this coully dominate local assemblages Roman group in (5121) dates a	t some LIAso present is uresent is uresent is uresent, thou up to 1' fter the g	A-ER act t. A seconother for unlikely e present ugh the 75 AD a	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late, at. Notable however is the re is a minimal presence in and could reflect that the demise of the Canterbury
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all a between around 150 but no larger part- absence of any certa (5122). These usua contemporary Mid coarseware industry	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could so 0/175-225/275 AD. 1 small rim profiles of specifically dateable for an are broadly products in this could dominate local assemblages Roman group in (5121) dates a y around 175 AD. Though some of	t some LIAso present is used to the forms are neter than the forms are neter the for the fabrical sounds.	A-ER act t. A seconother funlikely e preserving the 75 AD a general	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late, at. Notable however is the re is a minimal presence in and could reflect that the demise of the Canterbury sent could technically date
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all a between around 150 but no larger part- absence of any certa (5122). These usua contemporary Mid coarseware industry within the LR, there	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could supported by 20/175-225/275 AD. 1 small rim proprofiles of specifically dateable for an are broadly dominate local assemblages Roman group in (5121) dates a supported by around 175 AD. Though some of a are also no wares of certain supported by a supported	t some LIAso present is under the forms are next, thou up to 1' fter the gof the fability of t	A-ER act t. A seconother fundikely e presenugh the 75 AD ageneral rics pres	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late, at. Notable however is the re is a minimal presence in and could reflect that the demise of the Canterbury sent could technically date (particularly, there are no
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all a between around 150 but no larger part- absence of any certa (5122). These usua contemporary Mid coarseware industry within the LR, there Oxfordshire produc	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could subject to the subject of specifically dateable for an are broadly products in this could dominate local assemblages Roman group in (5121) dates an are also no wares of certain sets, which are often present local	t some LIA so presen suggest ar resent is t forms are ntext, tho up to 1' fter the g of the fabr specific LI lly at this	A-ER act t. A seconother formal to the presence of the 75 AD a general rics presence of the time).	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late, at. Notable however is the re is a minimal presence in and could reflect that the demise of the Canterbury sent could technically date (particularly, there are no Consideration needs to be
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD at A few worn and frest AD, while another ware later and if all at between around 150 but no larger partabsence of any certa (5122). These usual contemporary Mid coarseware industry within the LR, there Oxfordshire production in the production of the nature.	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could supposed by 175-225/275 AD. 1 small rim profiles of specifically dateable for Canterbury products in this coully dominate local assemblages Roman group in (5121) dates a y around 175 AD. Though some of e are also no wares of certain sets, which are often present local of the context and the distributed.	t some LIA so presen suggest an resent is t forms are ntext, tho up to 1' fter the g of the fab ispecific LI lly at this	A-ER act t. A seconother for unlikely e preservingh the 75 AD ageneral rics preservings R date (time).	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late, at. Notable however is the re is a minimal presence in and could reflect that the demise of the Canterbury sent could technically date (particularly, there are no Consideration needs to be er material. Is this a large
Context: Start date: End date:	Likely after 175 AD. Possibly by 225 AD a A few worn and fres AD, while another w are later and if all a between around 150 but no larger part- absence of any certa (5122). These usua contemporary Mid coarseware industry within the LR, there Oxfordshire produc given to the nature feature accruing gra	and probably by 250 AD. Ther looking sherds could suggest forn sherd of 75-125/150 AD is also are broadly related they could subject to the subject of specifically dateable for an are broadly products in this could dominate local assemblages Roman group in (5121) dates an are also no wares of certain sets, which are often present local	t some LIA so presen suggest ar forms are ntext, tho up to 1' fter the g of the fab specific LI lly at this e horizons	A-ER act t. A seconother funlikely e preservigh the 75 AD ageneral rics preservices preservices R date (time).	civity between at least 0-75 and group of fresher sherds focus of activity in the MR to date after 225, if as late, at. Notable however is the re is a minimal presence in and could reflect that the demise of the Canterbury sent could technically date (particularly, there are no Consideration needs to be er material. Is this a large >ER and MR activity, with a

Small to medium sized. Small sherds (with no particularly useful profiles) from an everted rim and a James in Felgic style grog tempered fabrics both only lightly worn and, together, could date 0-75 AD. Another sherd in a similar fabric but more worn is likely residual, as is a body sherd potentially from a red surfaced flagon, 15 Bc - 50/75 AD. Latter dated grog tempered fabrics comprise worn oxidised RR sherd (75-125/150 AD) and a sherd of MR Native Coase Ware, the latter fairly fresh. No significant profiles to the 3 rims and 1 base are present. The fresher looking Roman material would broadly date overall between 150 and 275 AD, though if this is a related group it is probably focussed within those extremes, preferably between 175 and 225 AD at present. **Quantity** Period** Wore** Wore** Wessels** Weor** Date preference** 1 MLASER** Belgic' style grog tempered** 1 M 75 BC - 75/100 AD Small thick reduced body, lumpy exterior and possible traces of incised combing. 1 LIASER** Belgic' style grog tempered** 1 F SO BC - 100/125 AD Small thick plain body. 1 LIASER** Belgic' style grog tempered** 1 L 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIASER** Belgic' style grog tempered** 1 M 15 BC - 50/125 AD Small medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIASER** Belgic' style grog tempered** 1 M 15 BC - 50/125 AD Small range and thick plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LASERS** Belgic' style grog temps andy** 1 L D - 0.75 AD Small firm from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982, 533, 5499. DRAW. 1 RR** Romanising Belgic' style grog temps and y Small, thick, heavily concreted so condition a little unclear. 1 LR** RR** Romanising Belgic' style grog temps. Small flaming rim, sharp firing sandwich but grainly, no significant profile. Probably from a	-						
sherd in a similar fabric but more worn is likely residual, as is a body sherd potentially from a red surfaced flagon, 15 BC - 50/75 AD. Later dated grog tempered fabrics comprise worn oxidised ER sherd (75-125/150 AD) and a sherd of MR Native Coase Ware, the latter fairly fresh. No significant profiles to the 3 rims and 1 base are present. The fresher looking Roman material would broadly date overall between 150 and 275 AD, though if this is a related group it is probably focussed within those extremes, preferably between 175 and 225 AD at present. DRAW: 5. NB. 2 Thameside sandy ware body sherds also retained in 'DRAW' bag. Quantity Period Ware Vessels Wear Date preference 1 MLA-SER 'Belgic' style grog tempered 1 M 75 BC - 75/100 AD Small thick reduced body, lumpy exterior and possible traces of incised combing. 1 LIA-SER 'Belgic' style grog tempered 1 F F 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA-SER 'Belgic' style grog tempered 1 L 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA-SER 'Belgic' style grog tempered 1 M 15 BC - 50/125 AD Small medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER 'Belgic' style grog temps andy 1 L 0-75 AD Small rim from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER R Romanising 'Belgic' style grog temp. Sandy 1 L 1 125/150-225 AD Small faring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR North Kent Fine Grey 1 L 1 150/175-275 AD Small plain body sherd, shimish-walled, hard. 2 MR>LR North Kent Fine Grey 1 L 1 150/175-275 AD Smal	Comments:	Small to medium sized. Small sherds (with no particularly useful profiles) from an everted rim and a lid					
flagon, 15 BC - 50/75 AD. Later dated grog tempered fabrics comprise worn oxidised ER sherd (75-125/150 AD) and a sherd of MR Native Coase Ware, the latter fairly fresh. No significant profiles to the 3 rims and 1 base are present. The fresher looking Roman material would broadly date overall between 150 and 275 AD, though if this is a related group it is probably focussed within those extremes, preferably between 175 and 225 AD at present. DRAW: 5. NB. 2 Thameside sandy ware body sherds also retained in 'DRAW' bag.							
125/150 AD) and a sherd of MR Native Coase Ware, the latter fairly fresh. No significant profiles to the 3 rims and 1 base are present. The fresher looking Roman material would broadly date overall between 150 and 275 AD, though if this is a related group it is probably focussed within those extremes, preferably between 175 and 225 AD at present. DRAW: 5.NB. 2 Thameside sandy ware body sherds also retained in 'DRAW' bag. Quantity							
rims and 1 base are present. The fresher looking Roman material would broadly date overall between 150 and 275 AD, though if this is a related group it is probably focussed within those extremes, preferably between 175 and 225 AD at present. DRAW: 5. NB. 2 Thameside sandy ware body sherds also retained in 'DRAW' bag. Quantity Period Ware Vessels Wear Date preference 1 MLIA-ER 'Belgic' style grog tempered 1 M 75 BC - 75/100 AD Small thick reduced body. Jumpy exterior and possible traces of incised combing. 1 LIA-ER 'Belgic' style grog tempered 1 F S 50 BC - 100/125 AD Small thick plain body. 1 LIA-ER 'Belgic' style grog tempered 1 F S 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA-ER 'Belgic' style grog tempered 1 M S 15 BC - 50/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA-ER 'Belgic' style grog tempered 1 M S 15 BC - 50/125 AD Small medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER-ER 'Belgic' style grog temp. sandy 1 L 0-75 AD Small rim from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog Temp. Sandy 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR-LR Native Coarse Ware 1 F S 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR-LR North Kent Fine Grey 1 L 150/175-275 AD Small plain body sherd, same grey vessel, 1 a base, broken at return, no profile. 1 MR-LR North Kent Fine Grey 1 L 150/175-275 AD Small plain body sherd, same grey ressel, a base, broken at return, no profile. 2 MR-LR North Kent Thameside s							
150 and 275 AD, though if this is a related group it is probably focussed within those extremes, preferably between 175 and 225 AD at present.							
between 175 and 225 AD at present. DRAW: 5. NB. 2 Thameside sandy ware body sherds also retained in 'DRAW' bag. Quantity							
Quantity Period Ware Vessels Wear Date preference 1 MLIA>ER 'Belgic' style grog tempered 1 M 75 BC - 75/100 AD Small thick reduced body, lumpy exterior and possible traces of incised combing. 1 LIA>ER 'Belgic' style grog tempered 1 F 50 BC - 100/125 AD Small thick plain body. 1 LIA>ER 'Belgic' style grog tempered 1 L 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA>ER 'Belgic' style grog tempered 1 M 15 BC - 50/125 AD Small-medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER Belgic' style grog tempered 1 L 0-75 AD Small fine from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog tempered 1 M 75-125/150 AD Small, thick, heavily concreted so condition							
Quantity Period Ware Vessels Wear Date preference 1 MLIA>ER 'Belgic' style grog tempered 1 M 75 BC - 75/100 AD Small thick reduced body, lumpy exterior and possible traces of incised combing. 1 LIA>ER 'Belgic' style grog tempered 1 F 50 BC - 100/125 AD Small thick plain body. 1 LIA>ER 'Belgic' style grog tempered 1 L 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA>ER 'Belgic' style grog tempered 1 M 15 BC - 50/125 AD Small-medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER>ER 'Belgic' style grog tempered 1 N 15 BC - 50/125 AD Small mir from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982. L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). L 6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog 1 <th></th> <th></th>							
1 MLIA>ER 'Belgic' style grog tempered 1 M 75 BC - 75/100 AD Small thick reduced body, lumpy exterior and possible traces of incised combing. 1 LIA>ER 'Belgic' style grog tempered 1 F 50 BC - 100/125 AD Small thick plain body. 1 LIA>ER 'Belgic' style grog tempered 1 F 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA>ER 'Belgic' style grog tempered 1 M 15 BC - 50/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA>ER 'Belgic' style grog tempered 1 M 15 BC - 50/125 AD Small-medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ERER 'Belgic' style grog temp. sandy 1 L 0-0-75 AD Small rim from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small grey body sherds, same fabric profile. Hard. DRAW. 2 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal grocove brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal grocove brown margins and grey surfaces). 1 a curving bo							
Small thick reduced body, lumpy exterior and possible traces of incised combing. 1 LIA>ER Belgic' style grog tempered 1 F 50 BC - 100/125 AD Small thick plain body. 1 LIA>ER Belgic' style grog tempered 1 L 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA>ER Belgic' style grog tempered 1 M 15 BC - 50/125 AD Small-medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER>ER Belgic' style grog tempers oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER>ER Belgic' style grog temp. sandy 1 L 0-75 AD Small rim from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surfaces below the facet, not very Hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a							
1 LIA-ER	1						
Small thick plain body. 1 LIA-ER 'Belgic' style grog tempered 1 L 50 BC - 100/125 AD Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW. 1 LIA-ER 'Belgic' style grog tempered 1 M 15 BC - 50/125 AD Small-medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER>ER 'Belgic' style grog temp. sandy 1 L 0-75 AD Small rim from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with moothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing s							
LIA>ER Belgic' style grog tempered 1 L 50 BC - 100/125 AD	1						
Medium sized thick-walled everted rim, broken at neck. No useful profile. DRAW.							
DRAW. 1 LIA-ER 'Belgic' style grog tempered 1 M 15 BC - 50/125 AD Small-medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER>ER 'Belgic' style grog temp. sandy 1 L 0-75 AD Small rim from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1.	1						
1 LIA>ER							
Small-medium sized plain body, bright-ish orange oxidised exterior, possibly from a red surfaced flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER>ER							
flagon, but a bit thick perhaps; otherwise ER, but not preferred at present. 1 LIA-ER-ER	1						
1 LIA-ER>ER 'Belgic' style grog temp. sandy 1 L 0-75 AD Small rim from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD. Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD. Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
Small rim from a reduced lid, medium-walled. No useful profile. Not common, possibly a Thompson 1982 L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
L6 type of plain conical lid with no differentiated rim, but shallow angled (Thompson 1982, 535, 549). DRAW. 1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished	1						
DRAW. 1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
1 ER Romanising 'Belgic' style grog 1 M 75-125/150 AD Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
Small, thick, heavily concreted so condition a little unclear. 1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD. Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD. Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
1 ER>MR North Kent Fine Grey 1 L 125/150-225 AD Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished	1						
Small flaring rim, sharp firing sandwich but grainy, no significant profile. Probably from a beaker and overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
overall most common before 190 AD and unlikely after around 225 AD (see Monaghan 1987). DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished	1						
DRAW. 1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD. Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD. Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
1 MR>LR Native Coarse Ware 1 F 150/175-275 AD Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD. Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
Small plain body sherd, thinnish-walled, hard. 2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD. Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD. Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD. 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished.							
2 MR>LR Grog temp. sandy Native Coarse 1 L 150/175-275 AD. Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD. Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD. Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD. 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished.	1						
Medium sized, possibly same grey vessel, 1 a base, broken at return, no profile. 1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
1 MR>LR North Kent Fine Grey 1 L 150/175-275 AD Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished	2						
Small, foot-ringed base, no significant profile. Hard. DRAW. 2 MR>LR North Kent Thameside sandy Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
DRAW. 2 MR>LR North Kent Thameside sandy Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished	1						
2 MR>LR North Kent Thameside sandy 2 L 150/175-275 AD Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
Small grey body sherds, same fabric profile (sharply delineated grey core between brown margins and grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
grey surfaces). 1 a curving body sherd with smoothed horizontal facet below sharp concave fold and untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished	2						
untreated rough surface below the facet, not very hard, but some hint of scorching? Other with exterior showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
showing horizontal grooved either side of and defining a flat cordon-like rib, with vertical narrow tool burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
burnishing streaks visible on 1 side that stand out as a dull oxidised colour against the grey body. Sharp firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
firing sandwich. No significant profile or extent of decoration. DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
DRAW: 1. 2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
2 MR>LR NK. Thameside fine sandy 2 L 150/175-275 AD 1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
1 small body sherd, grey with some possible hint of scorching. 1 small oxidised with well burnished							
	2	, , , , , , , , , , , , , , , , , , ,					
surfaces, exterior showing an angled curve defined with a facet. Hard.							
		surfaces, exterior showing an angled curve defined with a facet. Hard.					

(5122) [512	25]		41	sherds	748 g
Context:					
Start date:	is MR after 175 Al sequentially, or the	ther looking material present, po D. Consideration should be give earlier was curated and discard	en as to v	vhether	this material is accruing
End date:	Likely by around 25				
Dating:	produced around 1 sherds suggest the ER sherds that likely incidentally accrue	oric sherds aside, the earliest 25-150 AD, but this is very much main focus is in the MR between water prior to 150/175 AD and water also hight have been disturbed from a	in the mi 175-230 A which are a present. 2	nority. 'AD. Then little m EMIA>	The majority of the fresher re are a smaller quantity of core worn, suggesting some MLIA sherds that are not
Comments:	scorched broadly 17 Monaghan 1987 5C o and would date 120, more likely date 150 suggest a focus betwo contemporary, while 150/175 AD. A few sl Elements that are m vicinity. Unlike in (53 150/175-200 AD. The small fragment of a lessip, likely also dates AD. Notable is 1 oxidinat this stage. Also all North Gaulish fabrics for its form not four tempered sherds like DRAW: 17. NB. None	sherds of scorched North Kent The 15-275 AD, while there are 2 sm. of 5D type (Monaghan 1987, 140-147/150-230/250 AD, another potents /170-250 AD. If all of this Thamesi reen 175-230 AD. 3 sherds of grown 2 sherds of Romanised Thanet Siltereds of Samian, all potentially 2nd ore worn and likely residual to various worn and likely residual to various worn and likely date up to 150 arge thick rim in Romanising 'Belgaup to 150 AD, while 1 other sherd sed fine sandy ware who's source is arge rim from a mortaria, possibly can appear similar), somewhat chief after a brief search. Also residily EMIA>MLIA. of the form or decorative sherds and on their own merits. 1 currents	all rolled rate ially shows ide materially shows ide material g tempered by, which and C AD, none arious degrate present of this ware of this ware sunclear at a Kentish (speed and plual, but no show any s	im shere e certain a squand was bride large and e larg	rds probably from dishes of ally of the former plain variety red-off underside that would roadly contemporary it could Coarse Ware are also likely otably worn, might date 125-and all chipped and damaged. It is gest some ER activity in the hese potentially a late flagon ds of grog tempered wares 1 hered ware, showing a cream der fired, more 125-150/175 and has not been researched her Southern British and also ly residual, a precise parallel icantly worn, are some flint at part-profiles and none are
0	Ü	147	171-	147	Darks and famous
Quantity	Period	Ware	Vessels	Wear	Date preference
2	EMIA>MLIA	Flint tempered	2	C>L	600-50 BC
	Small thick-walled bo	dy sherds, 1 with remnant of incise	ed line.		
1	ER	Romanising 'Belgic' style grog	1	M	75-150 AD
	Small very thick ever DRAW.	ted rim, oxidised, very concreted b	ut with a cr	eamy sli	ip.
1	ER	Romanising Thanet silty	1	M	75-150 AD
	Small reduced base fr				
1	ER	Sandy	1	M	75-150 AD
	Medium sized body	sherd, fine sandy (mostly colou spalled and interior surface abser) with	some larger quartz, orange
1	ER	Canterbury sandy	1	L>M	75-150 AD
	Small reduced base, r				, 0 100110
2	ER	NK Thameside shell tempered	2	F	75-150 AD
				1	/3-130 AD
1	Small thick body she		1	C> M	75 /100 150 /175 45
1	ER>MR	Canterbury sandy	lid sast 1	C>M	75/100-150/175 AD
	_	d rim, squared-off right-angled with	ii iiu seat, n	aru-ish i	out not very nard.
	DRAW.	21/2	1	C: 3.5	75 /400 050 4D
1	ER>MR	?Kentish mortaria	1	C>M	75/100-250 AD
		y fine sandy fabric with a few flint t ior flange folded over to meet the b			

1	ER>MR	North Kent Fine	1	F	100/125-175 AD	
1	Small thin-walled curv		1	Г	100/123-173 AD	
1	ER>MR	North Kent Fine	1	C>L	100/12F 17F/100 AD	
1			_		100/125-175/190 AD	
		rving body sherd, grey, with dot l			tom a poppyhead beaker of	
	C	2A (Monaghan 1987, 55-61), chipp	eu anu sp	anea.		
1	DRAW.	arc i willing i	1	3.4	120 150 AD	
1	ER	?EG. La Madeleine Samian	<u></u>	M	120-150 AD	
		n and possibly burnt. Just possibly fr	om a Forn	n 27 cup	or 31 bowl, maybe less likely	
	the latter (Webster 19	196, 38, 35].				
	DRAW.		1 4		100 000 10	
4	ER>MR	Central Gaulish Lezoux Samian	4	C>L	120-200 AD	
		agments possibly from bases, 1 me				
	_	ior, probably from an upright side	ed bowl. S	standard	Lezoux, with no significant	
		1 small body sherd harder fired.				
	DRAW: 1.		T .	ı	T	
1	ER>MR	Romanising 'Belgic' style grog	1	M	125-150/175 AD	
		dised exterior with some partial co	nbing, fair		T	
2	ER>MR	Romanised Thanet silty	2	C>L	125-150/175 AD	
	_	e rim, rounded over with horizonta	_		exterior, partially burnished	
		nedium body, neatly smoothed, hear	vily concre	eted.		
	DRAW: 1.	,		1		
7	MR	NK. Thameside fine sandy	7	F>C	150-250 AD	
		2 thick rolled rims, black(ish), burn				
	Monaghan 1987 Class	s 5C Plain "pie dishes" (5C1 and 5C	23) can da	te from	120/150 and 170 to 250 AD	
	overall, while the de	corated 5D types (5D1 and 5D3)	occur mo	stly bet	ween 120 and 180/200 AD	
	(Monaghan 1987, 140	0-147); only 1 of these sherds has	any depth	below t	the rim and this area, which	
	should be decorated i	f a decorated type, is plain). 1 thic	kened eve	rted rim	, some partial burnishing on	
	neck below rim, grey.	1 thin-walled simple upright rim (possibly f	rom a be	eaker) with horizontal linear	
	groove on exterior jus	st below rim top, black. 1 base with	ı dull brov	vnish ox	idised surfaces, burnished. 1	
	body sherd with sim	ilar but darker surfaces to latter	and sing	le horiz	ontal linear incised groove,	
		little rough. Other body sherd gr				
	remnant and a horiz	ontal edge of an area of black on	exterior.	No sign	ificant extent of profiles or	
	decoration.					
	DRAW: 6.					
1	MR>LR	North Kent Thameside sandy	1	L	150-275 AD	
	Largeish body, grey, tl	hin-walled.				
1	MR	Canterbury sandy	1	C>L	150/175-200 AD	
	Small body sherd with	n orange surfaces, from flagon, hard				
3	MR>LR	Native Coarse Ware	3	F>L	150/175-275 AD	
	Small body sherds, 2 r	neatly smoothed, 1 of these with 2 h	norizontal	linear bu	ırnished grooves.	
	DRAW: 1.					
9	MR>LR	North Kent Thameside sandy	2/4	F>C	175-275 AD	
	7 small to medium boo	dy sherds, rough feeling surfaces, sc		with hori		
		3 (remaining) adjacent vertical inci				
	the body. 2 scorched rims with burnished surfaces; 1 small everted beaded, 1 medium slightly thickened					
		oncave neck, no significant depth. A				
	DRAW: 4.		Ü	•	•	
(5210) [523	11]		2	sherds	27 g	
Context:						
Start date:	Nothing certainly be	fore 600 BC.				
End date:		residual to some degree.				
Dating:		likely EMIA>MLIA, with slight pr	eference	for EML	A.	
Comments:	110 Specific data, but	mory brime ribin, with stight pr	CICICIICE	IJI LIVIII		
Quantity	Period	Ware	Vessels	Wear	Date preference	
2	EMIA>MLIA/?EMIA	Flint tempered	1 1	M	600-350/50 BC	
			lv mittal	IAI	000-350/50 BC	
	Sman very unck-walle	ed with oxidised exterior, moderate	ıy gritted.			

(5304) [530	05]		2	sherds	31 g			
Context:								
Start date:	Nothing certainly be	fore 600 BC.						
End date:		r sherd is not significantly w	orn. but	is a s	ingle notentially context-			
2.101 0.0100		only. Nothing certainly after 50		10 41 0	angre processing consens			
Dating:		ely EMIA>MLIA and perhaps wit		slight nr	reference for the MLIA but			
Ducing.		ilar to fabrics that occur in EMIA						
Comments:		ut fabrics similar and needn't be un		1 group.	m the site assemblage.			
Quantity	Period	Ware	Vessels	Wear	Date preference			
	EMIA>MLIA	Flint tempered	1	M>H	600-50 BC			
	Small body, oxidised s	•		1417 11	000 30 BC			
1	EMIA>MLIA	Flint tempered	1	L	600-50 BC			
1	Medium body.	rinit tempered	1	ь	000-30 BC			
	Medium body.							
(E240) [E24	121		4	chords	24 ~			
(5310) [532	14]		4	sherds	24 g			
Context:	Nothing contributed	form FOO DC and instruction 111 Co	ow 105 AD					
Start date:		fore 500 BC and just possibly after		·				
End date:		ter 50 BC and possibly before 75						
Dating:		only, likely EMIA or MLIA, with a						
		ny stratigraphic relationships v						
	,	ociations however and perhaps	review on	this bas	sis, or in light of any future			
	finds.	C · 1 · C · 1 · · · · · · · · · · · · ·	11.1					
Comments:		e fairly strong fine to medium grittin	_		<u> </u>			
		he combing present on 1, given its b						
		ation, would be more typical of the						
		upright rounded over rim, which is not itself diagnostic of the MLIA, but the position of the combed						
		lecoration as a horizontal band immediately below means it is unlikely to be EMIA. DRAW: 1. NB. All sherds retained in 'DRAW' bag.						
Orrantitus			Vessels	147000	Data mustaman as			
Quantity	Period	Ware	Vessels	Wear	Date preference			
3	EMIA>MLIA	Flint tempered	1/2	L	600/200-50 BC			
		edium-walled body sherds, fairly sti						
1	EMIA/MLIA	Flint tempered	1	L	500-350/125-50 BC			
		rd, fairly strong fine to medium grit						
		IA example in [2309] (500-350 BC)						
		at 1 edge that might just be a simp						
		e former is slightly preferred, notin						
		entional rim it is unlikely to be EMI	IA, given ti	nat the d	ecoration would form a band			
	directly below the rim	i top.						
	DRAW.	T		1	T			
(=0.4=) [=0.	4.63				11			
(5315) [532	16]		4	sherds	14 g			
Context:		11 6 1000/00070						
Start date:		ably after 1000/900 BC and possi						
End date:		ertainly after 50 BC, but smal	II fragme	ntary s	herds only, though none			
	significantly worn.							
Dating:		cially EIA and MLIA, with a slight						
		site assemblage and the current		significa	ant certain EIA presence.			
Comments:		nds to slight preference for EIA and						
Quantity	Period	Ware	Vessels	Wear	Date preference			
4	?IA/?MLIA	Flint tempered	?3/4	L	1000/200-50 BC			
	Small body, fairly stro	ngly fine to moderate flint temper.						
	· •	•						
	•				•			

(5317) [53	18]		1	sherd	12 g
Context:					
Start date:		fore 1150 AD and probably after			
End date:		ly slightly worn, but a single sma			
Dating:	Little specific data, b	out likely EM and potentially at the	he late end	d of the i	range.
Comments:	Smallish plain body sh late date preferred at	erd, reduced, relatively thin-walled present.	d and poter	itially wł	neel-thrown, thus the specific
Quantity	Period	Ware	Vessels	Wear	Date preference
	EM	Canterbury sandy	1	L	1150/1175-1200 AD
_		hin-walled body, reduced, potentia	ally wheel-		,
(5802) [58	03]		1	sherd	2 g
Context:					
Start date:	Nothing certainly be	fore 1550 BC and possibly after	1000 BC.		
End date:	Unclear. Not signific	antly worn, but a single very sma	all sherd o	nly.	
Dating:	Likely LP and possib	ly broadly IA, though could occu	r earlier.		
Comments:					
Quantity	Period	Ware	Vessels	Wear	Date preference
Quantity 1	LP/?IA	Flint tempered	1	L	1550/1000-50 BC
1	Very small body, smoo		1	ь	1330/1000-30 BC
	very sman body, smoo	tinea surfaces.	1		
(=00.1) ==0					
(5804) [58	05]		1	sherd	3 g
Context:					
Start date:	Likely after 2100 BC	•			
End date:	Unclear, likely resid	ual.			
Dating:		ugh grog tempered fabrics can			
Comments:	Preferably EBA and its and stratigraphic date	a is very small and gives only a n s size and condition might also supp e of the context if possible. No signi	ort this sor	newhat.	ation of the vessel's fabric. Consider the nature, location
	Preferably EBA and its and stratigraphic date DRAW.	s size and condition might also supper of the context if possible. No signi	ort this sor ficant profi	newhat. ile.	Consider the nature, location
Quantity	Preferably EBA and its and stratigraphic date DRAW. Period	s size and condition might also supper of the context if possible. No signi	ort this sor ficant profi	newhat. ile. <i>Wear</i>	Consider the nature, location Date preference
	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA	s size and condition might also supper of the context if possible. No signi	ort this sor ficant profi Vessels	newhat. ile. <i>Wear</i> M	Consider the nature, location Date preference 2100-1550 BC
Quantity 1	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW.	s size and condition might also supper of the context if possible. No signi Ware Grog tempered	versels Vessels 1 de and out	mewhat. ile. Wear M er edge,	Date preference 2100-1550 BC reduced above and interior.
Quantity 1 (5812) [58	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW.	s size and condition might also supper of the context if possible. No signi Ware Grog tempered	versels Vessels 1 de and out	newhat. ile. <i>Wear</i> M	Consider the nature, location Date preference 2100-1550 BC
Quantity 1 (5812) [58 Context:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13]	s size and condition might also supper of the context if possible. No signification was a size and context if possible. Ware Grog tempered se sherd, partially oxidised undersignal was a size and context of the contex	versels Vessels 1 de and out	mewhat. ile. Wear M er edge,	Date preference 2100-1550 BC reduced above and interior.
Quantity 1 (5812) [58 Context: Start date:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be	s size and condition might also supper of the context if possible. No signification was a size and condition might also suppered. Grog tempered see sherd, partially oxidised undersite fore 600 BC.	versels Vessels de and out	mewhat. ile. Wear M er edge, sherds	Date preference 2100-1550 BC reduced above and interior.
Quantity 1 (5812) [58 Context: Start date: End date:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer	S size and condition might also supple of the context if possible. No signing the context if possible. Ware Grog tempered se sherd, partially oxidised undersite the context is seen to be context in the context in th	versels Vessels de and out	mewhat. ile. Wear M er edge, sherds	Date preference 2100-1550 BC reduced above and interior.
Quantity 1 (5812) [58 Context: Start date: End date: Dating:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be	S size and condition might also supple of the context if possible. No signing the context if possible. Ware Grog tempered se sherd, partially oxidised undersite the context is seen to be context in the context in th	versels Vessels de and out	mewhat. ile. Wear M er edge, sherds	Date preference 2100-1550 BC reduced above and interior.
Quantity 1 (5812) [58 Context: Start date: End date:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer	S size and condition might also supple of the context if possible. No signing the context if possible. Ware Grog tempered se sherd, partially oxidised undersite the context is seen to be context in the context in th	versels Vessels de and out	mewhat. ile. Wear M er edge, sherds	Date preference 2100-1550 BC reduced above and interior.
Quantity 1 (5812) [58 Context: Start date: End date: Dating:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer	S size and condition might also supple of the context if possible. No signing the context if possible. Ware Grog tempered se sherd, partially oxidised undersite the context is seen to be context in the context in th	versels Vessels de and out	mewhat. ile. Wear M er edge, sherds	Date preference 2100-1550 BC reduced above and interior.
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing certainly be Period	Ware Grog tempered See sherd, partially oxidised undersite of the Context of Possible. No signion of the Context of Possible of the Context o	Vessels 1 Ide and out	mewhat. ile. Wear M er edge, sherds ual to va	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA	Ware Gore 600 BC. Tainly after 50 BC, but both coul- likely EMIA>MLIA. Ware Grog tempered	Vessels d be residu Vessels Vessels 2	Mear Mer edge, sherds Wear Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA	Ware Grog tempered See sherd, partially oxidised undersite of the Context of Possible. No signion of the Context of Possible of the Context o	Vessels d be residu Vessels Vessels 2	Mear Mer edge, sherds Wear Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA 1 small and 1 medium	Ware Gore 600 BC. Tainly after 50 BC, but both coul- likely EMIA>MLIA. Ware Grog tempered	Vessels 1 Ide and out Vessels 2 maller mor	Wear Mer edge, sherds Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA 1 small and 1 medium	Ware Gore 600 BC. Tainly after 50 BC, but both coul- likely EMIA>MLIA. Ware Grog tempered	Vessels 1 Ide and out Vessels 2 maller mor	Mear Mer edge, sherds Wear Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing certainly be Unclear. Nothing certainly be EMIA>MLIA 1 small and 1 medium	Ware Grog tempered See sherd, partially oxidised undersited in the standard see sherd. Grog tempered See sherd, partially oxidised undersited in the standard see sherd. Grog tempered See sherd, partially oxidised undersited in the standard see sherd. Grog tempered See sherd, partially oxidised undersited in the standard see sherd. Ware Flint tempered See sherd, partially oxidised undersited in the standard see sherd. Grog tempered See sherd, partially oxidised undersited in the standard see sherd. Ware Flint tempered See sherd, partially oxidised undersited in the standard see sherd.	Vessels 1 Ide and out Vessels 2 maller mor	Wear Mer edge, sherds Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context: Start date:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA 1 small and 1 medium 16] Likely after 1550 BC	ware fore 600 BC. tainly after 50 BC, but both coullikely EMIA>MLIA. Ware Flint tempered fairly thick-walled body sherds, such as the coulling of the coulling of the coulling of the could be could	Vessels 1 Ide and out Vessels 2 maller mor	Wear Mer edge, sherds Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context: Start date: End date:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA 1 small and 1 medium 16] Likely after 1550 BC Unclear, potentially	Ware Grog tempered Se sherd, partially oxidised undersional states and condition might also supply of the context if possible. No significant ware Grog tempered Se sherd, partially oxidised undersional states are sherd. Ware Flint tempered Se fairly thick-walled body sherds, so a fairly thick-walled body sherds, so a residual.	Vessels 1 Ide and out Vessels 2 maller mor	Wear Mer edge, sherds Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context: Start date:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA 1 small and 1 medium 16] Likely after 1550 BC Unclear, potentially	ware fore 600 BC. tainly after 50 BC, but both coullikely EMIA>MLIA. Ware Flint tempered fairly thick-walled body sherds, such as the coulling of the coulling of the coulling of the could be could	Vessels 1 Ide and out Vessels 2 maller mor	Wear Mer edge, sherds Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context: Start date: End date:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA 1 small and 1 medium 16] Likely after 1550 BC Unclear, potentially	Ware Grog tempered Se sherd, partially oxidised undersional states and condition might also supply of the context if possible. No significant ware Grog tempered Se sherd, partially oxidised undersional states are sherd. Ware Flint tempered Se fairly thick-walled body sherds, so a fairly thick-walled body sherds, so a residual.	Vessels 1 Ide and out Vessels 2 maller mor	Wear Mer edge, sherds Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context: Start date: End date: Dating: Comments: Comments:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing certainly 1 small and 1 medium.	Ware Gore 600 BC. Tainly after 50 BC, but both coullikely EMIA>MLIA. Ware Flint tempered fairly thick-walled body sherds, so	Vessels d be residu Vessels 2 d be residu Vessels 2 maller mor	Wear Mer edge, sherds Wear L>M e worn.	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context: Start date: End date: Dating: Comments: Quantity Quantity	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing certainly 1 small and 1 medium 16] Likely after 1550 BC Unclear, potentially Tiny fragments from Period	Ware Grog tempered See sherd, partially oxidised undersite of the context if possible. No significant ware Grog tempered See sherd, partially oxidised undersite of the context if possible. No significant ware Fore 600 BC. Tainly after 50 BC, but both could likely EMIA>MLIA. Ware Flint tempered In fairly thick-walled body sherds, startly thick-walled body sherds.	Vessels Vessels de and out Vessels Vessels Vessels Vessels Vessels Vessels Vessels Vessels	Wear Mer edge, sherds Wear L>M	Date preference 2100-1550 BC reduced above and interior. 25 g rying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context: Start date: End date: Dating: Comments: Comments:	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing cer No specific data, but Period EMIA>MLIA 1 small and 1 medium 16] Likely after 1550 BC Unclear, potentially Tiny fragments from Period ?LP	Ware Flint tempered Flint tempered Ware Ware Ware Grog tempered See sherd, partially oxidised undersited the context of the context of possible. No significant was a single sherd, likely LP. Ware Flint tempered A single sherd, likely LP. Ware Flint tempered	Vessels d be residu Vessels 2 d be residu Vessels 2 maller mor	Wear Mer edge, sherds Wear L>M e worn.	Date preference 2100-1550 BC reduced above and interior. 25 g arying degrees. Date preference 600-50 BC
Quantity 1 (5812) [58 Context: Start date: End date: Dating: Comments: Quantity 2 (5915) [59 Context: Start date: End date: Dating: Comments: Quantity Quantity	Preferably EBA and its and stratigraphic date DRAW. Period ?EBA Small right-angled bas DRAW. 13] Nothing certainly be Unclear. Nothing certainly 1 small and 1 medium 16] Likely after 1550 BC Unclear, potentially Tiny fragments from Period	Ware Flint tempered Flint tempered Ware Ware Ware Grog tempered See sherd, partially oxidised undersited the context of the context of possible. No significant was a single sherd, likely LP. Ware Flint tempered A single sherd, likely LP. Ware Flint tempered	Vessels Vessels de and out Vessels Vessels Vessels Vessels Vessels Vessels Vessels Vessels	Wear Mer edge, sherds Wear L>M e worn.	Date preference 2100-1550 BC reduced above and interior. 25 g rying degrees. Date preference 600-50 BC

(6202)			1	sherd	24 g	
Context:						
Start date:	Nothing certainly be	fore 600 BC.				
End date:		l only and could be residual to a	degree. N	othing c	ertainly after 50 BC.	
Dating:	No specific data, but					
Comments:		- 7				
Quantity	Period	Ware	Vessels	Wear	Date preference	
1	EMIA>MLIA	Flint tempered	1	L>M	600-50 BC	
	Medium thick-walled	body, heavily concreted.	I	I		
(6404) [640	05]		3	sherds	25 g	
Context:						
Start date:	Possibly after 200 B	C.				
End date:		er 50 BC, but these are small in o	quantity a	nd size	and all could derive from a	
Dating:	No specific data, but	slight preference for MLIA.				
Comments:		small and not worth drawing. 2 sn lium sized gritted fabric giving sligh				
Quantity	Period	Ware	Vessels	Wear	Date preference	
3	?MLIA	Flint tempered	?1	L	200-50 BC	
	Small, 2 body, 1 simple upright rounded-over rim, folded internally. Edges slightly worn. DRAW: 1.					
((,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
(6409)]	sherd	8 g	
Context:	NY -11 1 1 1	6 600 PG				
Start date:	Nothing certainly be	fore 600 BC.				
End date:	Unclear, residual.	I'I I YA I I II DAGYA AGY	TA .	·	,	
Dating:	No specific data, but	likely IA and probably EMIA>ML	IA, given	site tren	ias.	
Comments:	D : 1	747	77 7	T47	D	
Quantity	Period	Ware	Vessels	Wear	Date preference	
1	IA/EMIA>MLIA	Flint tempered sandy	1	Н	600-50 BC	
	Small body, oxidised s	urraces.	l	l		
((411) [(4	101 CWC FU 24		2	-11-	26 -	
, , ,	13] <i>CWC-EV-21</i>		Z	sherds	26 g	
Context:	After 2650 DC					
Start date:	After 3650 BC.	toinly often 2250 /2700 AD and th	h o we okowi	al ia mat	significantly worm though	
End date:	it comprises a couple	tainly after 3350/2700 AD and the of small sized sherds only.				
Dating:	this feature excava	possibly from an EN Decorated ited and the flintwork recove atures are more typically, but no	ered, re	whethe	r this could be context-	
Comments:	The tempering of the impressions rather th	fabric is characteristic of EN>MN an an all-over design could sugge	locally and st EN, tho	d the prough	esence of a row of fingernail is a small sample only. The	
		what akin to some of the coarse temper could have an outside chance of b				
Quantity	Period Period	Ware	Vessels	Wear	Date preference	
2 Quantity	EN>MN/EN	Flint tempered	1	L	3650-3350/2700 BC	
		arger showing 2 fingernail impressi				
	-	a single shallow impression, patch			_	
			•	•		

(6502) [65	06]		1	sherd	11 g		
Context:					_		
Start date:	Nothing certainly be	fore 3650 BC.					
End date:	Unclear, residual.						
Dating:	Residual fragment p	Residual fragment possibly from the rim of a EN Decorated Bowl.					
Comments:	Worn small rim fragm of Earlier Neolithic fal DRAW.	ent, probably with incised lines actorics locally.	ross the rir	n top on	ly, the gritting characteristic		
Quantity	Period	Ware	Vessels	Wear	Date preference		
1	EN>MN/?EN	Flint tempered	1	Н	3650-3350/2700 BC		
	shallow concave ?ne	rim top suffering surface loss and s ck area below (exterior, or inter fine to large coarse grits.					
(6507) [65	001		1	sherd	4.5		
Context:			1	SHELU	4 g		
Start date:	Likely after 1550 BC						
End date:	Unclear, residual.	•					
Dating:	No specific data. Bro	adly I D					
Comments:	No specific data. Di o	aury Lr.					
	Dowload	Mana	Vessels	Wear	Data mafananga		
Quantity 1	Period LP	Ware Flint tempered	Vessels 1	H	Date preference 1550-50 BC		
1		rinit tempered	1	п	1330-30 BC		
	Small body.						
(6600)			3 (sherds	17 g		
Context:			<u> </u>	inci us	1, 8		
Start date:	Likely after 1225 AD	and if all were in use together th	nen nossih	ly after	1300 AD		
End date:	Nothing certainly af were related and in	ter 1450 AD and possibly by or suse and deposited together.	shorty afte	r arour	nd 1375 AD, or earlier if all		
Dating:	more worn than th potentially have bee nature of the contex or might be related.	eyond firing trends, which are sli e others however and though n n in use and discarded together a t and their distribution, re whet	nanufactu around 13 ther this m	ring da 00-132 naterial	tes likely differ, all could 5 AD perhaps. Consider the was accruing sequentially		
Comments:	All small sized and al firing and, for the larg	l show some slight wear on their eest sherd, inclusions.	edges, but	nothing	significant. Dating based on		
Quantity	Period	Ware	Vessels	Wear	Date preference		
1	M	Canterbury Tyler Hill sandy	1	L	1200-1275/1300 AD		
	10 11 1 1 1 1						
	Small plain body sher	d, dull orangey brown exterior and	darker bro	own inte			
1	M	Canterbury Tyler Hill sandy	1	L	1300-1350/1375 AD		
1	M	Canterbury Tyler Hill sandy ody sherd, large chalk inclusion, du	1	L	1300-1350/1375 AD		
1	M Small-medium plain b M>LM	Canterbury Tyler Hill sandy ody sherd, large chalk inclusion, du Canterbury Tyler Hill sandy	1	L	1300-1350/1375 AD		
	M Small-medium plain b M>LM	Canterbury Tyler Hill sandy ody sherd, large chalk inclusion, du	1 ıll oxidised	L surface	1300-1350/1375 AD s.		
	M Small-medium plain b M>LM	Canterbury Tyler Hill sandy ody sherd, large chalk inclusion, du Canterbury Tyler Hill sandy	1 ıll oxidised	L surface	1300-1350/1375 AD s.		

(6601)			3	sherds	48 g		
Context:							
Start date:	Nothing certainly before 1225 AD and possibly after 1275 AD.						
End date:	Unclear. Nothing certainly after 1550 AD, though the later dated sherds residual to some degree. The latest material potentially dates after 1475 AD, but the other sherds should pre-date this.						
Dating:		with at least 2 phases pre and po					
J		is the softest fired but appears					
	degree. Consider the nature of the context and the distribution (if possible) and review on						
	basis whether 2 or 3 phases of evidence are possible or likely (ie. whether the 2 M>LM						
	could be broadly rel	ated to the same phase of activity	y, or not).				
Comments:	All small to small-medium size, with little data other than fabric and firing. The earlier dated of the 2						
	Canterbury Tyler Hill products, which also appears the freshest of all, is not quite as well fired and could						
	pre-date the other, th	ough later softer firings can occur	in the per	riod pos	t 1375 AD, when the general		
		ed wares (Macpherson-Grant 1995		e 1 shero	l in a finer sandy fabric could		
		product and would post date the oth	iers.				
	DRAW: 1.						
Quantity	Period	Ware	Vessels	Wear	Date preference		
1	M>LM	Canterbury Tyler Hill sandy	1	L	1225-1375/1450 AD		
		erd, lower part possibly a sag base					
	glaze, black core and v	variable brownish surfaces, hard-is	h but not v	ery har	d.		
1	M>LM	Canterbury Tyler Hill sandy	1	M	1275-1425/1450 AD		
ļ		from body with handle attachmen	it, black c	ore, brig	tht orange margins and dull		
ļ	brownish exterior sur	face, hard but not very hard.					
	DRAW.						
1	LM	Canterbury Transitional sandy	1	C>M	1475-1525/1550 AD		
	Small plain body sher	d, fine sandy, orange oxidised with	darker bro	ownish s	urfaces, fairly hard.		
(6603) [660	04]		1	sherd	4 g		
Context:							
Start date:	Perhaps more likely	Perhaps more likely after 1550 BC.					
	•						
End date:	Unclear, residual.						
	Unclear, residual.	adly BK>LP and perhaps more li	kely LP gi	ven the	amount of flint.		
End date:	Unclear, residual. No specific data. Bro A fabric type that coul	adly BK>LP and perhaps more li	of flint is				
End date: Dating:	Unclear, residual. No specific data. Bro	adly BK>LP and perhaps more li					
End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul	adly BK>LP and perhaps more li	of flint is	perhaps	a little bit heavy for BK>EBA.		
End date: Dating: Comments: Quantity	Unclear, residual. No specific data. Bro A fabric type that coul Period	adly BK>LP and perhaps more li d occur widely, though the quantity Ware Flint + grog tempered	of flint is Vessels	perhaps <i>Wear</i>	a little bit heavy for BK>EBA. Date preference		
End date: Dating: Comments: Quantity	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP	adly BK>LP and perhaps more li d occur widely, though the quantity Ware Flint + grog tempered	of flint is Vessels	perhaps <i>Wear</i>	a little bit heavy for BK>EBA. Date preference		
End date: Dating: Comments: Quantity 1	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP	adly BK>LP and perhaps more li d occur widely, though the quantity Ware Flint + grog tempered	v of flint is Vessels 1	perhaps <i>Wear</i>	a little bit heavy for BK>EBA. Date preference		
End date: Dating: Comments: Quantity 1	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s	adly BK>LP and perhaps more li d occur widely, though the quantity Ware Flint + grog tempered	v of flint is Vessels 1	perhaps <i>Wear</i> H	a little bit heavy for BK>EBA. Date preference 1550-50 BC		
End date: Dating: Comments: Quantity 1 [6618] [662]	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s	adly BK>LP and perhaps more li d occur widely, though the quantity Ware Flint + grog tempered	v of flint is Vessels 1 16	perhaps <i>Wear</i> H	a little bit heavy for BK>EBA. Date preference 1550-50 BC		
End date: Dating: Comments: Quantity 1 (6618) [662]	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly after	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. Inoting other material also in (66 ter 50 BC.	v of flint is Vessels 1 16 18).	perhaps Wear H Sherds	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly after	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. noting other material also in (66	v of flint is Vessels 1 16 18).	perhaps Wear H Sherds	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated with contemporary.	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. noting other material also in (66 ter 50 BC. th the MLIA material also from (66)	v of flint is Vessels 1 16 18).	Perhaps Wear H sherds	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context-		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. moting other material also in (66 ter 50 BC. th the MLIA material also from (66 ter and base of a vessel with a neatly fix	7 of flint is Vessels 1 16 18). 618) seem	perhaps Wear H sherds subseq	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- significant profile is present.		
End date: Dating: Comments: Quantity 1 (6618) [662] Context: Start date: End date: Dating:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. noting other material also in (66 ter 50 BC. th the MLIA material also from (6 ter 50 BC) and base of a vessel with a neatly fire is a slight preference for a MLIA	v of flint is Vessels 1 16 18). 618) seem nished ext. date for t	wear H sherds subseq erior. No	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- e significant profile is present. hin a broader IA/EMIA>MLIA		
End date: Dating: Comments: Quantity 1 (6618) [662] Context: Start date: End date: Dating:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the gri	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. noting other material also in (66 ter 50 BC. th the MLIA material also from (6 ter is a slight preference for a MLIA tting and neat surface finish down	v of flint is Vessels 1 16 18). 618) seem nished ext. date for t	wear H sherds subseq erior. No	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- e significant profile is present. hin a broader IA/EMIA>MLIA		
End date: Dating: Comments: Quantity 1 (6618) [662] Context: Start date: End date: Dating:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated with contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. noting other material also in (66 ter 50 BC. th the MLIA material also from (6 ter 50 surface) and base of a vessel with a neatly fixed in the surface for a MLIA ting and neat surface finish down.	v of flint is Vessels 1 16 18). 618) seem nished ext. date for t	wear H sherds subseq erior. No	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- e significant profile is present. hin a broader IA/EMIA>MLIA		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grif fineware/coarseware DRAW: 1. NB. All sher	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. noting other material also in (66 ter 50 BC. th the MLIA material also from (6 ter is a slight preference for a MLIA tting and neat surface finish down	r of flint is Vessels 1 16 18). 618) seem nished ext. date for town to the	wear H sherds subseq erior. No	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- o significant profile is present. hin a broader IA/EMIA>MLIA base of this presumed sub-		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. noting other material also in (66 ter 50 BC. th the MLIA material also from (66 ter is a slight preference for a MLIA ting and neat surface finish down discretained in 'DRAW' bag. Ware	r of flint is Vessels 1 16 18). 618) seen nished ext. date for twn to the Vessels	wear H sherds subseq erior. No his, with very b	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- e significant profile is present. hin a broader IA/EMIA>MLIA hase of this presumed sub- Date preference		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered curfaces. noting other material also in (66 ter 50 BC. th the MLIA material also from (66 ter is a slight preference for a MLIA ting and neat surface finish down discretained in 'DRAW' bag. Ware Flint tempered	r of flint is Vessels 1 16 18). 618) seen nished ext. date for twn to the Vessels ?1	subsequerior. Nothis, with every by Wear F>L	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- e significant profile is present. hin a broader IA/EMIA>MLIA hase of this presumed sub- Date preference 200-50 BC		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA Small to medium siz	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. noting other material also in (66 ter 50 BC. th the MLIA material also from (6 ter is a slight preference for a MLIA ting and neat surface finish down to the surface of the surface finish down the surface fini	r of flint is Vessels 1 16 18). 618) seen nished extendate for the work to the vessels ?1 m sized	sherds subsequerior. Nothis, with every be wear F>L base she	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- e significant profile is present. hin a broader IA/EMIA>MLIA hase of this presumed sub- Date preference 200-50 BC erd shows some significant		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA Small to medium siz abrasion/exposure data	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. Inoting other material also in (66 ter 50 BC. Ith the MLIA material also from (6 ter is a slight preference for a MLIA ting and neat surface finish down the surf	rof flint is Vessels 1 16 18). 618) seen nished extendate for the work to the work t	sherds subsequerior. Nothis, with every between F>L base shery are in	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- e significant profile is present. In a broader IA/EMIA>MLIA base of this presumed sub- Date preference 200-50 BC erd shows some significant general for the other sherds.		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA Small to medium siz abrasion/exposure da 1 flat base and 1 lowe	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. Inoting other material also in (66 ter 50 BC. Ith the MLIA material also from (66 ter is a slight preference for a MLIA ting and neat surface finish down discretained in 'DRAW' bag. Ware Flint tempered ted, mostly fairly fresh. 1 medium amage along 1 edge, other edges show body sherd (at least) conjoin to the	rof flint is Vessels 1 16 18). 618) seen nished extendate for the work to the work t	sherds erior. Nothis, with very bear F>L base showing the	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- e significant profile is present. In a broader IA/EMIA>MLIA hase of this presumed sub- Date preference 200-50 BC erd shows some significant general for the other sherds. incurving lower body profile.		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA Small to medium siz abrasion/exposure da 1 flat base and 1 lowe The body sherds show	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. Inoting other material also in (66 ter 50 BC. Ith the MLIA material also from (6 ter is a slight preference for a MLIA ting and neat surface finish down discretiant in 'DRAW' bag. Ware Flint tempered material also from (6 terms and in 'DRAW' bag. Ware Flint tempered material also from (6 terms and in 'DRAW' bag. Ware Flint tempered material also from (6 terms and in 'DRAW' bag. Ware Flint tempered material also from (6 terms and in 'DRAW' bag.) Ware Flint tempered material also from (6 terms and in 'DRAW' bag.) Ware Flint tempered material also from (6 terms and in 'DRAW' bag.) Ware Flint tempered material also from (6 terms and in 'DRAW' bag.) Ware Flint tempered material also from (6 terms and in 'DRAW' bag.) Ware Flint tempered material also from (6 terms and in 'DRAW' bag.)	rof flint is Vessels 1 16 18). 618) seem nished ext. date for the work to the work to the work to the seem of the seem o	sherds subsequerior. Nothis, with every be wear F>L base showing the ending of	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- significant profile is present. in a broader IA/EMIA>MLIA hase of this presumed sub- Date preference 200-50 BC erd shows some significant general for the other sherds. incurving lower body profile. lown to the basal edge. Fairly		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA Small to medium siz abrasion/exposure da 1 flat base and 1 lowe The body sherds show profuse fine to medium	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. Inoting other material also in (66 ter 50 BC. Ith the MLIA material also from (67 and base of a vessel with a neatly firm re is a slight preference for a MLIA ting and neat surface finish down down and the surface finish down down and the surface finish down down and the surface finish down are flint tempered from the surface for a mostly fairly fresh. 1 medium and along 1 edge, other edges show the surface function of the surface for a fairly fresh. 1 medium and along 1 edge, other edges show the surface function of the surface function o	rof flint is Vessels 1 16 18). 618) seen nished ext. date for the work to the work to the extension are part of the extension.	subsequerior. Nothis, with every be wear F>L base showing the ending of Slight v	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- significant profile is present. in a broader IA/EMIA>MLIA hase of this presumed sub- Date preference 200-50 BC erd shows some significant general for the other sherds. incurving lower body profile. lown to the basal edge. Fairly		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA Small to medium siz abrasion/exposure da 1 flat base and 1 lowe The body sherds show profuse fine to medium needn't be a single ver	radly BK>LP and perhaps more lind occur widely, though the quantity Ware Flint + grog tempered Flint + grog tempered Flint + grog tempered Flint + grog tempered Furfaces. Furfaces. Inoting other material also in (66) For the MLIA material also from (66) For and base of a vessel with a neatly fire is a slight preference for a MLIA ting and neat surface finish down and the surface fi	rof flint is Vessels 1 16 18). 618) seen nished ext. date for the work to the work to the extension are part of the extension.	subsequerior. Nothis, with every be wear F>L base showing the ending of Slight v	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- significant profile is present. in a broader IA/EMIA>MLIA hase of this presumed sub- Date preference 200-50 BC erd shows some significant general for the other sherds. incurving lower body profile. lown to the basal edge. Fairly		
End date: Dating: Comments: Quantity 1 (6618) [662 Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA Small to medium siz abrasion/exposure da 1 flat base and 1 lowe The body sherds show profuse fine to medium needn't be a single ver	adly BK>LP and perhaps more lided occur widely, though the quantity Ware Flint + grog tempered surfaces. Inoting other material also in (66 ter 50 BC. Ith the MLIA material also from (67 and base of a vessel with a neatly firm re is a slight preference for a MLIA ting and neat surface finish down down and the surface finish down down and the surface finish down down and the surface finish down are flint tempered from the surface for a mostly fairly fresh. 1 medium and along 1 edge, other edges show the surface function of the surface for a fairly fresh. 1 medium and along 1 edge, other edges show the surface function of the surface function o	rof flint is Vessels 1 16 18). 618) seen nished ext. date for the work to the work to the extension are part of the extension.	subsequerior. Nothis, with every be wear F>L base showing the ending of Slight v	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- significant profile is present. in a broader IA/EMIA>MLIA hase of this presumed sub- Date preference 200-50 BC erd shows some significant general for the other sherds. incurving lower body profile. lown to the basal edge. Fairly		
End date: Dating: Comments: Quantity 1 (6618) [66: Context: Start date: End date: Dating: Comments:	Unclear, residual. No specific data. Bro A fabric type that coul Period BK>LP/?LP Small body, oxidised s 19] Vessel V1 Likely after 200 BC, Nothing certainly aft Likely associated wit contemporary. Part of the lower body On its own merits the range, given the grifineware/coarseware DRAW: 1. NB. All sher Period MLIA Small to medium siz abrasion/exposure da 1 flat base and 1 lowe The body sherds show profuse fine to medium needn't be a single ver	radly BK>LP and perhaps more lind occur widely, though the quantity Ware Flint + grog tempered Flint + grog tempered Flint + grog tempered Flint + grog tempered Furfaces. Furfaces. Inoting other material also in (66) For the MLIA material also from (66) For and base of a vessel with a neatly find re is a slight preference for a MLIA thing and neat surface finish down the description of the surface finish down the surface fin	rof flint is Vessels 1 16 18). 618) seen nished ext. date for the work to the work to the extension are part of the extension.	subsequerior. Nothis, with every be wear F>L base showing the ending of Slight v	a little bit heavy for BK>EBA. Date preference 1550-50 BC 255 g uently. Potentially context- significant profile is present. in a broader IA/EMIA>MLIA hase of this presumed sub- Date preference 200-50 BC erd shows some significant general for the other sherds. incurving lower body profile. lown to the basal edge. Fairly		

(6618) [663	19]		6	sherds	60 g			
Context:								
Start date:	Likely after 200 BC.							
End date:	Nothing certainly after 50 BC, though the sherds are all small and some are more worn/abraded than others.							
Dating:	The facetted rim indicates MLIA and the fairly strongly mostly finely tempered sherds occurring							
S	alongside it are potentially notable/useful for comparisons with less diagnostic materials elsewhere in the site assemblage.							
Comments:		Small mostly plain body sherds, 1 small facetted everted rim, the rim top missing and not worth drawing.						
	All the body sherds are fairly heavily tempered with mostly fine grits. DRAW: 1. NB. All sherds retained in 'DRAW' bag.							
Quantity	Period	Ware	Vessels	Wear	Date preference			
6	MLIA	Flint tempered	4/5	L>M	200-50 BC			
	Small, mostly plain body, these fairly strongly tempered with mostly fine to sometimes more medium sized grits. 1 medium-walled fragment from a likely everted rim, broken at concave neck with rim missing, but some interior facetting remaining. DRAW: 1.							
(((20) [((221			-1	OF.			
(6620) [662	<i>ZZ</i>]			sherd	35 g			
Context:	N .1 1 1	6 (00 PG						
Start date:	Nothing certainly be							
End date:		ter 50 BC, though a single recover	ry only.					
Dating:		given current site trends.	1 1					
Comments:	•	ticularly worn, though a single sher						
Quantity	Period	Ware	Vessels	Wear	Date preference			
1	EMIA>MLIA	Flint tempered	1	L	600-50 BC			
	Medium body sherd, s	simply wiped smooth exterior.	Г					
· , .	25] Vessel 1		7	sherds	81 g			
Context:								
Start date:	Nothing certainly be							
End date:	Nothing certainly af							
Dating:	No specific data. Likely EMIA or MLIA given site trends. Could compare with the EMIA and MLIA site fabric trends once firmly established, following all phases of EV and EX (ie. the maximum amount of material available), if this context is of importance and its date is not determinable stratigraphically.							
Comments:	Fairly strong gritting might suggest more typically MLIA than EMIA, but current evidence not enough to express a slight preference at preference. 1 small fragment of base not worth drawing.							
0	DRAW: 1. NB. All reta	ined in 'DRAW' bag.						
	Darri - J		Ves-1	147	Data ww-f			
Quantity	Period	Ware	Vessels	Wear	Date preference			
Quantity 7	EMIA>MLIA	Ware Flint tempered	?1	L	600-50 BC			
	EMIA>MLIA Small mostly thick-waith little bar the ang	Ware	?1 edges fair derate ten	L ly sharp iper, sui	600-50 BC, 1 probably from a base but faces only roughly wiped at			
7	EMIA>MLIA Small mostly thick-waith little bar the anglest. 1 sherd thinner, DRAW: 1.	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo	?1 edges fair derate ten rent vessel	L ly sharp nper, sun , or a diff	600-50 BC, 1 probably from a base but faces only roughly wiped at ferent part of same vessel.			
7 (6623) [662	EMIA>MLIA Small mostly thick-waith little bar the anglest. 1 sherd thinner, DRAW: 1.	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo	?1 edges fair derate ten rent vessel	L ly sharp iper, sui	600-50 BC, 1 probably from a base but faces only roughly wiped at ferent part of same vessel.			
7	EMIA>MLIA Small mostly thick-would with little bar the angle best. 1 sherd thinner, DRAW: 1.	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a differ	?1 edges fair derate ten rent vessel	L ly sharp nper, sun , or a diff	600-50 BC, 1 probably from a base but faces only roughly wiped at ferent part of same vessel.			
7 (6623) [662	EMIA>MLIA Small mostly thick-way with little bar the any best. 1 sherd thinner, DRAW: 1. 25] Nothing certainly be	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a differ	?1 edges fair derate ten rent vessel	L ly sharp nper, sun , or a diff	600-50 BC, 1 probably from a base but faces only roughly wiped at ferent part of same vessel.			
7 (6623) [662] Context:	EMIA>MLIA Small mostly thick-would with little bar the angle best. 1 sherd thinner, DRAW: 1.	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a differ	?1 edges fair derate ten rent vessel	L ly sharp nper, sun , or a diff	600-50 BC, 1 probably from a base but faces only roughly wiped at ferent part of same vessel.			
7 (6623) [663 Context: Start date:	EMIA>MLIA Small mostly thick-way with little bar the any best. 1 sherd thinner, DRAW: 1. 25] Nothing certainly be Nothing certainly af	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a differ	?1 edges fair derate ten rent vessel	L ly sharp nper, sun , or a diff	600-50 BC, 1 probably from a base but faces only roughly wiped at ferent part of same vessel.			
(6623) [663 Context: Start date: End date:	EMIA>MLIA Small mostly thick-way with little bar the any best. 1 sherd thinner, DRAW: 1. 25] Nothing certainly be Nothing certainly af	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a difference 600 BC. ter 50 BC.	?1 edges fair derate ten rent vessel	L ly sharp nper, sun , or a diff	600-50 BC, 1 probably from a base but faces only roughly wiped at ferent part of same vessel.			
(6623) [662 Context: Start date: End date: Dating:	EMIA>MLIA Small mostly thick-way with little bar the any best. 1 sherd thinner, DRAW: 1. 25] Nothing certainly be Nothing certainly af No specific data. See	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a difference 600 BC. ter 50 BC.	?1 edges fair derate ten rent vessel	L ly sharp nper, sun , or a diff	600-50 BC, 1 probably from a base but faces only roughly wiped at ferent part of same vessel.			
(6623) [662] Context: Start date: End date: Dating: Comments:	EMIA>MLIA Small mostly thick-would with little bar the angular best. 1 sherd thinner, DRAW: 1. 25] Nothing certainly be Nothing certainly af No specific data. See Plain sherds only.	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a differ efore 600 BC. ter 50 BC. comments on (6623) Vessel 1 ab	?1 edges fair derate ten rent vessel 2 oove.	L ly sharp nper, sur , or a diff	600-50 BC, 1 probably from a base but faces only roughly wiped at erent part of same vessel.			
(6623) [662] Context: Start date: End date: Dating: Comments: Quantity	EMIA>MLIA Small mostly thick-would with little bar the angle best. 1 sherd thinner, DRAW: 1. 25] Nothing certainly be Nothing certainly af No specific data. See Plain sherds only. Period EMIA>MLIA	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a differ efore 600 BC. ter 50 BC. comments on (6623) Vessel 1 ab	?1 edges fair derate ten rent vessel 2 vessels 1	L ly sharp nper, sur , or a diff sherds Wear L	600-50 BC , 1 probably from a base but faces only roughly wiped at ferent part of same vessel. 45 g Date preference 600-50 BC			
(6623) [662] Context: Start date: End date: Dating: Comments: Quantity	EMIA>MLIA Small mostly thick-would with little bar the angle best. 1 sherd thinner, DRAW: 1. 25] Nothing certainly be Nothing certainly af No specific data. See Plain sherds only. Period EMIA>MLIA	Ware Flint tempered alled body sherds, fragmentary but gle present, fairly heavy fine to mo more medium-walled, from a differ efore 600 BC. ter 50 BC. comments on (6623) Vessel 1 ab Ware Flint tempered	?1 edges fair derate ten rent vessel 2 vessels 1	L ly sharp nper, sur , or a diff sherds Wear L	600-50 BC , 1 probably from a base but faces only roughly wiped at ferent part of same vessel. 45 g Date preference 600-50 BC			

6. Catalogues of other finds presented

6.1. Period Codes employed

Period Code Date (circa)

Post-MedievalPM1525-1750ADModernMOD1900+-AD

Abbreviations

> : To/or later. < : No later than.

6.2. Catalogue of daub

Context	Quantity	Weight	Notes	Date
		<i>(g)</i>		by association
(1316)	1	1	Tiny part-rounded fractured piece, part oxidised.	LP pottery
(2306)	1	32	Irregular lump, pale pinky-cream with frequent small to large chalk fragments, edges not significantly worn, relatively fresh and potentially contemporary.	EMIA pottery
Totals	2	33		

6.3. Catalogue of tile

Context	Quantity	Weight (g)	Notes	Date
		(0)		
(3303)	1	8	Small rounded fragment, redware type fabric, possibly tile.	PM>MOD
(3202)	1	23	Small fragment of tile, orangey surfaces and black core, redware type fabric with sanded surfaces.	PM>MOD
Totals	2	31		